## SPARS CMHS Adult Consumer NOMs Tool - Codebook for Data Download

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
RECORD MANAGEMENT	1	2000, p.1011	1 .76-		1 ====,	12.00		
ConsumerID	N/A	Consumer ID	text	11	Always applies.		* Only alphanumeric characters are valid, the only exceptions are a hyphen (-) or an	
							underscore (_). * First character must be an alphanumeric character.	
GrantID	N/A	Grant ID (Grant/Contract/Cooperative	text	20	Always applies.		*Must already be in the SPARS CMHS system, and	
		Agreement)					user must be authorized to access it.	
SiteID	N/A	Site ID	text	11	Always applies.		*Must already be in the SPARS CMHS system under the provided GrantID, and user must be authorized to access it.	
InterviewType_07	N/A	Interview Type	integer	N/A	Retained for Data Download	1 = Baseline	inusi de autitorizeu to access it.	* If previous InterviewType = 4 (clinical discharge)
, -		,			purposes, but no longer applies. Replaced by "Assessment".			then subsequent InterviewType must = 1 (baseline).
						2 = 3 Month Reassessment		Do not allow InterviewType = 2 (3 Month Reassessment) for the same episode unless a baseline has been entered.  Do not allow InterviewType = 2 (3 Month Reassessment), ill an InterviewType = 2 has already been entered in same reassessment window or ReassessmentStatus = 31 (no contact whin 90 days of last service).  Do not allow InterviewType = 2 (3 Month Reassessment) for the same episode after a Discharge has already been entered.
<del>                                     </del>						3 = 6 Month Reassessment		* Do not allow InterviewType = 3 (6 Month
								Reassessment) for the same episode unless a baseline has been entered.  *Do not allow interview? Type = 3 (6 Month Reassessment), if an interview? Type = 3 has already been entered in same reassessment window or ReassessmentStatus = 31 (no contact within 90 days of last service).  *Do not allow Interview? Type = 3 (6 Month Reassessment) for the same episode after a Discharge has already been entered.
						4 = Clinical Discharge		* Do not allow InterviewType = 4 (Discharge) for the
								same episode unless a baseline has been entered.
ConsumerType_07	N/A	Consumer Type	integer	N/A	Retained for Data Download	1 = New	* Not valid if InterviewType = 2, 3 or 4 (non- baselines).	* If this code appears at baseline, then the same
,, =		,			purposes, but no longer applies.		* Code '1' (New) is valid only if the consumer began receiving services under the grant on or after the SPARS CMHS target start date -AND- if the ConsumerID is not already in the SPARS CMHS system under the same grant.	code will appear throughout all interview types within
						2 = Continuing	* Not valid if InterviewType = 2, 3 or 4 (non-baselines).  * Code ?? (Continuing) is valid only if the consumer was receiving services under the grant before the SPARS CMHS target date (regardless of whether the baseline interview occurred before or after the SPARS CMHS target date) -OR- if a previous baseline has already been entered for this ConsumerID under the same grant.	* If this code appears at baseline, then the same code will appear throughout all interview types within the same episode of care.
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* If this code appears at baseline, then the same
								code will appear throughout all interview types within the same episode of care.
ReassessmentNumber_07	N/A	Reassessment Number	text	N/A	Retained for Data Download purposes, but no longer applies. Replaced by "Assessment".	0301 = 1st 3 Month Reassessment	* Valid only if InterviewType = 2 or 3.  * 3-month categories are not valid for programs that use 6-month reassessments. 6-month categories are not valid for programs that use 3-month reassessments.	* The current Reassessment Number entered must be greater than a Reassessment Number from all previous interviews.
						0302 = 2nd 3 Month Reassessment		* The Reassessment Number must match the corresponding reassessment window.
	+		-	<b> </b>	1	0303 = 3rd 3 Month Reassessment		corresponding reassessment wildow.
	+	+			1	0304 = 4th 3 Month Reassessment	<del> </del>	
	+		+	1	<u> </u>	0305 = 5th 3 Month Reassessment		
	+		+	1	<u> </u>	0306 = 6th 3 Month Reassessment		
	+					0307 = 7th 3 Month Reassessment		
	+					0308 = 8th 3 Month Reassessment		
	+					0309 = 9th 3 Month Reassessment		
	+		-	<del>                                     </del>	1	0310 = 10th 3 Month Reassessment		
	+		-	<del>                                     </del>	1	0311 = 11th 3 Month Reassessment		
	+					0312 = 12th 3 Month Reassessment		
	+		-	<b> </b>	<u> </u>	0313 = 13th 3 Month Reassessment		
	+		-	<b> </b>	<u> </u>	0314 = 14th 3 Month Reassessment		
	+					0315 = 15th 3 Month Reassessment		
	+					0316 = 16th 3 Month Reassessment		
	+					0317 = 17th 3 Month Reassessment		
	+	+	-	<b> </b>	1	0318 = 18th 3 Month Reassessment		
		1	1		1			<u> </u>

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						0319 = 19th 3 Month Reassessment		
						0320 = 20th 3 Month Reassessment		
						0321 = 21st 3 Month Reassessment		
						0322 = 22nd 3 Month Reassessment		
						0323 = 23rd 3 Month Reassessment		
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Assessment	1	Indicate Assessment Type:	text	4	Always applies.	0600 = Baseline Assessment		* If previous assessment was a clinical discharge (Assessment = 0699), then the subsequent assessment must be a baseline assessment (Assessment = 0600), in which case, a new episode of care has occurred.
						0301 = 3 Month Reassessment	* Valid only for the following grant programs: PBHCI, PIPBHC-C, PIPBHC, CCBHC-E  * Valid only if InterviewType = 2 or 3.  * 3-month categories are not valid for programs that use 6-month reassessments. 6-month categories are not valid for programs that use 3-month reassessments.	*The current Reassessment Number entered must be greater than a Reassessment Number from all previous interviews.
						0302 = 6 Month Reassessment		* The Reassessment Number must match the corresponding reassessment window.
						0303 = 9 Month Reassessment		corresponding reassessment window.
	<u> </u>	1	-			0304 = 12 Month Reassessment		
			-			0305 = 15 Month Reassessment		
	1	1	-		<del>                                     </del>	0306 = 18 Month Reassessment		
	1	1	+	1	<del> </del>	0307 = 21 Month Reassessment		
	1	1	+	1	<del> </del>	0308 = 24 Month Reassessment		
	1	1	+	1	<del> </del>	0309 = 27 Month Reassessment		
						0310 = 30 Month Reassessment		
						0311 = 33 Month Reassessment		
						0312 = 36 Month Reassessment		
						0313 = 39 Month Reassessment		
						0314 = 42 Month Reassessment		
						0315 = 45 Month Reassessment		
						0316 = 48 Month Reassessment		
						0317 = 51 Month Reassessment		
						0317 = 51 World Reassessment		
						0319 = 57 Month Reassessment		
						0320 = 60 Month Reassessment		
						0321 = 63 Month Reassessment		
						0322 = 66 Month Reassessment		
						0323 = 69 Month Reassessment 0601 = 6-Month Reassessment	* 3-month categories are not valid for programs that use 6-month reassessments. 6- month categories are not valid for programs that use 3-month reassessments.	** New assessments must be greater than all other assessments currently saved for the same episode
								of care. "If InterviewDate occurs between two reassessment windows (Assessment = 0601 to 0611) then the user must select the appropriate Assessment Number from the two windows in question, otherwise the system will select the appropriate window based on InterviewDate." Do not allow a reassessment (Assessment = 0601 to 0611) for the same episode if a reassessment has already been entered in same reassessment window or no contact within 90 days of last service (NoContact90Days = 0) has been previously entered."
						0602 = 12-Month Reassessment		
						0603 = 18-Month Reassessment		1
					1	0604 = 24-Month Reassessment		
					1	0605 = 30-Month Reassessment		
					1	0606 = 36-Month Reassessment		
	1		-			0607 = 42-Month Reassessment	<u> </u>	
	<del> </del>	1	+		<del> </del>	0608 = 48-Month Reassessment		
		1	-		<del> </del>	0609 = 54-Month Reassessment		
			1					1
						0610 = 60-Month Reassessment		

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						0699 = Clinical Discharge		** Do not allow InterviewType = 4 (Discharge) for the same episode unless a baseline has been entered. * Do not allow InterviewType = 4 (Discharge) if another Discharge has been previously saved for the same episode.*
							* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	*Applies only where formerly ReassessmentNumber = (0301, 0303, 0305, 0307, 0309, 0311, 0313, 0315, 0317, 0319, 0321, 0323) and InterviewType = 2.*
ConductedInterview	2	Was the interview conducted?	integer	N/A	Always applies.	0 = No	*Admin Baseline Assessment(Assessment = 0600; ConductedInterview = 0):  * Only Section A - Demographic Data is required.	
							*Admin Reassessment (Assessment = 0601 to 0611; ConductedInterview = 0): *Only Sections H (# applicable), I & K are required.	* If this is an Admin Reassessment, then the day it was first saved into CMHS (CreateDate) must be ≥ first day of its reassessment window and < the first day of its next reassessment window.
							* Admin Discharge (Assessment = 0699; ConductedInterview = 0): *Only Sections H (if applicable), Sections J & K are required.	
						1 = Yes	*Baseline Interview (Assessment = 0600; ConductedInterview = 1): Section A through E and G are required for all cases.  *Reassessment Interview (Assessment = 0601 to 0611; ConductedInterview = 1): The Record Management portion of Section A, The functioning portion of sections B, Violence and Taruam portion of 90 nyl, Section C through G, and Sections I & K are required for all cases.  *Discharge Interview (Assessment = 0699; ConductedInterview = 1): The Record Management portion of Section A, The functioning portion of sections B, Violence and Trauma portion Q9 only, Section C through G, and Sections J & K are required for all cases.	
WhyNotConducted	2	Why not? Choose only one.	integer	1	* Only applicable if an interview was not conducted (ConductedInterview = 0).		* Only applicable if an interview was not conducted (ConductedInterview = 0). Else, code this as -1.	
						1 = Not able to obtain consent from proxy		
						2 = Consumer was impaired or unable to provide		
						3 = Consumer refused this interview only		
	1					4 = Consumer was not reached for interview		
						5 = Consumer refused all interviews		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
WhyNotConducted_10	N/A	Why was the interview not conducted?	integer	N/A	Retained for Data Download purposes, but no longer applies.		* Only applicable if an interview was not conducted (ConductedInterview = 0). Else, code this as -1.	
						1 = Consumer refused interview		
						2 = Not able to obtain consent from proxy		
						3 = Consumer was impaired/unable to provide consent		
						4 = Consumer cannot be reached for interview	* Applicable only to a reassessment or a clinical discharge (Assessment = 0601 to 0699).	* Must be entered for each reassessment due for the consumer before the start of the next reassessment interview window.
						5 = Staff previously indicated "Administrative data only" or "No data" would be submitted	* Applicable only to a reassessment or a clinical discharge (Assessment = 0601 to 0699).  * This code cannot be selected by the user. It is preselected based on a prior interview selection from the user (see crosscheck for details).	*If this is a reassessment or clinical discharge (Assessment (Assessment of Conductive Conducted Conduct
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions -4 = N/A - archived field	Edit and Skip Information  * This N/A code is not valid for data entry. It is for Data Download purposes only.	Crosscheck
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
NextReassessment_10	N/A	What data will be submitted for the next reassessment?	integer	N/A	Retained for Data Download purposes, but no longer			
		reassessment:			applies.			
						1 = Interview data		
						2 = Administrative data only - [Record Management, Sections I or J & K] – will not attempt any subsequent interviews.		* If Administrative data only [Record Management and Sections 1 or J & R] - will not attempt any subsequent inten/iews (NextReassessment = 2), then:  Alf future reassessment records will be pre-filled so that an intenview was not conducted (ConductedInterview = 0), Staff previously indicated Administrative data only* or *No data* would be submitted (WhyNotConducted = 5), and NextReassessment = 2. Only the Record Management and Sections I and K will be submitted Cfinical discharge record will be pre-filled so that an interview was not conducted (ConductedIntenview = 0), Staff previously indicated 'Administrative data only* or *No data* would be submitted (WhyNotConducted = 5), and NextReassessment = -1. Only the Record Management and Sections J and K will be submitted.
						3 = No data – will only provide discharge status (Record Management & Section J) when discharged.		If No data - will only provide discharge status [Record Management and Section J] when the consumer is discharged (NextReassessment = 3), then: Future reassessment records will not be permitted - Clinical Discharge record will be pre-filled so that an interview was not conducted (ConductedInterview = 0), Staff previously indicated 'Administrative data only' or 'No data' would be submitted (WhyNotConducted = 5), and NextReassessment = -1. Only the Record Management and Section J will be submittedNo Services data will allowed in Section K - Services Received
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	If ConductedInterview = 1 (Yes) or Assessment =
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	0699 (Clinical Discharge.
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOWS TOOL		
SubmittedAtClinicalDischarge _10	N/A	[CLINICAL DISCHARGE ONLY] What data will be submitted for this Clinical Discharge?	integer	N/A	Retained for Data Download purposes, but no longer applies.		* Applicable only if an interview was not conducted (ConductedInterview = 0) at Clinical Discharge (Assessment = 0699) and Consumer refused interview, Not able to obtain consent from proxy, Consumer was impaired/unable to provide consent or Consumer cannot be reached for interview (WhyNotConducted = 1, 2, 3 or 4) *If ConductedInterview = 1 (Yes) or Assessment = 0600 - 0611 then set SubmittedAtClinicalDischarge = -1.	
	İ		İ			1 = Administrative data only - [Record Management and	* Only the Record Management and Sections J and K will be submitted for this Clinica	
						Sections J & K]  2 = No data – will only provide discharge status [Record Management & Section J]	Discharge record.  * Only the Record Management and Section J will be submitted for this Clinical Discharge record.	
			1			Section Jj -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	If ConductedInterview = 1 (Yes) or Assessment =
	-					-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	0699 (Clinical Discharge.
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
InterviewDate	3	When?	date	10	Applies only when an interview was conducted (ConductedInterview = 1).	Collected as MM/DD/YYYY date format. Date entered will be converted to datetime format	* Valid interview date must be ≥ grant's goal start date.  * The interview date must be ≤ current date.  * The interview date must be < grant's inactivate date	* The assessment's interview date must be > previous conducted or attempted assessment's interview date .
FirstReceivedServicesDate	4	[Enter the month and year when the consumer first received services under the grant for this episode of care.]	text	7	Applies only at baseline (Assessment = 600)	Collected as MM/YYYY text format. Date entered will be converted to datetime with the day defaulted to the 15th. For MM: 01 - 12 = Jan - Dec	* Valid only for baselines (Assessment = 0600)  *FirstReceivedServicesDate must be ≥ MM/YYYY of grant's Start Date  *FirstReceivedServicesDate must be ≤ MM/YYYY of InterviewDate  *Year portion must be in 4 digit format.	*FirstReceivedServicesDate must be ≤ Current MM/YYYY
						01/01/1869 = N/A	* This N/A code is not valid for data entry. It is for Data Download purposes only.	For a reassessment or discharge (Assessment = 0601 to 0699), this date is not applicable (FirstReceivedServicesDate = 01/01/1869).

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
i icia ivanic	Humber	Description	Турс	Length	Validity	05/01/1869 = NOT ASKED ON PREVIOUS NOMS	* This N/A code is not valid for data entry. It is for Data Download purposes only.	For records collected with the previous version of the
						TOOL	, , , , , , , , , , , , , , , , , , , ,	NOMs Tool.
FFY	System Derived	Federal Fiscal Year (Calculated field based on InterviewDate)	integer	N/A	Always applies.	2002 - Current Year + 1	This field does not apply to data entry. For Data Download and Administrative purposes only.  If current month is between October and December, FFY is set to the next calendar year (i.e. Current Year + 1). Otherwise FFY is set to the current calendar year.  For All Bassilne Assessment records (Assessment = 0600), set based on InterviewDate.  For All Reassessment records (Assessment = 0601 to 0611), set based on Reassessment Due Date, calculated as 180 intervals from Baseline Interview Date.	
							* For All Clinical Discharge records (Assessment = 0699), set based on MM and YYYY of Discharge Date in Section J	
Quarter	System Derived	(Calculated field based on InterviewDate)	integer	N/A	Always applies.	1 = October - December	* This field does not apply to data entry. For Data Download and Administrative purposes only.	
						2 = January - March	* For All Baseline Assessment records (Assessment = 0600), set based on InterviewDate. * For All Reassessment records (Assessment equals 0601 to 0611), set based on Reassessment Due Date, calculated as 180 intervals from Baseline Interview Date. * For All Clinical Discharge records (Assessment = 0699), set based on MM and YYYY of Discharge Date in Section J	
						3 = April - June		
						4 = July - September		
Month	System Derived	(Calculated field based on InterviewDate)	integer	N/A	Always applies.	Month as digit ( 01 - 12 )	* This field does not apply to data entry. For Data Download and Administrative purposes only.  * For All Baseline Assessment records (Assessment = 0600), set based on InterviewDate.  * For All Reassessment records (Assessment equals 0601 to 0611), set based on Reassessment Due Date, calculated as 180 intervals from Baseline Interview Date.  * For All Clinical Discharge records (Assessment = 0699), set based on MM and YYYY of Discharge Date in Section J	
RecordStatus	System Derived	Record Status	integer	N/A	Always applies.	0 = Active	* This field does not apply to data entry. For Data Download and Administrative purposes only.	* An Interview is marked Active when submitted "If a new baseline is entered (Assessment - 0600), then the previous baseline (and its associated assessments) are set to inactive (RecordStatus = 1) "If the latest baseline (and its associated assessments) is deleted, the system will set the previous baseline (and its associated assessments). to active (RecordStatus = 0)
						1 = Inactive		* System will not allow add/edit of any baseline (and its associated assessments) which are inactive (RecordStatus = 1).
	ımer's current beha	vioral health diagnoses using the Internati				nical Modification (ICD-10-CM) codes listed below. Disorders, (DSM-5) descriptors.		
Select up to three diagno	ses. For each diagn	osis selected, please indicate whether it is		econdary, o		ne diagnosis can be primary, only one can be secondary		
			s primary, s		r tertiary, if known. Only or Always applies.	ne diagnosis can be primary, only one can be secondary  See DiagnosisThree Value Definitions	If DiagnosisOne = -8 or -10 then: If baseline, skip to section A. If reassessment, skip to section B (if interview conducted) or section I (if interview not conducted). If clinical discharge, skip to section B (if interview conducted) or section J (if interview was not conducted).	
Select up to three diagno	ses. For each diagn	osis selected, please indicate whether it is		econdary, o			IF DiagnosisOne = -8 or -10 then: If baseline, skip to section A. If reassessment, skip to section B (if interview conducted) or section I (if interview not conducted). If clinical discharge, skip to section B (if interview conducted) or section J (if interview).	
Select up to three diagno DiagnosisOne	ses. For each diagn	osis selected, please indicate whether it is  Substance Use Disorder Diagnosis 1  Substance Use Disorder Diagnosis 1 -	integer	econdary, o	Always applies.	See DiagnosisThree Value Definitions	IF DiagnosisOne = -8 or -10 then: If baseline, skip to section A. If reassessment, skip to section B (if interview conducted) or section I (if interview not conducted). If clinical discharge, skip to section B (if interview conducted) or section J (if interview).	Only one diagnosis can be primary, only one can be secondary, and only one can be tertiary.
Select up to three diagno DiagnosisOne	ses. For each diagn	osis selected, please indicate whether it is  Substance Use Disorder Diagnosis 1  Substance Use Disorder Diagnosis 1 -	integer	econdary, o	Always applies.	See DiagnosisThree Value Definitions	IF DiagnosisOne = -8 or -10 then: If baseline, skip to section A. If reassessment, skip to section B (if interview conducted) or section I (if interview not conducted). If clinical discharge, skip to section B (if interview conducted) or section J (if interview).	Only one diagnosis can be primary, only one can be secondary, and only one can be tertiary.  Only 1 diagnosis per drug type may be selected. For example, only 1 alcohol disorder can be selected across all three diagnosis categories (primary,
Select up to three diagno DiagnosisOne	ses. For each diagn	osis selected, please indicate whether it is  Substance Use Disorder Diagnosis 1  Substance Use Disorder Diagnosis 1 -	integer	econdary, o	Always applies.	See DiagnosisThree Value Definitions  1 = Primary	IF DiagnosisOne = -8 or -10 then: If baseline, skip to section A. If reassessment, skip to section B (if interview conducted) or section I (if interview not conducted). If clinical discharge, skip to section B (if interview conducted) or section J (if interview).	Only one diagnosis can be primary, only one can be secondary, and only one can be tertiary.  Only 1 diagnosis per drug type may be selected. For example, only 1 alcohol disorder can be selected across all three diagnosis categories (primary,
Select up to three diagno DiagnosisOne	ses. For each diagn	osis selected, please indicate whether it is  Substance Use Disorder Diagnosis 1  Substance Use Disorder Diagnosis 1 -	integer	econdary, o	Always applies.	See DiagnosisThree Value Definitions  1 = Primary  2 = Secondary 3 = Tertiary	IF DiagnosisOne = -8 or -10 then: If baseline, skip to section A. If reassessment, skip to section B (if interview conducted) or section I (if interview not conducted). If clinical discharge, skip to section B (if interview conducted) or section J (if interview).	Only one diagnosis can be primary, only one can be secondary, and only one can be tertiary.  Only 1 diagnosis per drug type may be selected. For example, only 1 alcohol disorder can be selected across all three diagnosis categories (primary,

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
DiagnosisTwoCategory	Category:	Substance Use Disorder Diagnosis 2 - Category	integer	N/A	Always applies.	1 = Primary		Only one diagnosis can be primary, only one can be secondary, and only one can be tertiary.
		,						Only 1 diagnosis per drug type may be selected. For
								example, only 1 alcohol disorder can be selected
ļ								across all three diagnosis categories (primary, secondary, and tertiary)
						2 = Secondary		
						3 = Tertiary  -1 = N/A (Not Applicable), not asked on previous NOMS	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						Tool	This N/A code is not valid for data entry. It is for Data Download purposes only.	
DiagnosisThree	Diagnosis:	Substance Use Disorder Diagnosis 3	integer	N/A	Always applies.	1 = F10.10 - Alcohol use disorder, uncomplicated, mild		
						2 = F10.11 - Alcohol use disorder, mild, in remission		
						3 = F10.20 - Alcohol use disorder, uncomplicated,		
						moderate/severe 4 = F10.21 - Alcohol use disorder, moderate/severe, in		
						remission		
						5 = F10.9 - Alcohol use, unspecified		
						6 = F11.10 - Opioid use disorder, uncomplicated, mild		
						7 = F11.11 – Opioid use disorder, mild, in remission		
						8 = F11.20 – Opioid use disorder, uncomplicated,		
						moderate/severe  9 = F11.21 – Opioid use disorder, moderate/severe, in		
						remission		
						10 = F11.9 - Opioid use, unspecified		
						11 = F12.10 – Cannabis use disorder, uncomplicated, mild		
						12 = F12.11 - Cannabis use disorder, mild, in remission		
						13 = F12.20 - Cannabis use disorder, uncomplicated,		
			1			moderate/severe  14 = F12.21 - Cannabis use disorder, moderate/severe,		
						in remission		
						15 = F12.9 – Cannabis use, unspecified 16 = F13.10 – Sedative, hypnotic, or anxiolytic use		
						disorder, uncomplicated, mild		
						17 = F13.11 - Sedative, hypnotic, or anxiolytic use disorder, mild, in remission		
						18 = F13.20 - Sedative, hypnotic, or anxiolytic use disorder, uncomplicated, moderate/severe		
						19 = F13.21 - Sedative, hypnotic, or anxiolytic use		
						disorder, moderate/severe, in remission  20 = F13.9 - Sedative, hypnotic, or anxiolytic use,		
						unspecified		
						21 = F14.10 – Cocaine use disorder, uncomplicated, mild		
						22 = F14.11 - Cocaine use disorder, mild, in remission		
						23 = F14.20 - Cocaine use disorder, uncomplicated,		
ļ			1		1	moderate/severe  24 = F14.21 - Cocaine use disorder, moderate/severe,		
						in remission		
						25 = F14.9 – Cocaine use, unspecified		
					<u> </u>	26 = F15.10 - Other stimulant use disorder, uncomplicated, mild		
						27 = F15.11 - Other stimulant use disorder, mild, in remission		
						28 = F15.20 - Other stimulant use disorder,		
						uncomplicated, moderate/severe  29 = F15.21 - Other stimulant use disorder,		
					1	moderate/severe, in remission		
						30 = F15.9 – Other stimulant use, unspecified 31 = F16.10 – Hallucinogen use disorder,		
						uncomplicated, mild		
						32 = F16.11 – Hallucinogen use disorder, mild, in remission		
						33 = F16.20 - Hallucinogen use disorder,		
						uncomplicated, moderate/severe  34 = F16.21 - Hallucinogen use disorder,		
					ļ	moderate/severe, in remission		
						35 = F16.9 - Hallucinogen use, unspecified  36 = F18.10 - Inhalant use disorder, uncomplicated,		
·						mild		

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions Edit and Skip Information	Crosscheck
rieiu Name	Number	Description	Туре	Lengin	validity	37 = F18.11 – Inhalant use disorder, mild, in remission	CIUSSCHECK
						38 = F18.20 – Inhalant use disorder, uncomplicated, moderate/severe	
						39 = F18.21 – Inhalant use disorder, moderate/severe,	
	1					in remission  40 = F18.9 – Inhalant use, unspecified	
	1					41 = F19.10 – Other psychoactive substance use	
						disorder, uncomplicated, mild	
						42 = F19.11 – Other psychoactive substance use disorder, in remission	
						43 = F19.20 - Other psychoactive substance use	
						disorder, uncomplicated, moderate/severe  44 = F19.21 - Other psychoactive substance use	_
						disorder, moderate/severe, in remission	
						45 = F19.9 – Other psychoactive substance use, unspecified	
	1					46 = F17.20 – Tobacco use disorder,	
						mild/moderate/severe	
						47 = F17.21 – Tobacco use disorder, mild/moderate/severe, in remission	
						48 = F20 – Schizophrenia	
						49 = F21 – Schizotypal disorder	
						50 = F22 – Delusional disorder	
						51 = F23 – Brief psychotic disorder	
						52 = F24 – Shared psychotic disorder	
						53 = F25 – Schizoaffective disorders	
						54 = F28 – Other psychotic disorder not due to a substance or known physiological condition	
						55 = F29 - Unspecified psychosis not due to a	
						substance or known physiological condition	
						56 = F30 – Manic episode	
						57 = F31 – Bipolar disorder  58 = F32 – Major depressive disorder, single episode	
						56 = F52 - Major depressive disorder, single episode	
						59 = F33 – Major depressive disorder, recurrent	
						60 = F34 - Persistent mood [affective] disorders	
						61 = F39 – Unspecified mood [affective] disorder	
						62 = F40-F48 – Anxiety, dissociative, stress-related, somatoform and other nonpsychotic mental disorders	
						contactorin and this nonpopulate mental accretion	
						63 = F50 – Eating disorders	
						64 = F51 – Sleep disorders not due to a substance or known physiological condition	
	1					65 = F60.2 – Antisocial personality disorder	
						66 = F60.3 – Borderline personality disorder	
						67 = F60.0, F60.1, F60.4-F69 – Other personality	
						disorders 68 = F70-F79 – Intellectual disabilities	
	1		-	1		68 = F70-F79 – Intellectual disabilities  69 = F80-F89 – Pervasive and specific developmental	+
				<u> </u>		disorders	
						70 = F90 - Attention-deficit hyperactivity disorders	
	1		+			71 = F91 – Conduct disorders	1
	1					72 = F93 – Emotional disorders with onset specific to	
						childhood	
						73 = F94 – Disorders of social functioning with onset specific to childhood or adolescence	
						74 = F95 – Tic disorder	
						75 = F98 – Other behavioral and emotional disorders	
						with onset usually occurring in childhood and adolescence	
						76 = F99 – Unspecified mental disorder	
						-1 = N/A (Not Applicable), not asked on previous NOMS * This N/A code is not valid for data entry. It is for Data Download purposes only.	
						Tool	
						-8 = DONT KNOW -10 = None of the Above	
	1		l .	l .		-10 = Notic of the Abore	1

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
DiagnosisThreeCategory	Category:	Substance Use Disorder Diagnosis 3 - Category	integer	N/A	Always applies.	1 = Primary		Only one diagnosis can be primary, only one can be secondary, and only one can be tertiary.
		Calogoly						
								Only 1 diagnosis per drug type may be selected. For example, only 1 alcohol disorder can be selected
								across all three diagnosis categories (primary,
								secondary, and tertiary)
						2 = Secondary		
						3 = Tertiary		
						-1 = N/A (Not Applicable), not asked on previous NOMS	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
SECTION A. DEMOGRAPHI	CDATA					Tool		
Gender	A_D1	What is your gender?	integer	N/A	Applies only at baseline	1 = MALE		
					(Assessment = 0600).	0. 554415		
						2 = FEMALE 3 = TRANSGENDER		
						4 = OTHER (SPECIFY)		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED -9 = MISSING DATA		
GondorSnoo	A D1	Other specify gender	tout	E0	Applies only at baseline	-9 = MISSING DATA	* Only solved when Conder = 4 : otherwise set to 1	
GenderSpec	A_D1	Other specify gender	text	50	Applies only at baseline (Assessment = 0600).		* Only asked when Gender = 4; otherwise set to -1.	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
HispanicLatino	A_D2	Are you Hispanic or Latino?	integer	N/A	Applies only at baseline	0 = NO		
					(Assessment = 0600).	. VEO		
			<u> </u>			1 = YES -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-1 = N/A (Not Applicable)	This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-9 = MISSING DATA		
EthnicCentralAmerican	A_D2	What ethnic group do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
						1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused.	
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
						-9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicCuban	A_D2	What ethnic group do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
		yourseir?			(Assessment = 0600).	1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic	
							subgroups must = refused.	
						-1 = N/A (Not Applicable) -7 = REFUSED		
			1			-9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-0 = MIGGING DATA	This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicDominican	A_D2	What ethnic group do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
		yourcom.			(/ locosoment = 5000).	1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic	
	1		-		<del> </del>	-1 = N/A (Not Applicable)	subgroups must = refused.	
			-			-7 = REFUSED		
	1				<del> </del>	-9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicMexican	A_D2	What ethnic group do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
			1			1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic	
	1		1		1	-1 = N/A (Not Applicable)	subgroups must = refused.	
	1	1	1		<del> </del>	-7 = REFUSED		
						-9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicPuertoRican	A_D2	What others group do you consider	intogor	N/A	Applies only at baseline	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
Lumbruettorican	A_D2	What ethnic group do you consider yourself?	integer	IN/A	Applies only at baseline (Assessment = 0600).	U = NO	Only asked when dispaniculating = 1, otherwise set to -1.	
						1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused.	
<b>—</b>			1			-1 = N/A (Not Applicable)	aubyroups must = reiuseu.	
						-7 = REFUSED		
			1			-9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1	1	1		<u> </u>	l .		1

	Question		Data					
Field Name EthnicSouthAmerican	Number A D2	Description  What ethnic group do you consider	Type	Length N/A	Validity Applies only at baseline	Value Descriptions  0 = NO	Edit and Skip Information  * Only asked when HispanicLatino = 1; otherwise set to -1.	Crosscheck
Etimicodunamencan	A_D2	yourself?	integer	IN/A	(Assessment = 0600).	U = NO	Only asked when hispanic auto = 1, otherwise set to -1.	
						1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic	
						-1 = N/A (Not Applicable)	subgroups must = refused.	
	+					-7 = REFUSED		
						-9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicOther	A_D2	What ethnic group do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
					,	1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic	
		<u> </u>				-1 = N/A (Not Applicable)	subgroups must = refused.	
		<u> </u>				-7 = REFUSED		
						-9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 - MIDDING BATA	This two code is not valid for data entry. It is for Data Download purposes only.	
EthnicOtherSpec	A_D2	Other specify ethnic group response	text	50	Applies only at baseline (Assessment = 0600).		* Only asked when EthnicOther = 1; otherwise set to - 1.	
	+				(Assessment = 0600).	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
							, , , , , , , , , , , , , , , , , , , ,	
RaceBlack	A_D3	What race do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO		
					(Assessment = 0000).	1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-9 = MISSING DATA		
RaceAsian	A_D3	What race do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO		
					,	1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
		<u> </u>				-7 = REFUSED		
						-7 = REFUSED -9 = MISSING DATA		
RaceNativeHawaiian	A_D3	What race do you consider yourself?	integer	N/A	Applies only at baseline	0 = NO		
Naceivalivei iawaliai i	A_D3	What face do you consider yourself?	integer	IN/A	(Assessment = 0600).	0 = 110		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
	_					-9 = MISSING DATA		
RaceAlaskaNative	A_D3	What race do you consider yourself?	integer	N/A	Applies only at baseline	0 = NO		
rador labital fall fo	750	What labe as you consider yourcom.	intogor		(Assessment = 0600).	0 - 110		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	+					-7 = REFUSED		
						-9 = MISSING DATA		
RaceWhite	A_D3	What race do you consider yourself?	integer	N/A	Applies only at baseline	0 = NO		
		· ·			(Assessment = 0600).			
						1 = YES		
	1					-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
	1	1	1			-9 = MISSING DATA		
RaceAmericanIndian	A_D3	What race do you consider yourself?	integer	N/A	Applies only at baseline	0 = NO		
					(Assessment = 0600).	1 = YES		
							* This N/A code is not will fee data cots. It is fee Data Developed a respect only	
	1					-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-9 = MISSING DATA		
DOB	A_D4	What is your month and year of birth?	text	N/A	Applies only at baseline	Collected as MM/YYYY text format. Date entered will be	* Year portion must be in 4 digit format.	Cannot have a DOB of birthday that indicates they
					(Assessment = 0600).	converted to datetime format with the day defaulted to the 15th.	* Must be at or prior to (InterviewDate - 10 years)	are less than 10 years old.
						For MM: 01 - 12 = Jan - Dec For YYYY: 1900 - (Current		
						year)		
·						07/01/1869 = REFUSED	* This appears in the Data Download as 07/01/1869 if REFUSED	
						09/01/1869 = MISSING DATA	* This appears in the Data Download as 09/01/1869 if MISSING DATA	
	1					01/01/1869 = N/A	* This N/A code is not valid for data entry. It is for Data Download purposes only.	1

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Agegroup	System Derived	(Calculated field based on Age)	integer	N/A		2 = Age 10 to 12 years old	* This field does not apply to data entry. For Data Download and Administrative	Cannot have a DOB or birthday that indicates they
					(Assessment = 0600).	,	purposes only. * Calculated field based on Birthmonth, Birthyear and baseline InterviewDate	are less than 10 years old.
						3 = Age 13 to 15 years old		
						4 = Age 16 to 25 years old		
						5 = Age 26 to 34 years old		
	1					6 = Age 35 to 44 years old		
	1					7 = Age 45 to 54 years old		
						8 = Age 55 to 64 years old		
	1					9 = Age 65 to 74 years old		
	1					10 = Age 75 to 84 years old		
	1					11 = Age 85 to 94 years old		
						12 = Age 95 years or older		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-9 = MISSING DATA		
SexualIdentity	A_D5	Which of the following do you consider yourself to be?	integer	N/A	Applies only at baseline (Assessment = 0600). Note: For records that occurred between 2/4/2014 and 9/30/2014, this field could apply to any assessment, as long as it was the first one that occurred during the aforementioned time period.			
						2 = [IF FEMALE, THEN "Lesbian"] or Gay		
						3 = Bisexual		
						4 = OTHER (SPECIFY)		
	1					-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						, ,,		
						-2 = NOT YET ASKED	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the SPARS CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
SexualIdentityOther	A_D5	Other sexual identity specify	text	50	Applies only at baseline (Assessment = 0600). Note: For records that occurred between 2/4/2014 and 9/30/2014, this field could apply to any assessment, as long as it was the first one that occurred during the aforementioned time period.		* Only asked when SexualIdentity = OTHER (SPECIFY); otherwise set to -1.	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Si_Assessment	1	This column is used to identify which assessment the sexual identity question is supposed to be asked.	text	4	Retained for Data Download purposes; no longer applies since 101/12014. Note: For records that occurred between 24/4/2014 and 9/30/2014, this field could apply to any assessment, as long as it was the first one that occurred during the aforementioned time period.	0600 = Baseline Assessment		" If previous assessment was a clinical discharge (Assessment = 0699), then the subsequent assessment must be a baseline assessment (Assessment = 0600), in which case, a new episode of care has occurred.

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
riuu Name	Number	Description	Туре	Length	vaildity	0601 = 6-Month Reassessment  0602 = 12-Month Reassessment  0603 = 18-Month Reassessment	Euit and Skip information	*New assessments must be greater than all other assessments currently saved for the same episode of care.  "If InterviewDate occurs between two reassessment windows (Assessment = 0601 to 0611) then the user must select the appropriate Assessment Number from the two window's in question, otherwise the system will select the appropriate window based on InterviewDate.  *Do not allow a reassessment (Assessment = 0601 to 0611) for the same episode if a reassessment has already been entered in same reassessment window or no contact within 90 days of last service (NoContact90Days = 0) has been previously entered.
						0604 = 24-Month Reassessment		
						0605 = 30-Month Reassessment 0606 = 36-Month Reassessment		
						0607 = 42-Month Reassessment		
<del> </del>	<b>_</b>				-	0608 = 48-Month Reassessment		
	<del>                                     </del>					0609 = 54-Month Reassessment		
						0610 = 60-Month Reassessment		
	<b>†</b>			1		0611 = 66-Month Reassessment		
						0699 = Clinical Discharge		* Do not allow InterviewType = 4 (Discharge) for the same episode unless a baseline has been entered. * Do not allow InterviewType = 4 (Discharge) if another Discharge has been previously saved for the same episode.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	*This N/A code is not valid for data entry. It is for Data Download purposes only.	Applies only where formerly ReassessmentNumber = (0301, 0303, 0305, 0307, 0309, 0311, 0313, 0315, 0317, 0319, 0321, 0323) and InterviewType = 2.
SECTION B. FUNCTIONING OverallHealth	B1	How would you rate your overall health right	intogor	N/A	Applies only when an intension	I1 - Evoclient	T	
Overannealtri	ы	How would you rate your overall health right now?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	2 = Very Good		
						3 = Good		
	-					4 = Fair		
					<u> </u>	5 = Poor		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	*This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the SPARS CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DONT KNOW		
CanableManagingHoolth Care	B2	Please select the one answer that most	integer	NI/A	Applies only when an interieur	-9 = MISSING DATA		
CapableManagingHealthCare Needs	DZ	Please select the one answer that most closely matches your situation. I feel capable of managing my health care needs:	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = On my own most of the time		
1				]		2 = On my own some of the time and with support from others some of the time		
						3 = With support from others most of the time		
						4 = Rarely or never		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the SPARS CMHS NOMs tools.
		İ				-5 = REFUSED		
						-6 = DON'T KNOW		
						-9 = MISSING DATA		
HandlingDailyLife	ВЗа	I deal effectively with daily problems.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree		

	Overtion		Data					
Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
			71			2 = Disagree		
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
							, , , , , , , , , , , , , , , , , , , ,	
						-7 = REFUSED		
						-9 = MISSING DATA		
ControlLife	B3b	I am able to control my life.	integer	N/A	Applies only when an interview	1 = Strongly Disagree		
					was conducted (ConductedInterview = 1).			
					(Conductounitorviow = 1).	2 = Disagree		
						3 = Undecided		
		+				4 = Agree		
		-				5 = Strongly Agree		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-1 = N/A (Not Applicable)	This NA code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-9 = MISSING DATA		
DealWithCrisis	B3c	I am able to deal with crisis.	integer	N/A	Applies only when an interview	1 = Strongly Disagree		
1					was conducted (ConductedInterview = 1).			
<u> </u>	+		_	1	(Cortauctealitiefview = 1).	2 = Disagree		
<del></del>	+	<u> </u>	-	1	+	3 = Undecided	+	<del> </del>
	+		_			4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-9 = MISSING DATA		
GetsAlongWithFamily	B3d	I am getting along with my family.	integer	N/A	Applies only when an interview	1 = Strongly Disagree		
		, gg,,			was conducted			
					(ConductedInterview = 1).			
						2 = Disagree		
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-6 = NOT APPLICABLE		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
		+				-7 = REFUSED		
		-				-9 = MISSING DATA		
SocialSituations	B3e	I do well in social situations.	integer	N/A	Applies only when an interview	1 = Strongly Disagree		
Occidionations	556	Tuo well ill social situations.	integer	10/5	was conducted	1 = Ottorigiy Disagree		
ļ				ļ	(ConductedInterview = 1).			
						2 = Disagree		
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
<u> </u>	+	<u> </u>	-	1	+	-7 = REFUSED	+	<del> </del>
-	+			1		-9 = MISSING DATA		
SchoolOrWork	B3f	I do well in school and/or work.	interes	NI/A	Applies only when an inter in			
SCHOOLUTVV OFK	B3I	I do well in school and/or work.	integer	N/A	Applies only when an interview was conducted	1 = Strongly Disagree		
					(ConductedInterview = 1).			
						2 = Disagree		
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-6 = NOT APPLICABLE		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
<u> </u>		1		ļ		7 0551050		
			_	ļ		-7 = REFUSED		
						-9 = MISSING DATA		
FunctioningHousing	B3g	My housing situation is satisfactory.	integer	N/A	Applies only when an interview was conducted	1 = Strongly Disagree		
					(ConductedInterview = 1).			
	_1	L		1	,	l		l .

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						2 = Disagree	·	
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
	+					-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
							, , , , ,	
						-7 = REFUSED		
						-9 = MISSING DATA		
Symptoms	B3h	My symptoms are not bothering me.	integer	N/A	Applies only when an interview	1 = Strongly Disagree		
					was conducted (ConductedInterview = 1).			
					(	2 = Disagree		
						3 = Undecided		
						4 = Agree		
	-					5 = Strongly Agree		
	-					-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						1 = N/A (Not Applicable)	This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-9 = MISSING DATA		
Nervous	B4a	During the past 30 days, about how often	integer	N/A	Applies only when an interview	4 = All of the Time		
	1	did you feel nervous?			was conducted			
	+	+	1		(ConductedInterview = 1).	3 = Most of the Time	<u> </u>	<del> </del>
						2 = Some of the Time		
						1 = A Little of the Time		
						0 = None of the Time		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous
							, , , , , , , , , , , , , , , , , , , ,	versions of the SPARS CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Hopeless	B4b	During the past 30 days, about how often did you feel hopeless?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	4 = All of the Time		
					(	3 = Most of the Time		
						2 = Some of the Time		
						1 = A Little of the Time		
						0 = None of the Time		
	-					-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-1 = 14/A (1401 Applicable)	This Total Code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the SPARS CMHS NOMs tools.
	+		<del>                                     </del>		+	-7 = REFUSED		
1	1		1		1	-8 = DONT KNOW		
1	+		}			-9 = MISSING DATA		+
Restless	B4c	During the past 30 days, about how often	integer	N/A	Applies only when an interview	4 = All of the Time		+
		did you feel restless or fidgety?	901		was conducted (ConductedInterview = 1).			
			$\Box$			3 = Most of the Time		
						2 = Some of the Time		
						1 = A Little of the Time		
						0 = None of the Time		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	*This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Depressed	B4d	During the past 30 days, about how often	integer	N/A	Applies only when an interview	4 = All of the Time		
]	1	did you feel so depressed that nothing could cheer you up?			was conducted (ConductedInterview = 1).			
-	+	,ou up.	<del>                                     </del>		1).	3 = Most of the Time		
<u> </u>	+		<del>                                     </del>		+	2 = Some of the Time		
	+		1		1	1 = A Little of the Time		<u> </u>
	1	L	1	1	L	1		1

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						0 = None of the Time		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	-					-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous
							This fart code is not valid for data sharp, it is for Sala Southood purposes only.	versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
EverythingEffort	B4e	During the past 30 days, about how often did you feel that everything was an effort?	integer	N/A	Applies only when an interview was conducted	4 = All of the Time		
		did you leet that everything was an enous			(ConductedInterview = 1).			
						3 = Most of the Time		
						2 = Some of the Time		
						1 = A Little of the Time		
						0 = None of the Time		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous
						-3 = NOT ASKED ON FREVIOUS NOWS TOOL	This N/A code is not valid for data entry. It is for Data Download purposes only.	versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Worthless	B4f	During the past 30 days, about how often	integer	N/A	Applies only when an interview	4 = All of the Time		
		did you feel worthless?			was conducted (ConductedInterview = 1).			
					(ConductounitorNon = 1).	3 = Most of the Time		
	1					2 = Some of the Time		
	1					1 = A Little of the Time		
	1					0 = None of the Time		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous
								versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
PsychologicalEmotionalProb ems	B4g	During the past 30 days, how much have you been bothered by these psychological or emotional problems?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Not at all		
		or directional problems.			(ConductounitorNow = 1).	2 = Slightly		+
						3 = Moderately		
						4 = Considerably		
	1					5 = Extremely		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous
								versions of the CMHS NOMs tools.
						-6 = REFUSED		
						-7 = DON'T KNOW		
						-9 = MISSING DATA		
LifeQuality	B5a	In the last 4 weeks, how would you rate your quality of life?	integer	N/A	Applies only when an interview was conducted	1 = Very Poor		
			<u> </u>		(ConductedInterview = 1).			
						2 = Poor		
						3 = Neither Good nor Poor		
						4 = Good		
						5 = Very Good		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous
	+		-			-6 = REFUSED		versions of the CMHS NOMs tools.
	1		1			-7 = DON'T KNOW		+
	1		1	1		-9 = MISSING DATA		+
EnoughEnergyForEverydayL	i B5b	In the last 4 weeks, do you have enough	integer	N/A	Applies only when an interview	1 = Not at All		+
fe System System		energy for everyday life?	3		was conducted (ConductedInterview = 1).			
	+		-		(Conductedinterview = 1).	2 = A Little		+
	1		<del>                                     </del>			3 = Moderately		
	+		-			4 = Mostly		
	+		1	1		5 = Completely		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-6 = REFUSED		
						-7 = DON'T KNOW		
						-9 = MISSING DATA		
PerformDailyActivitiesSatisfact	B5c	In the last 4 weeks, how satisfied are you	integer	N/A	Applies only when an interview	1 = Very Dissatisfied		
ion		with your ability to perform your daily living			was conducted			
		activities?			(ConductedInterview = 1).	2 = Dissatisfied		
						3 = Neither Satisfied nor Dissatisfied		
						4 = Satisfied		
						5 = Very Satisfied		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-6 = REFUSED		
						-7 = DON'T KNOW		
						-9 = MISSING DATA		
HealthSatisfaction	B5d	In the last 4 weeks, how satisfied are you with your health?	integer	N/A	Applies only when an interview was conducted	1 = Very Dissatisfied		
					(ConductedInterview = 1).			
						2 = Dissatisfied		
						3 = Neither Satisfied nor Dissatisfied		
						4 = Satisfied		
	1					5 = Very Satisfied		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
			<b>†</b>			-6 = REFUSED		VOIGIGIO OF THE CHAIN TO THOMS TOOK.
						-7 = DON'T KNOW		
						-9 = MISSING DATA		
0.110.11.1								
SelfSatisfaction	B5e	In the last 4 weeks, how satisfied are you with yourself?	integer	N/A	Applies only when an interview was conducted	1 = Very Dissatisfied		
		Will yourself.			(ConductedInterview = 1).			
						2 = Dissatisfied		
						3 = Neither Satisfied nor Dissatisfied		
						4 = Satisfied		
					1	5 = Very Satisfied		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-6 = REFUSED		versions of the Civil 13 NOIVIS tools.
					1	-7 = DON'T KNOW		
						-9 = MISSING DATA		
	D=1							
RelationshipSatisfaction	B5f	In the last 4 weeks, how satisfied are you with your personal relationships?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Very Dissatisfied		
					(Conducted interview = 1):	2 = Dissatisfied		
					1	3 = Neither Satisfied nor Dissatisfied		
			-		<b>+</b>	4 = Satisfied		
						5 = Very Satisfied		
						,		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
	<del>                                     </del>	<del> </del>	1		<u> </u>	-6 = REFUSED		VOIGIONS OF THE CHAIL TO INCINES LOUIS.
	-		1			-7 = DONT KNOW		
		<b>+</b>	1			-9 = MISSING DATA		+
			1					
Tobacco_Use	B6a	In the past 30 days, how often have you used tobacco products (cigarettes, chewing tobacco, cigars, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never		
						2 = Once or Twice		
				I		3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
	İ		1			-7 = REFUSED		
	İ					-8 = DON'T KNOW		
			<b>†</b>			-9 = MISSING DATA		
Alcohol_Use	B6b	In the past 30 days, how often have you	integer	N/A	Applies only when an interview	1 = Never		+
	- 30	used alcoholic beverages (beer, wine, liquor, etc.)?	ogoi		was conducted (ConductedInterview = 1).			

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily	* This N/A code is not wild for data path. It is for Data Dougland surrosses only.	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Al_Use_5orMore_Male	B6b1	How many times in the past 30 days have you had five or more drinks in a day? <i>Male respondents only</i> .	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never	* Only valid if Gender = 1 (Male) for current interview and SU_Alcohol ≥ 2 (Once or Twice). Else, code -1 = N/A (Not Applicable).	
						2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Al_Use_4orMore_NotMale	B6b2	How many times in the past 30 days have you had four or more drinks in a day? <b>Not male respondents only.</b>	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never	* Only valid if Gender <> 1 (Male) for current interview and SU_Alcohol ≥ 2 (Once or Twice). Else, code -1 = N/A (Not Applicable).	
						2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		voiding of the Chinic Home tools.
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Cannabis_Use	B6c	In the past 30 days, how often have you used cannabis (marijuana, pot, grass, hash, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never		
						2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Cocaine_Use	B6d	In the past 30 days, how often have you used cocaine (coke, crack, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never		
						2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Stimulants_Use	B6e	In the past 30 days, how often have you used prescription stimulants (Ritalin, Concerta, Dexedrine, Adderall, diet pills,	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never		
	1	etc.)?	1			2 = Once or Twice		
	1		1	-	-	3 = Weekly		
	+		1	-	-	4 = Daily or Almost Daily		
	1	<u> </u>	1	L	I	or runnout buny		1

Field Name	Question Number	Description	Data	Launth	Validity	Value Deceriptions	Edit and Chin Information	Cranabash
Field Name	Number	Description	Туре	Length	validity	-1 = N/A (Not Applicable)	Edit and Skip Information  * This N/A code is not valid for data entry. It is for Data Download purposes only.	Crosscheck
						-1 = 14/A (1401 Applicable)	This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		versions of the CMHS NOMS tools.
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Meth_Use	B6f	In the past 30 days, how often have you	integer	N/A	Applies only when an interview	1 = Never		
		used methamphetamine (speed, crystal meth, ice, etc.)?			was conducted (ConductedInterview = 1).			
						2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Inhalants_Use	B6g	In the past 30 days, how often have you usedinhalants (nitrous oxide, glue, gas,	integer	N/A	Applies only when an interview was conducted	1 = Never		
		paint thinner, etc.)?			(ConductedInterview = 1).	2 = Once or Twice		
		<u> </u>	ļ			3 = Weekly		
		<u> </u>	ļ			4 = Daily or Almost Daily		
							* This N/A code is not used for data onto this for Data Developed numbers only	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DONT KNOW		
						-9 = MISSING DATA		
Sedatives_Use	B6h	In the past 30 days, how often have you used sedatives or sleeping pills (Valium, Serepax, Ativan, Librium, Xanax, Rohypnol, GHB, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never		
						2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		VEISIONS OF THE CIVIES NOWS TOOK.
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Hallucinogens_Use	B6i	In the past 30 days, how often have you usedhallucinogens (LSD, acid, mushrooms, PCP, Special K, ecstasy, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never		
	+	<del> </del>	1	1		2 = Once or Twice	<u> </u>	+
		1	<u> </u>					1
	+	+	<b> </b>	ļ	-	3 = Weekly 4 = Daily or Almost Daily		1
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
	+	+	<del>                                     </del>	-		-7 = REFUSED		versions or the CMHS NOMs tools.
	+	+	<del>                                     </del>	-		-8 = DON'T KNOW	+	+
	+	+	<del>                                     </del>	-		-9 = MISSING DATA	+	+
StreetOpioids_Use	B6i	In the past 30 days, how often have you	integer	N/A	Applies only when an interview	1 = Never		+
oootopioido_USE	50,	usedstreet opioids (heroin, opium, etc.)?	aneger	14/7	was conducted (ConductedInterview = 1).	1 - 110101		
	1	1	1	1	,	2 = Once or Twice		
	1	1				3 = Weekly		
	1	1	1			4 = Daily or Almost Daily		1
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1	†				-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous
					<u> </u>	<u> </u>	,	versions of the CMHS NOMs tools.

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-7 = REFUSED		
	1					-8 = DON'T KNOW		
						-9 = MISSING DATA		
RxOpioids_Use	B6k	In the past 30 days, how often have you usedprescription opioids (fentanyl, oxycodone [OxyContin, Percocet], hydrocodone [Vicodin], methadone, buprenorphine, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never		
						2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Other_Use B6I	B6I	In the past 30 days, how often have you used other – specify (e-cigarettes, etc.):	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never		
					,	2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	*This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Other_UseSpec	B6I	Other Substance Used specify	text	50	Applies only when an interview was conducted (ConductedInterview = 1).		* Only asked when SU_OTHER = 2, 3, or 4; otherwise set to -1.	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
GAFDate	N/A	DATE GAF WAS ADMINISTERED	date time	10	Applies only when an interview was conducted (ConductedInterview = 1).	date entered will be converted to datetime	* GAFDate is reported by program staff at program's discretion.	* GAFDate must be ≤ InterviewDate + GAFDate < InterviewDate − 6 months then set GAFDate < InterviewDate − 6 months then set GAFDate to 0-6/01/1869 and GAFScore = -1. * Although optional, a valid GAFDate ( ≥ InterviewDate − 6 months) is required if a valid GAFScore was provided.
						06/01/1869 = Not provided	* Only applicable if Section B is required and user skips GAF fields. * This "Not provided" code is not valid for data entry. It is for Data Download purposes only.	
						01/01/1869 = N/A	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
GAFScore	N/A	WHAT WAS THE CONSUMER'S SCORE? GAF =	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 100	* Only asked when ConductedInterview = 1 and GAFDate ≥ InterviewDate - 6 months otherwise set to -1.	* Although optional, a valid GAFScore ( between 0 - 100) is required if a proper GAFDate was provided.
						-1 = N/A (Not Applicable)	* Set to N/A code if GAFDate = 06/01/1869. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
		<u> </u>	<u> </u>		<u> </u>		<u> </u>	1
SECTION B. MILITARY FAN	IDE		into a	N//A	Applies asked Decelled	Io NO	It Clair to D.C. (Astin Duty, Flor)	* Cat ES Armad Farance FO December
EverServed	BS	Have you ever served in the Armed Forces, the Reserves, or the National Guard?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO	* Skip to B.6. (ActiveDuty_Else)	* Set ES. ArmedForces, ES. Reserves, ES. NationalGuard, ActiveDuty, Self, AD_ArmedForces, AD_Reserves, AD_NationalGuard, EverDeployed, ED_IraqAfghan, ED_PersianGulf, ED_VietnamSEAsia, ED_Korea, ED_WWII, ED_Other = -1 (N/A)
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions -7 = REFUSED	Edit and Skip Information  * Skip to B.6. (ActiveDuty_Else)	* Set ES ArmedForces, ES Reserves,
						T = NET USED	SNP to 5.0. (Active-oily_clase)	Set Le3_Arimed nices, Le3_Nessives, ES_NationalGuard, ActiveDuty_Self, AD_ArmedForces, AD_Reserves, AD_NationalGuard, EverDeployed, ED_IraqAfghan, ED_PersianGulf, ED_VietnamSEAsia, ED_Korea, ED_WWII, ED_Other = -1 (N/A)
						-8 = DONT KNOW	* Skip to B.6. (ActiveDuty_Else)	* Set ES_ArmedForces, ES_Reserves, ES_NationalGuard, ActiveDuty_Self, AD_ArmedForces, AD_Reserves, AD_NationalGuard, EverDeployed, ED_IraqAfghan, ED_PersianGulf, ED_VietnamSEAsia, ED_Korea, ED_WWII, ED_Other = -1 (N/A)
						-9 = MISSING DATA	* Skip to B.6. (ActiveDuty_Else)	* Set ES_ArmedForces, ES_Reserves, ES_NationalGuard, ActiveDuty, Self, AD_ArmedForces, AD_Reserves, AD_NationalGuard, EverDeployed, ED_IraqAfghan, ED_PersianGulf, ED_VietnamSEAsia, ED_Korea, ED_WWII, ED_Other = -1 (N/A)
ES_ArmedForces	B5	[IF YES] In which of the following have you ever served? <b>Armed Forces?</b>	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
ES_Reserves	B5	[IF YES] In which of the following have you ever served? <b>Reserves?</b>	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DONT KNOW		
						-9 = MISSING DATA		
ES_NationalGuard	B5	[IF YES] In which of the following have you ever served? <b>National Guard?</b>	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DONT KNOW		
						-9 = MISSING DATA		
ActiveDuty_Self	B5a	Are you currently serving on active duty in the Armed Forces, the Reserves, or the National Guard?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO	* Skip to B.5b. (ED_lraqAfghan)	* Set AD_ArmedForces, AD_Reserves, AD_NationalGuard, EverDeployed, = -1 (N/A)
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED	* Skip to B.5b. (ED_IraqAfghan)	* Set AD_ArmedForces, AD_Reserves, AD_NationalGuard, EverDeployed, = -1 (N/A)
						-8 = DON'T KNOW	* Skip to B.5b. (ED_IraqAfghan)	* Set AD_ArmedForces, AD_Reserves, AD_NationalGuard, EverDeployed, = -1 (N/A)
						-9 = MISSING DATA	* Skip to B.5b. (ED_IraqAfghan)	* Set AD_ArmedForces, AD_Reserves, AD_NationalGuard, EverDeployed, = -1 (N/A)
AD_ArmedForces	B5a	[IF YES] In which of the following are you currently serving? <b>Armed Forces?</b>	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		(reference and a control property of a (reference and a control property of a (reference and a
			•	1	I Conducted Interview = 1).			

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_Reserves	B5a	[IF YES] In which of the following are you currently serving? Reserves?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	+					-7 = REFUSED		+
	-		1			-8 = DONT KNOW		
	-		1			-9 = MISSING DATA		
AD NationalGuard	B5a	[IF YES] In which of the following are you	integer	N/A	Applies only at Baseline	0 = NO		
	currently serving? National Guard?	integer	IVA	(Assessment = 0600) with a conducted interview (ConductedInterview = 1).	o - No			
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
					_	-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
EverDeployed	B5b	Have you ever been deployed to a combat zone?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO	* Skip to B.6. (ActiveDuty_Else)	* Set ED_IraqAfghan, ED_PersianGulf, ED_VietnamSEAsia, ED_Korea, ED_WWII, ED_Other = -1 (N/A)
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED	* Skip to B.6. (ActiveDuty_Else)	* Set ED_IraqAfghan, ED_PersianGulf, ED_VietnamSEAsia, ED_Korea, ED_WWII, ED_Other = -1 (N/A)
						-8 = DON'T KNOW	* Skip to B.6. (ActiveDuty_Else)	* Set ED_IraqAfghan, ED_PersianGulf, ED_VietnamSEAsia, ED_Korea, ED_WWII, ED_Other = -1 (N/A)
						-9 = MISSING DATA	* Skip to B.6. (ActiveDuty_Else)	* Set ED_IraqAfghan, ED_PersianGulf, ED_VietnamSEAsia, ED_Korea, ED_WWII, ED_Other = -1 (N/A)
ED_IraqAfghan	B5b	[IF YES] To which of the following combat zones have you been deployed? Iraq or Afghanistan (e.g., Operation Enduring Freedom/Operational Iraqi Freedom/Operation New Dawn)?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		* Only valid if DOB (year portion) ≤ 1994.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1		1			-7 = REFUSED		
	1		<u> </u>			-8 = DON'T KNOW		
	1		<u> </u>			-9 = MISSING DATA		
ED_PersianGulf	B5b	[IF YES] To which of the following combat zones have you been deployed? Persian Gulf (Operation Desert Shield or Desert Storm)?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
	+		}			1 = YES	+	* Only valid if DOB (year portion) ≤ 1984.
			-	<del>                                     </del>		-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	only valid if DOD (you portion) a 1904.
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1				1	-7 = REFUSED	·	
	ļ	Ļ	l	<u> </u>	L		4	

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
ED_VietnamSEAsia	B5b	[IF YES] To which of the following combat zones have you been deployed?  Vietnam/Southeast Asia?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		* Only valid if DOB (year portion) ≤ 1958.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
ED_Korea B5b	B5b	[IF YES] To which of the following combat zones have you been deployed? Korea?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		* Only valid if DOB (year portion) ≤ 1936.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	*This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
ED_WWII	B5b	[IF YES] To which of the following combat	integer	N/A	Applies only at Baseline	0 = NO		
		zones have you been deployed? WWII?			(Assessment = 0600) with a conducted interview (ConductedInterview = 1).			
						1 = YES		* Only valid if DOB (year portion) ≤ 1928.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	*This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
ED_Other	B5b	[IF YES] To which of the following combat zones have you been deployed? Deployed to a combat zone not listed above (e.g., Somalia, Bosnia, Kosovo)?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
		1				-8 = DON'T KNOW		
	1	1				-9 = MISSING DATA		
ActiveDuty_Else				N/A	Applies only at Baseline	0 = No	* Skip to B.7. (ViolenceTrauma)	* Set all fields from B.6.1a (AD_P1Relationship) to
ActiveDuty_Else	B6	Is anyone in your family or someone close to you currently serving on active duty in or retired/separated from the Armed Forces, the Reserves, or the National Guard?	integer	1071	(Assessment = 0600) with a conducted interview (ConductedInterview = 1).		OND IO S.T. (Violence Hauma)	B.6.6b (AD_P6Died) = -1 (N/A)
ActiveDuty_Else	B6	you currently serving on active duty in or retired/separated from the Armed Forces,	integer		conducted interview	1 = Yes, only one person	out to but I violence mauring)	B.6.6b (AD_P6Died) = -1 (N/A)  * Set all fields from B.6.2a (AD_P2Relationship) to B.6.6b (AD_P6Died) = -1 (N/A)
ActiveDuty_Else	B6	you currently serving on active duty in or retired/separated from the Armed Forces,	integer		conducted interview	1 = Yes, only one person	OND IS S.T. (Volence Hauma)	B.6.6b (AD_P6Died) = -1 (N/A)  * Set all fields from B.6.2a (AD_P2Relationship) to
ActiveDuty_Else	B6	you currently serving on active duty in or retired/separated from the Armed Forces,	integer		conducted interview		*This N/A code is not valid for data entry. It is for Data Download purposes only.	B.6.6b (AD_P6Died) = -1 (N/A)  * Set all fields from B.6.2a (AD_P2Relationship) to
ActiveDuty_Else	B6	you currently serving on active duty in or retired/separated from the Armed Forces,	integer		conducted interview	1 = Yes, only one person 2 = Yes, more than one person		B.6.6b (AD_P6Died) = -1 (N/A)  * Set all fields from B.6.2a (AD_P2Relationship) to
ActiveDuty_Else	B6	you currently serving on active duty in or retired/separated from the Armed Forces,	integer		conducted interview	1 = Yes, only one person 2 = Yes, more than one person -1 = NIA (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	B.6.6b (AD_P6Died) = -1 (N/A)  * Set all fields from B.6.2a (AD_P2Relationship) to
ActiveDuty_Else	B6	you currently serving on active duty in or retired/separated from the Armed Forces,	integer		conducted interview	1 = Yes, only one person 2 = Yes, more than one person -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.  * This N/A code is not valid for data entry. It is for Data Download purposes only.	B.6.6b (AD_P6Died) = -1 (N/A)  * Set all fields from B.6.2a (AD_P2Relationship) to B.6.6b (AD_P6Died) = -1 (N/A)  * Set all fields from B.6.1a (AD_P1Relationship) to

	Question		Data					
Field Name AD_P1Relationship_11	Number N/A	Description  For the first person: What is the relationship	Type integer	Length N/A	Validity Applies only at Baseline	Value Descriptions  0 = MOTHER/FATHER	Edit and Skip Information	* Set AD_P1Rel_OtherSpec = -1 (N/A)
ND_F TRelationship_TT	IV/A	of that person (Service Member) to you?	integer	IVA	(Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = WOTTENFATTEN		Set ND_F TRet_OuterSpec = -1 (N/A)
					(Conductodinterview = 1).	1 = BROTHER/SISTER		* Set AD_P1Rel_OtherSpec = -1 (N/A)
	-					2 = SPOUSE/PARTNER		* Set AD_P1Rel_OtherSpec = -1 (N/A)
						3 = CHILD		* Set AD_P1Rel_OtherSpec = -1 (N/A)
			1			4 = OTHER, SPECIFY		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field  -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		* Set AD_P1Rel_OtherSpec = -1 (N/A)
						-8 = DON'T KNOW		* Set AD_P1Rel_OtherSpec = -1 (N/A)
						-9 = MISSING DATA		* Set AD_P1Rel_OtherSpec = -1 (N/A)
D_P1Rel_OtherSpec_11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).		* Only asked when AD_P1Relationship = OTHER, SPECFIY; otherwise set to -1.	
					,	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
					-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.		
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
D_P1CombatOpr_11	N/A	For the first person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1					-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
D_P1Injured_11	N/A	For the first person: Has the Service Member experienced any of the following: Was physically injured during Combat Operations?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	+		<del>                                     </del>			-7 = REFUSED		1
	<del> </del>		1		1	-8 = DON'T KNOW		<del> </del>
	+		<del>                                     </del>			-9 = MISSING DATA		1
D_P1Stress_11	N/A	For the first person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
	+					1 = YES	+	
	†		1			-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1					-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1					-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
	+		}		+	-8 = DON'T KNOW	+	+
				i	i	1	1	į.

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
D_P1Died_11	N/A	For the first person: Has the Service Member experienced any of the following:	integer	N/A	Applies only at Baseline (Assessment = 0600) with a	0 = NO	Euit and Skip information	CIUSSCHELK
		Died or was killed?			conducted interview (ConductedInterview = 1).			
					(**************************************	1 = YES		
						-1 = N/A (Not Applicable)		
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
		<u> </u>				-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		+
D_P2Relationship_11	N/A	For the second person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview	0 = MOTHER/FATHER		* Set AD_P2Rel_OtherSpec = -1 (N/A)
					(ConductedInterview = 1).			
						1 = BROTHER/SISTER		* Set AD_P2Rel_OtherSpec = -1 (N/A)
						2 = SPOUSE/PARTNER		* Set AD_P2Rel_OtherSpec = -1 (N/A)
<u>-</u>						3 = CHILD		* Set AD_P2Rel_OtherSpec = -1 (N/A)
						4 = OTHER, SPECIFY		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		* Set AD_P2Rel_OtherSpec = -1 (N/A)
						-8 = DON'T KNOW		* Set AD_P2Rel_OtherSpec = -1 (N/A)
D. Don't Other S						-9 = MISSING DATA		* Set AD_P2Rel_OtherSpec = -1 (N/A)
D_P2Rel_OtherSpec_11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).		* Only asked when AD_P2Relationship = OTHER, SPECFIY; otherwise set to -1.	
					,	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
D_P2CombatOpr_11	N/A	For the second person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
			İ			-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
		1				-8 = DON'T KNOW		
	1	1				-9 = MISSING DATA		
_P2Injured_11	N/A	For the second person: Has the Service Member experienced any of the following: Was physically injured during Combat	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview	0 = NO		
		Operations?			(ConductedInterview = 1).			
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
	1	1	t	1	1	-9 = MISSING DATA	<u> </u>	

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P2Stress_11	N/A	For the second person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		
N.	For the second person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO			
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED -8 = DON'T KNOW		
			-			-9 = MISSING DATA		
AD_P3Relationship_11 N/A	N/A	For the third person: What is the relationship	intogor	N/A	Applies only at Baseline	0 = MOTHER/FATHER		* Set AD_P3Rel_OtherSpec = -1 (N/A)
AD_F3Neiationship_11	IV/A	of that person (Service Member) to you?	linteger	IVA	(Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = WOTHERFATTER		Set AD_F3Ret_Otherspec = *1 (NA)
						1 = BROTHER/SISTER		* Set AD_P3Rel_OtherSpec = -1 (N/A)
						2 = SPOUSE/PARTNER		* Set AD_P3Rel_OtherSpec = -1 (N/A)
						3 = CHILD		* Set AD_P3Rel_OtherSpec = -1 (N/A)
						4 = OTHER, SPECIFY		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field  -5 = NOT ASKED ON PREVIOUS NOMS TOOL	*This N/A code is not valid for data entry. It is for Data Download purposes only.  *This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED	This N/A code is not valid for data entity. It is for Data Download purposes only.	* Set AD_P3Rel_OtherSpec = -1 (N/A)
	-		<u> </u>			-8 = DON'T KNOW		* Set AD_P3Rel_OtherSpec = -1 (N/A)
			1			-9 = MISSING DATA		* Set AD_P3Rel_OtherSpec = -1 (N/A)
AD_P3Rel_OtherSpec_11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).		* Only asked when AD_P3Relationship = OTHER, SPECFIY; otherwise set to -1.	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P3CombatOpr_11	N/A	For the third person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
				_		-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1					-7 = REFUSED		
						-8 = DON'T KNOW		
i			1	I		-9 = MISSING DATA		

	Question		Data					
Field Name AD_P3Injured_11	Number N/A	Description	Type integer	Length N/A	Validity Applies only at Baseline	Value Descriptions  0 = NO	Edit and Skip Information	Crosscheck
AD_F3IIJuleu_11	IWA	For the third person: Has the Service Member experienced any of the following: Was physically injured during Combat	integer	INA	(Assessment = 0600) with a conducted interview	U = NO		
		Operations?			(ConductedInterview = 1).			
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P3Stress_11	N/A	For the third person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
<u> </u>			1			-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
<u> </u>						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1					-7 = REFUSED		+
	1					-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P3Died_11	N/A	For the third person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
	1				(Conductedinterview = 1).	1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1					-7 = REFUSED		+
						-8 = DON'T KNOW		+
	1					-9 = MISSING DATA		+
AD_P4Relationship_11	N/A	For the fourth person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = MOTHER/FATHER		* Set AD_P4Rel_OtherSpec = -1 (N/A)
					(	1 = BROTHER/SISTER		* Set AD_P4Rel_OtherSpec = -1 (N/A)
	İ					2 = SPOUSE/PARTNER		* Set AD_P4Rel_OtherSpec = -1 (N/A)
			1	1		3 = CHILD		* Set AD_P4Rel_OtherSpec = -1 (N/A)
			1			4 = OTHER, SPECIFY		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
			1			-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
			1	1		-7 = REFUSED		* Set AD_P4Rel_OtherSpec = -1 (N/A)
						-8 = DON'T KNOW		* Set AD_P4Rel_OtherSpec = -1 (N/A)
						-9 = MISSING DATA		* Set AD_P4Rel_OtherSpec = -1 (N/A)
D_P4Rel_OtherSpec_11 N	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).		*Only asked when AD_P4Relationship = OTHER, SPECFIY; otherwise set to -1.	
		1	1			-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P4CombatOpr_11	N/A	For the fourth person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	O = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
	1		ļ			-9 = MISSING DATA		
AD_P4Injured_11	N/A	For the fourth person: Has the Service Member experienced any of the following: Was physically injured during Combat Operations?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P4Stress_11	N/A	For the fourth person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P4Died_11	N/A	For the fourth person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
			<b>!</b>	ļ		-7 = REFUSED		
	1		<u> </u>	ļ		-8 = DON'T KNOW		
	<b></b>		<u> </u>	<u> </u>		-9 = MISSING DATA		
AD_P5Relationship_11	N/A	For the fifth person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = MOTHER/FATHER		* Set AD_P5Rel_OtherSpec = -1 (N/A)
	1		1			1 = BROTHER/SISTER		* Set AD_P5Rel_OtherSpec = -1 (N/A)
	1		1			2 = SPOUSE/PARTNER		* Set AD_P5Rel_OtherSpec = -1 (N/A)
						3 = CHILD		* Set AD_P5Rel_OtherSpec = -1 (N/A)
	1		1	1	İ	4 = OTHER, SPECIFY		
			1			-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	I							L

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-7 = REFUSED		* Set AD_P5Rel_OtherSpec = -1 (N/A)
						-8 = DON'T KNOW		* Set AD_P5Rel_OtherSpec = -1 (N/A)
						-9 = MISSING DATA		* Set AD_P5Rel_OtherSpec = -1 (N/A)
AD_P5Rel_OtherSpec_11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).		*Only asked when AD_P5Relationship = OTHER, SPECFIY; otherwise set to -1.	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P5CombatOpr_11	N/A	For the fifth person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
			Ì			-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P5Injured_11	N/A	For the fifth person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		
		Member experienced any of the following: Was physically injured during Combat Operations?			(Assessment = 0600) with a conducted interview (ConductedInterview = 1).			
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P5Stress_11	N/A	For the fifth person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
	1				İ	-8 = DON'T KNOW		
	1					-9 = MISSING DATA		
AD_P5Died_11	N/A	For the fifth person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
	+		1	-	(SS.).Subtroulliterview = 1).	1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	+		+	<b> </b>	1	-7 = REFUSED		
	+		1	<del>                                     </del>		-8 = DONT KNOW		
	+		1		-	-9 = MISSING DATA		
		1		l	1	-3 = MIGGING DATA		

	Question		Data					
Field Name AD_P6Relationship_11	Number N/A	Description  For the sixth person: What is the relationship	Type integer	Length N/A	Validity Applies only at Baseline	Value Descriptions  0 = MOTHER/FATHER	Edit and Skip Information	* Set AD_P6Rel_OtherSpec = -1 (N/A)
ND_FOREidilonShip_11	INA	of that person (Service Member) to you?	integer	IVA	(Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = WOTHER/PATTER		Set AD_Fores_Office Spec = -1 (IVA)
		+	1		(Conductedinterview = 1).	1 = BROTHER/SISTER		* Set AD_P6Rel_OtherSpec = -1 (N/A)
		+	1			2 = SPOUSE/PARTNER		* Set AD_P6Rel_OtherSpec = -1 (N/A)
		+	1			3 = CHILD		* Set AD_P6Rel_OtherSpec = -1 (N/A)
	-					4 = OTHER, SPECIFY		Constitution of the contract o
	-					-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		* Set AD_P6Rel_OtherSpec = -1 (N/A)
						-8 = DON'T KNOW		* Set AD_P6Rel_OtherSpec = -1 (N/A)
						-9 = MISSING DATA		* Set AD_P6Rel_OtherSpec = -1 (N/A)
D_P6Rel_OtherSpec_11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).		* Only asked when AD_P6Relationship = OTHER, SPECFIY; otherwise set to -1.	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
D_P6CombatOpr_11	N/A	For the sixth person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED	+	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
D_P6Injured_11	N/A	For the sixth person: Has the Service Member experienced any of the following: Was physically injured during Combat Operations?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
	1	<del> </del>	1		1	-8 = DON'T KNOW		1
	1	+	1		1	-9 = MISSING DATA	+	+
D_P6Stress_11	N/A	For the sixth person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
	+		-		<del> </del>	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	+
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
	ļ		ļ			-8 = DON'T KNOW		
						-9 = MISSING DATA		

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P6Died_11	N/A	For the sixth person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		
						1 = YES		
						-1 = N/A (Not Applicable)		
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
SECTION B. VIOLENCE AN	D TRAUMA							
ViolenceTrauma	B7	Have you ever experienced violence or trauma in any setting (including community or school violence; domestic violence; physical, psychological, or sexual mattreatment/assault within or outside of the family; natural disaster; terrorism; neglect; or traumatic grief)?	integer	N/A	*Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO	* Skip to B9 (PhysicallyHurt).	Set VT_NightmaresThoughts, VT_NotThinkAboutt, VT_OnGuard, VT_NumbDetached = -1 [N/A]
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED	* Skip to B9 (PhysicallyHurt),	* Set VT_NightmaresThoughts, VT_NotThinkAboutlt, VT_OnGuard, VT_NumbDetached = -1 [N/A]
						-8 = DON'T KNOW	* Skip to B9 (PhysicallyHurt).	* Set VT_NightmaresThoughts, VT_NotThinkAboutlt, VT_OnGuard, VT_NumbDetached = -1 [N/A]
						-9 = MISSING DATA	* Skip to B9 (PhysicallyHurt).	* Set VT_NightmaresThoughts, VT_NotThinkAboutlt, VT_OnGuard, VT_NumbDetached = -1 [N/A]
/T_NightmaresThoughts	B8a	Did any of these experiences feel so frightening, horrible, or upsetting that in the past and/or the present you: Have had nightmares about it or thought about it when you did not want to?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = No		
						1 = Yes		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED	+	
						-8 = DON'T KNOW		
	1					-9 = MISSING DATA		
VT_NotThinkAboutlt	B8b	Did any of these experiences feel so frightening, horrible, or upsetting that in the past and/or the present you: Tried hard not to think about it or went out of your way to avoid situations that remind you of it?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	O = No		
						1 = Yes		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
		1				-7 = REFUSED		
	1	1				-8 = DON'T KNOW		
	1		1			-9 = MISSING DATA		
VT_OnGuard	B8c	Did any of these experiences feel so frightening, horrible, or upsetting that in the past and/or the present you: Were constantly on guard, watchful, or easily startled?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = No		
	1					1 = Yes		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

Field Name	Question Number	Description	Data	Laundh	Validite	Value Descriptions	Edit and Chin Information	Crassahaali
Field Name	Number	Description	Type	Length	Validity	Value Descriptions -7 = REFUSED	Edit and Skip Information	Crosscheck
						-8 = DONT KNOW		
						-9 = MISSING DATA		
VT_NumbDetached	B8d	Did any of these experiences feel so frightening, horrible, or upsetting that in the past and/or the present you: Felt numb and detached from others, activities, or your surroundings?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = No		
						1 = Yes		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
PhysicallyHurt	B9	In the past 30 days, how often have you been hit, kicked, slapped, or otherwise physically hurt?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never	* Please note the value descriptions for Physically Hurt are in order by their severity in the Likert scale.	
						4 = Once		
						2 = A few times		
						3 = More than a few times		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
SECTION C. STABILITY IN	HOUSING	<u> </u>		<u> </u>		<u> </u>		<u> </u>
NightsHomeless	C1a	In the past 30 days how many nights have you been homeless?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 30	If NightsHomeless ≥ 16 then set Housing = 3.	*Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30.
					,	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
NightsHospitalMHC	C1b	In the past 30 days how many nights have you spent in a hospital for mental health care?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 30	If NightsHospitalMHC ≥ 16 then set Housing = 10.	*Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
	1					-8 = DON'T KNOW		
	1					-9 = MISSING DATA		
NightsDetox	C1c	In the past 30 days how many nights have you spent in a facility for detox/inpatient or residential substance abuse treatment?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 30	If NightsDetox ≥ 16 then set Housing = 19.	*Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
-						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
NightsJail	C1d	In the past 30 days how many nights have you spent in a correctional facility including jail, or prison?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).		* If NightsJail ≥ 16 then set Housing = 11.	*Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
TimesER	C1e	In the past 30 days how many times have you gone to an emergency room for a	integer	N/A	Applies only when an interview was conducted	0 - 30		
		psychiatric or emotional problem?			(ConductedInterview = 1).	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Housing	C2	In the past 30 days, where have you been living most of the time?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = OWNED OR RENTED HOUSE, APARTMENT, TRAILER, ROOM		
	1				(Conductodinterview = 1):	2 = SOMEONE ELSE'S HOUSE, APARTMENT,		
						TRAILER, ROOM		
						3 = HOMELESS (SHELTER, STREET/OUTDOORS, PARK)		
						4 = GROUP HOME		
						5 = ADULT FOSTER CARE		
						6 = TRANSITIONAL LIVING FACILITY		
						9 = HOSPITAL (MEDICAL)		
						10 = HOSPITAL (PSYCHIATRIC)		
						19 = DETOX/INPATIENT OR RESIDENTIAL		
						SUBSTANCE ABUSE TREATMENT FACILITY		
						11 = CORRECTIONAL FACILITY (JAIL/PRISON)		
						12 = NURSING HOME		
						13 = VA HOSPITAL		
						14 = VETERAN'S HOME		
						15 = MILITARY BASE		
						18 = OTHER HOUSED (SPECIFY)		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
	1							
OtherHousingSpec	C2	Other Housed specify	text	50	Applies only when an interview		* Only asked when Housing = 18 ; otherwise set to - 1.	
					was conducted (ConductedInterview = 1).			
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
LivingConditionsSatisfaction	C3a	In the last 4 weeks, how satisfied are you	integer	N/A	Applies only when an interview	1 = Very Dissatisfied		
2.vingeonalionocalionación	000	with the conditions of your living place?	intogo.	1071	was conducted (ConductedInterview = 1).	T = Voly Biodeliolog		
						2 = Dissatisfied		
						3 = Neither Satisfied nor Dissatisfied		
						4 = Satisfied		
						5 = Very Satisfied		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-6 = REFUSED		
	i					-7 = DON'T KNOW		
	i					-9 = MISSING DATA		
SECTION D. EDUCATION A	AND EMPLOYMEN	IT				<u></u>	<u>'                                    </u>	<u> </u>
Enrolled	D1	Are you currently enrolled in school or a job	integer	N/A	Applies only when an interview	0 = NOT ENROLLED		
		training program? If enrolled, is that full time or part time?			was conducted (ConductedInterview = 1).			
	1	or parturie:		<b> </b>	(Conductedinterview = 1).	1 = ENROLLED, FULL TIME		+
	1		1	1	1	2 = ENROLLED, PART TIME	<del> </del>	+
	1					3 = OTHER (SPECIFY)		+
	1			<b> </b>	+	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	+
				L				<u> </u>
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
OtherEnrolledSpec	D1	Other Enrolled specify	text	50	Applies only when an interview was conducted		* Only asked when Enrolled = 3; otherwise set to -1.	
	1	1			(ConductedInterview = 1).	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	+

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Education	D2	What is the highest level of education you have finished, whether or not you received a	integer	N/A	Applies only when an interview was conducted	11 = LESS THAN 12TH GRADE		
		degree?			(ConductedInterview = 1).	12 = 12TH GRADE /HIGH SCHOOL DIPLOMA/		
			1			EQUIVALENT (GED)  13 = VOC/TECH DIPLOMA		
						14 = SOME COLLEGE OR UNIVERSITY		
						15 = BACHELOR'S DEGREE (BA, BS)		
						16 = GRADUATE WORK/GRADUATE DEGREE		
						-1 = N/A (Not Applicable)	# This N/A code is not wild for data onto this for Data Data Data data on the	
						-7 = REFUSED	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Consistent of the control of the con	D3	Are you consently employed?	interna	NI/A	Anning only when an intension			
Employment	D3	Are you currently employed?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = EMPLOYED FULL TIME (35+ HOURS PER WEEK, OR WOULD HAVE BEEN)		
					,	2 = EMPLOYED PART TIME		
						3 = UNEMPLOYED, LOOKING FOR WORK		
						4 = UNEMPLOYED, DISABLED		
						5 = UNEMPLOYED, VOLUNTEER WORK		†
			<u> </u>			6 = UNEMPLOYED, RETIRED		<u> </u>
	1	<del> </del>	1			7 = UNEMPLOYED, NOT LOOKING FOR WORK		<del> </del>
						8 = OTHER (SPECIFY)		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
			1			-7 = REFUSED		
			1			-8 = DON'T KNOW		
			<u> </u>			-9 = MISSING DATA		
OtherEmploymentSpec	D3	Other Employment specify	text	50	Applies only when an interview	-5 = MICOING DATA	* Only asked when Employment = 8 ; otherwise set to	
OtherEmploymentopec	53	Other Employment specify	toxi	30	was conducted (ConductedInterview = 1).		-1.	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EmploymentType_07	D3a	[If employed], is your employment	integer	N/A	Retained for Data Download	1 = COMPETITIVE EMPLOYMENT		
1.7		competitive or sheltered?			purposes, but no longer applies. Applied only when an interview was conducted (ConductedInterview = 1).			
						2 = SHELTERED EMPLOYMENT		
						-1 = N/A (Not Applicable)	* Only asked when Employment = 1 or 2; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * Should be displayed in grayed field if EmploymentStatus = 3, 4, 5, 6. 7 or 8.	
			<u> </u>			-7 = REFUSED		
	<del> </del>		<del>                                     </del>			-8 = DONT KNOW		+
	1		}			-9 = MISSING DATA		+
Employed_MinWageOrAbove	e D3a1	Are you paid at or above the minimum wage?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 = No	* Only asked when Employment = 1 or 2; otherwise set to -1.	
						1 = Yes		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1				Applies only when an interview was conducted	-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
					(ConductedInterview = 1).			The state of the s
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Employed_PaidDirectly	D3a2	Are your wages paid directly to you by your employer?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 = No	* Only asked when Employment = 1 or 2; otherwise set to -1.	
	1	<del> </del>	1		( = 1).	1 = Yes		<del> </del>
	1	<u> </u>				-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	<del> </del>
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous
	1					-7 = REFUSED		versions of the CMHS NOMs tools.
-	1	-	1			-8 = DON'T KNOW		+
<u> </u>	1		<u> </u>			5 - 55.11 MOV		1

	Question	1	Data					ı
Field Name	Number	Description	Туре	Length	Validity	-9 = MISSING DATA	Edit and Skip Information	Crosscheck
Familiary AssessAssiss	D3a3	Could anyone have applied for this job?	interna	N/A	Applies only when an interview	-9 = MISSING DATA 0 = No	* Only asked when Employment = 1 or 2; otherwise set to -1.	
Employed_AnyoneApplied	Doao	Could anyone have applied for this job?	integer	N/A	was conducted (ConductedInterview = 1).	U = NO	Only asked when employment = 1 of 2, unletwise set to -1.	
					,	1 = Yes		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		versions of the CMAS NOWS tools.
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
EnoughMoneyForNeeds	B4a	In the last 4 weeks, have you enough money to meet your needs?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Not at All		
						2 = A Little		
						3 = Moderately		
						4 = Mostly		
						5 = Completely		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-6 = REFUSED		
						-7 = DON'T KNOW		
						-9 = MISSING DATA		
SECTION E. CRIME AND CR	IMINAL JUSTICE	STATUS					·	·
NumTimesArrested	E1	In the past 30 days, how many times have you been arrested?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 30 = number of times		
					(Conductedinterview = 1).	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
SECTION F. PERCEPTION C	FCARE		<u> </u>		1	<u> </u>		
Recover	F1a	Staff here believe that I can grow, change and recover.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree		
						2 = Disagree		
		+				3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
					1	-9 = MISSING DATA		
Complain	F1b	I felt free to complain.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted ((ConductedInterview = 1).	1 = Strongly Disagree		
						2 = Disagree		
						3 = Undecided		
					İ	4 = Agree		
					1	5 = Strongly Agree		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-9 = MISSING DATA		
Rights	F1c	I was given information about my rights.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree		
						2 = Disagree		
						3 = Undecided		
	l	I.	l	l	1			1

Part   Part						Data		Question	
-	Crosscheck	Edit and Skip Information	Value Descriptions	Validity	Length		Description		Field Name
The Note Appendix   The Note Appendix   The Note Appendix   The Note Appendix of the service of the Appendix   The Note Appendix of the Service of the Appendix   The Note Appendix of the Service of the Appendix   The Note Appendix of the Service of the Appendix   The Note Appendix of the Service of the Appendix of the Service of the			4 = Agree						
Part			5 = Strongly Agree						
Mathematical   Math		* This N/A code is not valid for data entry. It is for Data Download purposes only.	-1 = N/A (Not Applicable)						
Mathematical   Math			7 DEFLICED						
Page   Page									
Part									
			1 = Strongly Disagree	discharge (Assessment = 0601		integer	Staff encouraged me to take responsibility for how I live my life.	F1d	Responsibility
Conductionations = 1,   Consideration   Cons				to 0699) and an interview must					
Section   File   Surface				(Conductedinterview = 1).					
			2 = Disagree						
Scafficts   File   Staff taid me what side effects to watch out   Integer   NA   Applies only at recessor which is not ordered by the staff taid me what side effects to watch out   Integer   NA   Applies only at recessor which is not ordered by the staff taid me what side effects to watch out   Integer   NA   Applies only at recessor which is not ordered by the staff taid me what side effects to watch out   Integer   NA   Applies only at recessor which is not ordered by the staff taid me what side effects to watch out   Integer   NA   Applies only at recessor which is not ordered by the staff taid me what side effects to watch out   Integer   NA   Applies only at recessor which is not ordered by the staff taid me what is n			3 = Undecided						
			4 = Agree						
			5 = Strongly Agree						
March   Marc		* This N/A code is not valid for data entry. It is for Data Download purposes only.							
Selectification		, , , ,							
Selective									
Description									
			1 = Strongly Disagree	Applies only at reassessment or	N/A	integer		F1e	SideEffects
Deconducted   Deconducted				to 0699) and an interview must			ioi.		
Secondard   Seco				be conducted					
Sensible To Culture   Fig   Solf were sensible to my cultural background (race, reigien, language, etc.)   Image: Page				(ConductedInterview = 1).					
Sensible To Culture   Fig   Solf were sensible to my cultural background (race, reigien, language, etc.)   Image: Page			2 = Disagree						
4 - Agree									
Sensitive of Culture    Sensitive of Culture   Fig.   Staff were sensitive to my cultural background (race, religion, language, etc.)   Sensitive of Culture   Fig.   Staff were sensitive to my cultural background (race, religion, language, etc.)   Sensitive of Culture   Fig.   Staff were sensitive to my cultural background (race, religion, language, etc.)   Sensitive of Culture   Fig.   Staff were sensitive to my cultural background (race, religion, language, etc.)   Sensitive of Culture   Sensitive									
1 = N/A (Not Applicable)   *This N/A code is not valid for data entry. It is for Data Download purposes only.			-						
SharingTreatmentifilormation   F1f   Shaff respected my wishes about who is and who is not to be given information about my rediffered.   SharingTreatmentifilormation   F1f   Shaff respected my wishes about who is and who is not to be given information about my rediffered.   Shaff respected my wishes about who is and who is not to be given information about my rediffered.   Shaff respected my wishes about who is and who is not to be given information about my rediffered.   Shaff respected my wishes about who is and who is not to be given information about my rediffered.   Shaff respected my wishes about who is and who is not to be given information about my rediffered.   Shaff respected my wishes about who is and who is not to be given information about my rediffered with a strongly Disagree   Shaff respected my wishes about who is not be given information about my rediffered with a strongly Disagree   Shaff respected my wishes about who is not be given information about my rediffered with a strongly Disagree   Shaff respected my wishes about who is not be given information about my rediffered with a strongly Disagree   Shaff respected my wishes about who is not be given information about my rediffered with a strongly Disagree   Shaff respected my wishes about who is not be given information about my rediffered with a strongly Disagree   Shaff respected my rediffered with a strongly Disagree   Shaff respected my rediffered with a strongly Disagree   Shaff respected my rediffered with a strongly Disagree   Shaff respected my rediffered with a strongly Disagree   Shaff rediffered with a strongly Disagree   Shaff rediffered with a strongly Disagree   Shaff rediffered with a strongly Disagree   Shaff rediffered with a strongly Disagree   Shaff rediffered with a strongly Disagree   Shaff rediffered with a strongly Disagree   Shaff rediffered with a strongly Disagree   Shaff rediffered with a strongly Disagree   Shaff rediffered with a strongly Disagree   Shaff rediffered with a strongly Disagree   Shaff rediffered		* This N/A code is not valid for data onto. It is for Data Download numeros only							
This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid for data entry. It is for Data Download purposes only.   This N/A code is not valid f		This NA code is not valid for data entry. It is for Data Download purposes only.							
SharingTreatmentInformation Fit SharingTreatmentInformation Fi			-6 = NOT APPLICABLE						
Sharing Treatment Information F11 Staff respected my wishes about who is and who is not to be given information about my realment.    Staff respected my wishes about who is and who is not to be given information about my realment.									
who is not to be given information about my treatment.    Second   Conducted			-9 = MISSING DATA						
treatment.   b to 0699) and an interview must be to 0699) and an interview must be to 0699 and an interview must be conducted (ConductedInterview = 1).   2 = Disagree			1 = Strongly Disagree	Applies only at reassessment or	N/A	integer	Staff respected my wishes about who is and	F1f	SharingTreatmentInformation
				discharge (Assessment = 0601			who is not to be given information about my		
SensitiveToCulture				be conducted			a data in the		
3 = Undecided  4 = Agree  5 = Strongly Agree  -1 = N/A (Not Applicable) * This N/A code is not valid for data entry. It is for Data Download purposes only.  -1 = N/A (Not Applicable) * This N/A code is not valid for data entry. It is for Data Download purposes only.  -5 = NOT APPLICABLE  -7 = REFUSED  -9 = MISSING DATA  SensitiveToCulture  F1g Staff were sensitive to my cultural background (race, religion, language, etc.).  Integer N/A Applies only at reassessment or discharge (Assessment = 0601 to 0693) and an interview must be conducted (Conducted Interview = 1).  2 = Disagree  3 = Undecided  4 = Agree				(ConductedInterview = 1).					
3 = Undecided  4 = Agree  5 = Strongly Agree  -1 = N/A (Not Applicable) * This N/A code is not valid for data entry. It is for Data Download purposes only.  -1 = N/A (Not Applicable) * This N/A code is not valid for data entry. It is for Data Download purposes only.  -5 = NOT APPLICABLE  -7 = REFUSED  -9 = MISSING DATA  SensitiveToCulture  F1g Staff were sensitive to my cultural background (race, religion, language, etc.).  Integer N/A Applies only at reassessment or discharge (Assessment = 0601 to 0693) and an interview must be conducted (Conducted Interview = 1).  2 = Disagree  3 = Undecided  4 = Agree			2 – Dinagroo						
4 = Agree  5 = Strongly Agree			-						
5 = Strongly Agree  -1 = N/A (Not Applicable)  -									
- 1 = N/A (Not Applicable) - 1 = N/A (Not Applicable) - 1 = N/A (Not Applicable) - 1 = N/A (Not Applicable) - 1 = N/A (Not Applicable) - 2 = REFUSED - 3 = MISSING DATA - 2 = Disagree - 3 = Undecided - 4 = Agree									
SensitiveToCulture		This N/A and is not office data and this for Data Developed							
-7 = REFUSED -9 = MISSING DATA  Sensitive To Culture F1g Staff were sensitive to my cultural background (race, religion, language, etc.).  Sensitive To Culture F1g Staff were sensitive to my cultural background (race, religion, language, etc.).  Sensitive To Culture F1g Staff were sensitive to my cultural integer discharge (Assessment = 0601 to 0699) and an interview must be conducted (Conducted Interview = 1).  Sensitive To Culture F1g Staff were sensitive to my cultural integer discharge (Assessment = 0601 to 0699) and an interview must be conducted (Conducted Interview = 1).  Sensitive To Culture F1g Staff were sensitive to my cultural integer discharge (Assessment = 0601 to 0699) and an interview must be conducted (Conducted Interview = 1).  Sensitive To Culture F1g Staff were sensitive to my cultural integer discharge (Assessment = 0601 to 0699) and an interview must be conducted (Conducted Interview = 1).  Sensitive To Culture F1g Staff were sensitive to my cultural integer discharge (Assessment = 0601 to 0699) and an interview must be conducted (Conducted Interview = 1).  Sensitive To Culture F1g Staff were sensitive to my cultural integer discharge (Assessment = 0601 to 0699) and an interview must be conducted (Conducted Interview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	-1 = N/A (Not Applicable)						
SensitiveToCulture F1g Staff were sensitive to my cultural background (race, religion, language, etc.). Integer Sensitive ToCulture Sensitive ToCulture F1g Staff were sensitive to my cultural background (race, religion, language, etc.). Integer Sensitive ToCulture S			-6 = NOT APPLICABLE						
SensitiveToCulture F1g Staff were sensitive to my cultural background (race, religion, language, etc.). Integer								İ	
background (race, religion, language, etc.).  discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).  2 = Disagree  3 = Undecided  4 = Agree			-9 = MISSING DATA					İ	
to 0699) and an interview must be conducted (ConductedInterview = 1).  2 = Disagree  3 = Undecided  4 = Agree			1 = Strongly Disagree	Applies only at reassessment or	N/A	integer		F1g	SensitiveToCulture
be conducted (ConductedInterview = 1).				discharge (Assessment = 0601			background (race, religion, language, etc.).		
(ConductedInterview = 1).  2 = Disagree  3 = Undecided  4 = Agree				be conducted					
3 = Undecided 4 = Agree				(ConductedInterview = 1).					
3 = Undecided 4 = Agree			2 – Disagree				<u> </u>	1	
4 = Agree								1	
							<u> </u>	1	
								1	
		* This N/A code is not used for data code; It is 100 Data Data Data Data Data Data Data Da						1	
-1 = N/A (Not Applicable) * This N/A code is not valid for data entry. It is for Data Download purposes only.		THIS INFA CODE IS NOT VAIID FOR DATA POWNIDAD PURPOSES ONly.	- i = rvin (not applicable)						
-7 = REFUSED	-		-7 = REFUSED					1	
9 = MISSING DATA			-9 = MISSING DATA					İ	
InformationNeeded F1h Staff helped me obtain the information I integer N/A Applies only at reassessment or 1 = Strongly Disagree			1 = Strongly Disagree	Applies only at reassessment or	N/A	integer		F1h	InformationNeeded
needed so that I could take charge of discharge (Assessment = 0601				discharge (Assessment = 0601			needed so that I could take charge of		
managing my illness. to 0699) and an interview must be conducted				be conducted			managing my iliness.		
(ConductedInterview = 1).				(ConductedInterview = 1).					
								ļ	
2 = Disagree			2 = Disagree	]					

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						A NOT APPLICABLE		
						-6 = NOT APPLICABLE -7 = REFUSED		
0	E4:		Series and	N//A	A P 1 1	-9 = MISSING DATA		
ConsumerRunPrograms	F1i	I was encouraged to use consumer run programs (support groups, drop-in centers, crisis phone line, etc.).	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree		
						2 = Disagree		
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-6 = NOT APPLICABLE		
						-7 = REFUSED		
						-9 = MISSING DATA		
ComfortableAskingQuestions	F1j	I felt comfortable asking questions about my treatment and medication.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree		
						2 = Disagree		
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-6 = NOT APPLICABLE		
						-7 = REFUSED		
						-9 = MISSING DATA		
TreatmentGoals	F1k	I, not staff, decided my treatment goals.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree		
						2 = Disagree		
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-9 = MISSING DATA		
LikeServices	F1I	I like the services I received here.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree		
						2 = Disagree		
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree	+	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-9 = MISSING DATA		

Part   March   Part		Question		Data					1
Committed   Comm	Field Name		Description		Length			Edit and Skip Information	Crosscheck
	Choices	F1m	If I had other choices, I would still get services from this agency.			Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted	1 = Strongly Disagree		
							3 = Undecided		
1.15 No. No. Application   1.15 No. No. No. Application   1.15 No. No. No. No. Application   1.15 No. No. No. No. Application   1.15 No. No. No. No. Application   1.15 No. No. No. No. No. No. No. No. No. No.							4 = Agree		
Page									
Manuscriptors							-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Manuscriptors							-7 = REFUSED		
Parameter   Para									
	RecommendAgency	F1n	I would recommend this agency to a friend or family member.	integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must be conducted			
							2 = Disagree		
				1	1				
1 - NA N Pc Agostosis   1 -				1	1		4 = Agree		
							5 = Strongly Agree		
				1	1			* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Pack   Pack									
Nod-demonstered    P2									
SECTION PERCEPTION OF CARE TO   Sections	What desired and	F0		Sala area	N//A	A F 1 1			
SUMPLEMENT   SUM	vv no Administered	F2	SECTION F - PERCEPTION OF CARE TO THE RESPONDENT FOR THIS	integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must be conducted	1 = ADMINISTRATIVE STAFF		
## CLINICIAN PROVIDING ORECT SERVICES    S. CLINICIAN PROVIDING SERVICES									
S - CLINICIAN NOT PROVIDING SERVICES  6 - CONDUCTION  7 - DATA COULE CTOR  9 - FAMILY ADVOCATE  10 - RESEARCH ASSISTANT STAFF  11 - SELF-ADMINISTERED  12 - OTHER (SPECIFY)  1- In NIA (Applicable)  5 - NOT ASKED ON PREVIOUS NOMS TOOL  7 - The NIA code is not valid for date entry, it is for Data Download purposes only.  1- In NIA (Not Applicable)  1- In NIA (Not App							3 = CASE MANAGER		
## G-CONSUMER PERR   F-ADAL COLLECTOR							4 = CLINICIAN PROVIDING DIRECT SERVICES		
To ATA COLLECTOR									
## SECTION G. SOCIAL CONNECTEDNESS  Fiendships    Secrit							6 = CONSUMER PEER		
SECTION 0. SOCIAL CONNECTEDNESS   STORING SOCIAL CONNECTEDNESS							7 = DATA COLLECTOR		
The NA code is not valid for data entry. It is for Data Download purposes only.   Coded only for questions not asked on previous not asked not not not not not not not not not not									
Till SELF-ADMINISTERED							9 = FAMILY ADVOCATE		
12 = OTHER (SPECIFY)   1-1 = N/A (Not Applicable)   1-1 = N/A (Not Appli							10 = RESEARCH ASSISTANT STAFF		
1 = N/A (Not Applicable)   1 = N/A (Not Applic							11 = SELF-ADMINISTERED		
SECTION G. SOCIAL CONNECTEDNESS  Friendships  G1a  Image ywith the friendships I have.  Integer (ConductedInterview = 1).  Integer (ConductedInterview = 1).  Firendships  G1a  Image ywith the friendships I have.  Integer (ConductedInterview = 1).  Integer (ConductedInterview = 1).  Firendships  G1a  Image ywith the friendships I have.  Integer (ConductedInterview = 1).  Integer (ConductedInterview = 1).  Firendships  G1a  Image ywith the friendships I have.  Integer (ConductedInterview = 1).  Integer (ConductedInterview = 1).  Firendships  G1a  Image ywith the friendships I have.  Integer (ConductedInterview = 1).  Integer (ConductedInterview = 1).  Firendships  G1a  Image ywith the friendships I have.  Integer (ConductedInterview = 1).  Int							12 = OTHER (SPECIFY)		
WroAdministered_OtherSpe F2 OTHER (SPECIFY) test 50 Applies only at reassessment or declarage (Assessment = 0601 to 6699) and an interview must be conducted (Conducted Interview = 1).    1 = NA (Not Applicable) *This NA code is not valid for data entry. It is for Data Download purposes only.    Coded only for questions not asked on previous versions of the CMHS NOMs tools.    1 = NA (Not Applicable) *This NA code is not valid for data entry. It is for Data Download purposes only.    Coded only for questions not asked on previous versions of the CMHS NOMs tools.    Section G. Social Connected New Section Sec							-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
WroAdministered_OtherSpe F2 OTHER (SPECIFY) test 50 Applies only at reassessment or declarage (Assessment = 0601 to 6699) and an interview must be conducted (Conducted Interview = 1).    1 = NA (Not Applicable) *This NA code is not valid for data entry. It is for Data Download purposes only.    Coded only for questions not asked on previous versions of the CMHS NOMs tools.    1 = NA (Not Applicable) *This NA code is not valid for data entry. It is for Data Download purposes only.    Coded only for questions not asked on previous versions of the CMHS NOMs tools.    Section G. Social Connected New Section Sec							-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous
discharge (Assessment = 0001 to 0599) and an interview must be conducted (Conducted Interview = 1).									
SECTION 6. SOCIAL CONNECTEDNESS  Friendships G1a I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).    Section 6. Social Connected I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).    Section 6. Social Connected I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).    Section 6. Social Connected I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).    Section 6. Social Connected I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).    Section 6. Social Connected I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).    Section 6. Social Connected I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).    Section 6. Social Connected I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).    Section 6. Social Connected I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).    Section 6. Social Connected I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).    Section 6. Social Connected I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).    Section 6. Social Connected I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).    Section 6. Social Connected I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).    Section 6. Social Connected I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).    Section 6. Social Connected I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).    Section 6. Social Connected I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).    Section 6. Social Connected I am happy with the friendships I have. In the first I am happy with the friendships I am hap	WhoAdministered_OtherSpe c	F2	OTHER (SPECIFY)	text	50	discharge (Assessment = 0601 to 0699) and an interview must be conducted		* Only asked when WhoAdministered = 12; otherwise set to -1.	
SECTION G. SOCIAL CONNECTEDNESS  Friendships G1a I am happy with the friendships I have. integer N/A Applies only when an interview was conducted (Conducted Interview = 1).  2 = Disagree  3 = Undecided 4 = Agree  4 = Agree  5 = Strongly Agree  1 = I = N/A (Not Applicable)  * This N/A code is not valid for data entry. It is for Data Download purposes only.									
SECTION G. SOCIAL CONNECTEDNESS Friendships G1a I am happy with the friendships I have. Integer Was conducted (ConductedInterview = 1).  2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree 1 = I = I = I = I = I = I = I = I = I =							-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools
Friendships G1a I am happy with the friendships I have. Integer N/A Applies only when an interview was conducted (Conducted Interview = 1).  2 = Disagree  3 = Undecided  4 = Agree  5 = Strongly Agree	SECTION G. SOCIAL CONNE	ECTEDNESS				<u> </u>		<u></u>	
3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A (Not Applicable) * This N/A code is not valid for data entry. It is for Data Download purposes only7 = REFUSED			I am happy with the friendships I have.	integer	N/A	was conducted			
### Agree   ### Strongly Agree   ### This N/A code is not valid for data entry. It is for Data Download purposes only.   ### This N/A code is not valid for data entry. It is for Data Download purposes only.   ### This N/A code is not valid for data entry. It is for Data Download purposes only.   ### This N/A code is not valid for data entry. It is for Data Download purposes only.   ### This N/A code is not valid for data entry. It is for Data Download purposes only.   ### This N/A code is not valid for data entry. It is for Data Download purposes only.   ### This N/A code is not valid for data entry. It is for Data Download purposes only.   ### This N/A code is not valid for data entry. It is for Data Download purposes only.   ### This N/A code is not valid for data entry.   ### This N/A code is not valid for							2 = Disagree		
5 = Strongly Agree							3 = Undecided		
-1 = N/A (Not Applicable)  * This N/A code is not valid for data entry. It is for Data Download purposes only.  -7 = REFUSED							4 = Agree		
-7 = REFUSED							5 = Strongly Agree		
-7 = REFUSED			İ	1			-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
				ļ			7 DEFLICED	<u> </u>	
A = MISOING DATA				ļ					
		İ	1	1	L		-a = MIODING DATA		

Field Name	Question Number	Description	Data	Louisth	M-P-Ps.	Mahar Baradatian	Edit and Olds Information	Ott-
EnjoyPeople	Mumber G1b	Description I have people with whom I can do enjoyable	Type integer	Length N/A	Validity  Applies only when an interview	Value Descriptions 1 = Strongly Disagree	Edit and Skip Information	Crosscheck
Enjoyr copie	GIB	things.	integer	I WA	was conducted (ConductedInterview = 1).	T = Ottorigiy Disagree		
						2 = Disagree		
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-9 = MISSING DATA		
BelongInCommunity	G1c	I feel I belong in my community.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree		
					,	2 = Disagree		
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-9 = MISSING DATA		
SupportFromFamily	G1d	In a crisis, I would have the support I need from family or friends.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree		
						2 = Disagree		
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-9 = MISSING DATA		
SupportiveFamilyFriends	G1e	I have family or friends that are supportive of my recovery.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).			
						2 = Disagree		
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-6 = Not Applicable	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the SPARS CMHS NOMs tools.
						-7 = REFUSED		
						-9 = MISSING DATA		
GenerallyAccomplishGoal	G1f	I generally accomplish what I set out to do.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree		
			ļ			2 = Disagree		
						3 = Undecided		
		1	<b> </b>	ļ		4 = Agree		
			<b> </b>		-	5 = Strongly Agree	This N/A code is not you'd fay data page, It's far Data Davids and a	* Coded only for questions and saled an arrival
						-6 = Not Applicable	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the SPARS CMHS NOMs tools.
						-7 = REFUSED		
						-9 = MISSING DATA		
SECTION H. PROGRAM SP								
			NS. YOUR	GPO HAS PR	OVIDED YOU WITH GUIDANCE	ON WHICH SPECIFIC SECTION H QUESTIONS YOU	ARE TO COMPLETE.	
IF YOU HAVE ANY QUESTION			D		T	L. Maria B. III		Take the state of
MedicationFrequency	H1_1	In the past 30 days, how often have you taken all of your psychiatric medication(s) as prescribed to you?	integer	N/A	Applies at baseline, reassessment and discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	-1 = N/A (Not Applicable)		* Answered by the consumer at baseline, reassessment, and clinical discharge.
						1 = Always		
					1	2 = Usually		
		•				1	1	

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						3 = Sometimes		
						4 = Rarely		
						5 = Never		
						6 = REFUSED		
						7 = DON'T KNOW		
						8 = MISSING DATA		
TreatmentCompliant	H1_2	In the past 30 days, how compliant has the	integer	N/A	Applies only at reassessment or	-1 = N/A (Not Applicable)		* Answered by the grantee staff at reassessment,
,		consumer been with their treatment plan?			discharge (Assessment = 0601 to 0699).			and clinical discharge.
						1 = Not compliant		
						2 = Minimally compliant		
						3 = Moderately compliant		
						4 = Highly compliant		
						5 = Fully compliant		
						6 = DON'T KNOW		
						7 = MISSING DATA		
MentalHealthScreening	H2_1	Did the consumer screen positive for a	integer	N/A	Applies only at baseline	1 = Consumer screened positive		* Answered by the grantee staff at baseline,
wentanieautecreening	112_1	mental health disorder?	ineger	N/A	reassessment or discharge (Assessment = 0601 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 - Consumo screened posture		reassessment, and clinical discharge.
						2 = Consumer screened negative		
						3 = Consumer was not screened		
						-9 = MISSING DATA		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ConsumerReferredMentalHe althServices	H2_1a	Was the consumer referred to the following type of services? [MENTAL HEALTH SERVICES]	integer	N/A	Applies only at baseline reassessment or discharge (Assessment = 0601 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Yes	* Only asked when MentalHealthScreening = 1; otherwise set to -1.	* Answered by the grantee staff at baseline, reassessment, and clinical discharge.
						2 = No		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
							, , , , , , , , , , , , , , , , , , , ,	
						-9 = MISSING DATA		
ConsumerReceivedMentalHe althServices	H2_1b	Did they receive the following services? [MENTAL HEALTH SERVICES]	integer	N/A	Applies only at baseline reassessment or discharge (Assessment = 0601 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Yes	* Only asked when ConsumerReferredMentalHealthServices = 1; otherwise set to -1.	* Answered by the grantee staff at baseline, reassessment, and clinical discharge.
						2 = No		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	ļ							
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
SubstanceUseScreening	H2_2	Did the consumer screen positive for a substance use disorder?	integer	N/A	Applies only at baseline reassessment or discharge (Assessment = 0601 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Consumer screened positive		* Answered by the grantee staff at baseline, reassessment, and clinical discharge.
	İ					2 = Consumer screened negative		
						3 = Consumer was not screened		
		1		<b> </b>	+	-9 = MISSING DATA		
		1				-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	<u> </u>							
ConsumerReferredCooccurri ngServices	H2_2a	Was the consumer referred to the following type of services? [SUBSTANCE USE DISORDER SERVICES]	integer	N/A	Applies only at baseline reassessment or discharge (Assessment = 0601 to 0699).	1 = Yes	*Only asked when SubstanceUseScreening = 1; otherwise set to -1.	* Answered by the grantee staff at baseline, reassessment, and clinical discharge.
ingoervices		·			Applies only when an interview was conducted (ConductedInterview = 1).			

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
r icia italiic	Number	Безсприон	Турс	Longin	Validity	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	Grosseneck
							, , , , , , , , , , , , , , , , , , , ,	
						-9 = MISSING DATA		
ConsumerReceivedCooccurri ngServices	H2_2b	Did they receive the following services? [SUBSTANCE USE DISORDER SERVICES]	integer	N/A	Applies only at baseline reassessment or discharge (Assessment = 0601 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Yes	* Only asked when ConsumerReferredCooccurringServices = 1; otherwise set to -1.	* Answered by the grantee staff at baseline, reassessment, and clinical discharge.
						2 = No		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
ServicesHelpedAvoidJusticeS ystem	H2_3	Please indicate the degree to which you agree or disagree with the following statement: Receiving community-based services through the [insert grantee name] program has helped me to avoid further contact with the police and the criminal justice system.	integer	N/A	Applies only at baseline reassessment or discharge (Assessment = 0601 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	5 = Strongly Agree		* Answered by the consumer at reassessment, and clinical discharge.
						4 = Agree		
						3 = Undecided		
						2 = Disagree		
						1 = Strongly Disagree		
						-7 = REFUSED		
						-7 = KEFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the SPARS CMHS NOMs tools.
BeenToEmergencyRoomInte gerCount	H3_1_1a	In the past 30 days how many times have you Been to the emergency room for a physical healthcare problem?	integer	N/A	Applies at baseline, reassessment and discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	0 - 30 = number of times		* Answered by the consumer at baseline, reassessment, and clinical discharge.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
BeenHospitalizedIntegerCoun t	H3_1_1b	In the past 30 days how many times have you Been hospitalized overnight for a physical healthcare problem? [REPORT NUMBER OF NIGHTS HOSPITALIZED]	integer	N/A	Applies at baseline, reassessment and discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	0 - 30 = number of times		* Answered by the consumer at baseline, reassessment, and clinical discharge.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
CurrentSamhsaGrantFunding	H3_1_2a	Please indicate which type of funding source(s) was (were)/will be used to pay for the services provided to this consumer since their last interview:  Current SAMHSA grant funding	integer	N/A	Applies only at baseline reassessment or discharge (Assessment = 0601 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Yes		* Answered by the grantee staff at baseline, reassessment, and clinical discharge.
						2 = No		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
OtherFederalGrantFunding	H3_1_2b	Please indicate which type of funding source(s) was (were) will be used to pay for the services provided to this consumer since their last interview.  Other federal grant funding	integer	N/A	Applies only at baseline reassessment or discharge (Assessment = 0601 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Yes		* Answered by the grantee staff at baseline, reassessment, and clinical discharge.
						2 = No		
						-1 = N/A (Not Applicable)		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
StateFunding H3_1	H3_1_2c	Please indicate which type of funding source(s) was (were)/will be used to pay for the services provided to this consumer since their last interview:	integer	N/A	Applies only at baseline reassessment or discharge (Assessment = 0601 to 0699). Applies only when an interview was conducted ((ConductedInterview = 1).	1 = Yes		* Answered by the grantee staff at baseline, reassessment, and clinical discharge.
						2 = No		
						-1 = N/A (Not Applicable)		
						-8 = DONT KNOW		
						-9 = MISSING DATA		
ConsumerPrivateInsurance	H3_1_2d	Please indicate which type of funding source(s) was (were)/will be used to pay for the services provided to this consumer since their last interview:  Consumer's private insurance	integer	N/A	Applies only at baseline reassessment or discharge (Assessment = 0601 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Yes		* Answered by the grantee staff at baseline, reassessment, and clinical discharge.
						2 = No		
						-1 = N/A (Not Applicable)		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
MedicaidMedicare	H3_1_2e	Please indicate which type of funding source(s) was (were)/will be used to pay for the services provided to this consumer since their last interview: Medicaid/Medicare	integer	N/A	Applies only at baseline reassessment or discharge (Assessment = 0601 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Yes		* Answered by the grantee staff at baseline, reassessment, and clinical discharge.
						2 = No		
						-1 = N/A (Not Applicable)		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
OtherResponse	H3_1_2f	Please indicate which type of funding source(s) was (were) will be used to pay for the services provided to this consumer since their last interview:  Other (specify)	integer	N/A	Applies only at baseline reassessment or discharge (Assessment = 0601 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Yes		* Answered by the grantee staff at baseline, reassessment, and clinical discharge.
						2 = No		
						-1 = N/A (Not Applicable)		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
OtherResponseSpecify	H3_1_2f	Other (specify)	text	unlimited			* Only asked when OtherResponse = 1; otherwise set to blank.	
bpressure_s	H3_2_1a	Systolic blood pressure	integer	N/A	Always applies	11 - 320 (displayed in mmHg)		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-9 = MISSING DATA		
bpressure_d	H3_2_1b	Diastolic blood pressure	integer	N/A	Always applies	11 - 200 (displayed in mmHg)		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
		ļ			1	-7 = REFUSED -9 = MISSING DATA		
Weight	H3_2_1c	Weight	integer	N/A	Always applies	-9 = MISSING DATA 0 - 455 (displayed in kg)		
vv oigitt	113_4_10	vv orgitt	eyel	IN/A	ruwayo applico	o - 400 (displayed iii kg)	<u> </u>	

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-9 = MISSING DATA		
Height	H3_2_1d	Height	integer	N/A	Always applies	0 - 250 (displayed in cm)		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-9 = MISSING DATA		
WaistCircum	H3_2_1e	Waist circumference	integer	N/A	Always applies	0 - 200 (displayed in cm)		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-9 = MISSING DATA		
BreathCO	H3_2_1f	Breath CO for smoking status	integer	N/A	Always applies	0 - 300 (displayed in ppm)		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED -9 = MISSING DATA		
Elebations foot	110.0.0	Pid-rii da da da da da da da da da da da da da	Seteman	N//A	Al			
EightHour_fast	H3_2_2	Did patient successfully fast for 8 hours prior to providing the blood sample?	integer	N/A	Always applies	0 = No		
						1 = Yes		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
DateBloodDrawn	H3_2_3a	Date of blood draw	integer	N/A	Always applies	Collected as MM/DD/YYYY text format. Date entered will be converted to datetime		
						01/01/1869 = N/A	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						05/01/1869 = NOT ASKED ON PREVIOUS NOMS	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous
			ļ			TOOL 07/01/1869 = REFUSED		versions of the CMHS NOMs tools.
			ļ			08/01/1869 = REPUSED 08/01/1869 = DON'T KNOW		
						09/01/1869 = MISSING DATA		
Plasma_gluc	H3_2_3b	Fasting plasma glucose	integer	N/A	Always applies	1 - 1500 (displayed in mg/dL)		
Plasma_gluc	H3_2_30	rasting plasma glucose	integer	IN/A	Always applies	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous
							This first code is not valid for data entry. It is for data download purposes only.	versions of the CMHS NOMs tools.
						-7 = REFUSED		
		U.A.A.	de de		A	-9 = MISSING DATA		
HgbA1c	H3_2_3c	HgbA1c	decimal	N/A	Always applies	0.1 - 25.0 (displayed in tenth of a %)	A This MA and a local of Falls	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED		
			ļ			-9 = MISSING DATA		
Lipid_TotChol	H3_2_3d	Total Cholesterol	integer	N/A	Always applies	1 - 500 (displayed in mg/dL)	Lamitation and the state of the	
						-1 = N/A (Not Applicable)  -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not solved as a service a
							* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
			ļ			-7 = REFUSED		
Linia LIDI	112.2.2.	LIDI Chelesterel	late a	B1/A	Abres e en lie -	-9 = MISSING DATA		
Lipid_HDL	H3_2_3e	HDL Cholesterol	integer	N/A	Always applies	1 - 150 (displayed in mg/dL)	PTC: N/A and a result of the state of the st	
1	1	I	1	l	1	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-3 = OUT OF RANGE VALUE		
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
		<u> </u>				-7 = REFUSED		versions of the CMHS NOMs tools.
		<u> </u>				-9 = MISSING DATA		
Lipid_LDL	H3_2_3f	LDL Cholesterol	intono	N/A	Always applies	1 - 300 (displayed in mg/dL)		
Lipid_LDL	113_2_31	EDE CHOIESteror	integer	IWA	Aiways applies	-1 = N/A (Not Applicable)	* This N/A code is not uslid for data cots. It is far Data Doublead numbers only	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-3 = OUT OF RANGE VALUE		
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous
								versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-9 = MISSING DATA		
Lipid_Tri	H3_2_3g	Triglycerides	integer	N/A	Always applies	1 - 999 (displayed in mg/dL)		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous
							<u> </u>	versions of the CMHS NOMs tools.
						-7 = REFUSED		
						-9 = MISSING DATA		
HIVTest	H4_1a1	Did the program provide an HIV test?	integer	N/A	Applies only at baseline,	1 = Yes		* Answered by the consumer at baseline,
					reassessment or discharge (Assessment = 0600 to 0699).			reassessment, and clinical discharge.
					Applies only when an interview			
					was conducted (ConductedInterview = 1).			
					(Conductedinterview = 1).			
						2 = No		+
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	+
							This text code is not valid for data stray, it is for Sala Sommoda parposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
HIVTestResult	H4_1a2	[IF YES] What was the result?	integer	N/A	Applies only at baseline,	1 = Positive	* Only asked when HIV_test = 1; otherwise set to -1.	
					reassessment or discharge (Assessment = 0600 to 0699).			
					Applies only when an interview			
					was conducted			
					(ConductedInterview = 1).			
						2 = Negative		
						3 = Indeterminate		+
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	+
							This 1474 code is not valid for data entry, it is for bata bownion purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
HIVTestTreatmentServices	H4_1a3	[IF CONSUMER SCREENED POSITIVE]	integer	N/A	Applies only at baseline,	1 = Yes	* Only asked when HIV_test_result = 1; otherwise set to -1.	* Answered by the consumer at baseline,
		Were you connected to HIV treatment services?			reassessment or discharge (Assessment = 0600 to 0699).			reassessment, and clinical discharge.
		Screen:			Applies only when an interview			
					was conducted			
					(ConductedInterview = 1).			
						2 = No		+
	+		1	<b> </b>		-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1		<u> </u>	<u> </u>			3000 to not taile for date only, it is for Date Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
HBVTest	H4_1b1	Did the program provide a Hepatitis B (HBV)	integer	N/A	Applies only at baseline,	1 = Yes		* Answered by the consumer at baseline,
		test?			reassessment or discharge (Assessment = 0600 to 0699).			reassessment, and clinical discharge.
					Applies only when an interview			
					was conducted			
					(ConductedInterview = 1).			
	+		<del>                                     </del>	-		2 = No		
	+	+	1	<del>                                     </del>		-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download assessed and	+
						W. (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
			İ			-7 = REFUSED		
	1		1			-8 = DON'T KNOW		
	1		l	l		-s = DON I KNOW		<u> </u>

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
UDVTD	114.41.6	TIE VEOLVILLE IN THE	l.		AP	-9 = MISSING DATA	10 had a laborated by the state of the state	
HBVTestResult	H4_1b2	[IF YES] What was the result?	integer	N/A	Applies only at baseline, reassessment or discharge	1 = Positive	* Only asked when HBV_test = 1; otherwise set to -1.	
					(Assessment = 0600 to 0699).			
					Applies only when an interview			
					was conducted (ConductedInterview = 1).			
					(Conductedinterview = 1).			
						2 = Negative		
						3 = Indeterminate		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
							, , , , , , , , , , , , , , , , , , , ,	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
HBVTestTreatmentServices	H4_1b3	[IF CONSUMER SCREENED POSITIVE]	integer	N/A	Applies only at baseline,	1 = Yes	* Only asked when HBV_test_result = 1; otherwise set to -1.	* Answered by the consumer at baseline,
i		Were you connected to HBV treatment services?			reassessment or discharge			reassessment, and clinical discharge.
İ		SEI VICES!			(Assessment = 0600 to 0699). Applies only when an interview			
İ					was conducted			
					(ConductedInterview = 1).			
	1		<b> </b>			2 – No		
			<b> </b>			2 = No	ATT-SAMA and SecretorPd for data and 1914 Sec. Sec. Sec. Sec. Sec. Sec. Sec. Sec.	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
HCVTest	H4_1c1	Did the program provide a Hepatitis C (HCV)	integer	N/A	Applies only at baseline,	1 = Yes		* Answered by the consumer at baseline,
110 1 1630	114_101	test?	integer	10/3	reassessment or discharge	1 = 163		reassessment, and clinical discharge.
					(Assessment = 0600 to 0699).			
					Applies only when an interview was conducted			
					(ConductedInterview = 1).			
						2 = No		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
HCVTestResult	H4_1c2	[IF YES] What was the result?	integer	N/A	Applies only at baseline, reassessment or discharge	1 = Positive	* Only asked when HCV_test = 1; otherwise set to -1.	
					(Assessment = 0600 to 0699).			
					Applies only when an interview			
					was conducted (ConductedInterview = 1).			
					(Conductedinterview = 1).			
					<b>+</b>	2. Nanativa		
						2 = Negative 3 = Indeterminate		
						3 = Indeterminate	This N/A code is not used for data costs. It is far Data Double of any	
							*This N/A code is not valid for data entry. It is for Data Download purposes only.	
						3 = Indeterminate	*This N/A code is not valid for data entry. It is for Data Download purposes only.	
						3 = Indeterminate -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						3 = Indeterminate -1 = N/A (Not Applicable) -7 = REFUSED -8 = DON'T KNOW	*This N/A code is not valid for data entry. It is for Data Download purposes only.	
HCVTestTreatmentSeni/ree	H4 1c3	IIF CONSUMER SCREENED POSITIVE	integer	N/A	Anniles only at haseline	3 = Indeterminate -1 = N/A (Not Applicable) -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA		*Answered by the consumer at haseline
HCVTestTreatmentServices	H4_1c3	[IF CONSUMER SCREENED POSITIVE] Were you connected to HCV treatment	integer	N/A	Applies only at baseline, reassessment or discharge	3 = Indeterminate -1 = N/A (Not Applicable) -7 = REFUSED -8 = DON'T KNOW	*This N/A code is not valid for data entry. It is for Data Download purposes only.  *Only asked when HCV_test_result = 1; otherwise set to -1.	*Answered by the consumer at baseline, reassessment, and clinical discharge.
HCVTestTreatmentServices	H4_1c3		integer	N/A	reassessment or discharge (Assessment = 0600 to 0699).	3 = Indeterminate -1 = N/A (Not Applicable) -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA		
HCVTestTreatmentServices	H4_1c3	Were you connected to HCV treatment	integer	N/A	reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview	3 = Indeterminate -1 = N/A (Not Applicable) -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA		
HCVTestTreatmentServices	H4_1c3	Were you connected to HCV treatment	integer	N/A	reassessment or discharge (Assessment = 0600 to 0699).	3 = Indeterminate -1 = N/A (Not Applicable) -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA		
HCVTestTreatmentServices	H4_1c3	Were you connected to HCV treatment	integer	N/A	reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted	3 = Indeterminate -1 = N/A (Not Applicable) -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA		
HCVTestTreatmentServices	H4_1c3	Were you connected to HCV treatment	integer	N/A	reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted	3 = Indeterminate -1 = N/A (Not Applicable) -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA		
HCVTestTreatmentServices	H4_1c3	Were you connected to HCV treatment	integer	N/A	reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted	3 = Indeterminate -1 = N/A (Not Applicable) -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA 1 = Yes		
HCVTestTreatmentServices	H4_1c3	Were you connected to HCV treatment	integer	N/A	reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted	3 = Indeterminate -1 = N/A (Not Applicable) -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA 1 = Yes  2 = No -1 = N/A (Not Applicable)	* Only asked when HCV_test_result = 1; otherwise set to -1.	
HCVTestTreatmentServices	H4_1c3	Were you connected to HCV treatment	integer	N/A	reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted	3 = Indeterminate -1 = N/A (Not Applicable) -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA 1 = Yes  2 = No -1 = N/A (Not Applicable) -7 = REFUSED	* Only asked when HCV_test_result = 1; otherwise set to -1.	
HCVTestTreatmentServices	H4_1c3	Were you connected to HCV treatment	integer	N/A	reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted	3 = Indeterminate -1 = N/A (Not Applicable) -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA 1 = Yes  2 = No -1 = N/A (Not Applicable)	* Only asked when HCV_test_result = 1; otherwise set to -1.	

Plate 1	Question	B	Data		V-" ":	Walter Brown	Edit and Otto Control	0
Field Name	Number	Did you receive a referral from [INSERT	Type	Length	Validity  Applies only at baseline	Value Descriptions	Edit and Skip Information  * Only asked when HCV_test_result = 1; otherwise set to -1.	Crosscheck
HIVGranteeReferral	H4_2a	DID you receive a referral from [INSEK!] GRANTEE NAME] to medical care?	integer	N/A	Applies only at baseline, reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Yes	Only asked when HLV_rest_result = 1; otherwise set to -1.	* Answered by the consumer at baseline, reassessment, and clinical discharge.
						2 = No		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
HIVARTMedication	H4_2b	Have you been prescribed an antiretroviral medication (ART)?	integer	N/A	Applies only at baseline, reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Yes	* Only asked when HCV_test_result = 1; otherwise set to -1.	* Answered by the consumer at baseline, reassessment, and clinical discharge.
						2 = No		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		_
						-9 = MISSING DATA		
HIVARTMedicationFreq	H4_2b1	In the past 30 days how often have you taken your ART as prescribed to you?	integer	N/A	Applies only at baseline, reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Always	* Only asked when HIV_ART_medication = 1; otherwise set to -1.	* Answered by the consumer at baseline, reassessment, and clinical discharge.
						2 = Usually		
						3 = Sometimes		
						4 = Rarely		
						5 = Never		
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
						-1 = N/A (Not Applicable)	If the prescription was given for the first time at this appointment, select Not Applicable	
MentalHealthScreening	H5_1	Did the consumer screen positive for a mental health disorder?	integer	N/A	Applies only at baseline, reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Consumer screened positive		* Answered by the grantee staff at baseline, reassessment, and clinical discharge.
						2 = Consumer screened negative		
			1			3 = Consumer was not screened		
	<b>_</b>	-	1			-9 = MISSING DATA	ATECANIA and Superior Editor data and St. C. S. S.	
	1					-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ConsumerReferredMentalHe althServices	H5_1a	Was the consumer referred to the following type of services? [MENTAL HEALTH SERVICES]	integer	N/A	Applies only at baseline, reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Yes	* Only asked when MentalHealthScreening = 1; otherwise set to -1.	
			1			2 = No		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1		Ì			-9 = MISSING DATA		
ConsumerReceivedMentalHe althServices	e H5_1b	Did they receive the following services? [MENTAL HEALTH SERVICES]	integer	N/A	Applies only at baseline, reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Yes	* Only asked when ConsumerReferredMentalHealthServices = 1; otherwise set to -1.	

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
SubstanceUseScreening	H5_2	Did the consumer screen positive for a substance use disorder?	integer	N/A	Applies only at baseline, reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Consumer screened positive		* Answered by the grantee staff at baseline, reassessment, and clinical discharge.
						2 = Consumer screened negative		
						3 = Consumer was not screened		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ConsumerReferredCooccurri ngServices	H5_2a	Was the consumer referred to the following type of services? [SUBSTANCE USE DISORDER SERVICES]	integer	N/A	Applies only at baseline, reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1 = Yes	* Only asked when SubstanceUseScreening = 1; otherwise set to -1.	
						2 = No		
		<u> </u>				-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						A MICCINIC DATA		
ConsumerReceivedCooccurri	IIE OF	Did they receive the following services?	integer	N/A	Applies only at baseline,	-9 = MISSING DATA 1 = Yes	* Only asked when ConsumerReferredCooccurringServices = 1; otherwise set to -1.	
ngServices	110_20	[SUBSTANCE USE DISORDER SERVICES]	ineger	IVA	reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	1-165	City based when consumer teleficiococcurringes weeks = 1 , onles was set to 1.	
						2 = No		
						-1 = N/A (Not Applicable)	*This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
ConsideredSuicide	H6_1a	In the past 30 days: how many times have you thought about killing yourself?	integer	N/A	Applies only at baseline reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted ((ConductedInterview = 1).	0 - 999 = number of times		* Answered by the consumer at baseline, reassessment, and clinical discharge.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
					1	-7 = REFUSED		
						-8 = DON'T KNOW		
AttemptedSuicide	H6_1b	In the past 30 days: how many times did you attempt to kill yourself?	integer	N/A	Applies only at baseline, reassessment or discharge (Assessment = 0600 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	0 - 999 = number of times		Answered by the consumer at baseline, reassessment, and clinical discharge.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DONT KNOW		
OftennessOfTeamInteraction	H6_2	How often does a member of your team interact with you?	integer	N/A	Applies only at reassessment, or discharge (Assessment = 0601 to 0699). Applies only when an interview was conducted (ConductedInterview = 1).	0 = Several times a day		* Answered by the consumer at reassessment, and clinical discharge.
					<u> </u>	1 = Almost every day		
						2 = A few times a week		
						3 = About once a week		
						4 = A few times a month		
					<u> </u>	5 = About once a month		

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						6 = Less than once per month		
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ConsumerExperiencedFirstE pisodeOfPsychosisSinceLastI	H7_1	Has the consumer experienced a first episode of psychosis (FEP) since their last	integer	N/A	Applies at reassessment and discharge (Assessment = 0601	1 = Yes		* Answered by the grantee staff at reassessment, and clinical discharge.
nterviewYesNoDkResponseK		interview?			to 0699).			and chinear discharge.
ey					·			
						2 = No		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
			1			-9 = MISSING DATA		
ApproximateDateOfInitialFirst	117.40	Please indicate the approximate date that	text	7	Applies at reassessment and	Collected as mm/dd/yyyy hh:mm:ss text format.	* Year portion must be in 4 digit format.	
EpisodeOfPsychosis	117_1a	the consumer initially experienced the FEP.	lexi	,	discharge (Assessment = 0601	Collected as min/dd/yyyy min.min.ss text format.	* Only asked when	
, ,					to 0699).		ConsumerExperiencedFirstEpisodeOfPsychosisSinceLastInterviewYesNoDkRespons	
							eKey = 1; otherwise set to -1.	
						12/31/1899 12:00:00 AM = N/A	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
WasConsumerReferredToFir	H7_1b	Was the consumer referred to FEP	integer	N/A	Applies at reassessment and	1 = Yes	* Only asked when	* Answered by the grantee staff at reassessment,
stEpisodeOfPsychosisService		services?			discharge (Assessment = 0601		$Consumer {\sf ExperiencedFirstEpisodeOfPsychosisSinceLastInterviewYesNoDkRespons}$	and clinical discharge.
sYesNoDkResponseKey			1		to 0699).		eKey = 1; otherwise set to -1.	
	1		1	<b> </b>		2 = No		
			1			-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-1 = N/A (Not Applicable)	This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
DateOfInitialFirstEpisodeOfPs	H7_1b1	Please indicate the date that the consumer	text	7	Applies at reassessment and	Collected as MM/YYYY text format.	* Year portion must be in 4 digit format.	
ychosisServices		first received FEP services/treatment.			discharge (Assessment = 0601		* Only asked when	
					to 0699).		WasConsumerReferredToFirstEpisodeOfPsychosisServicesYesNoDkResponseKey = 1: otherwise set to NULL.	
DateOfInitialFirstEpisodeOfPs	H7 1h1	Please indicate the date that the consumer	integer	N/A		-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ychosisServicesNonRespons		first received FEP services/treatment.	intogor	1.071		1 - 11/1 (Not 1 ppiloable)	This fart code is not valid for data only. It is for batta bounded purposes only.	
eKey								
						-8 = DON'T KNOW	* Only asked when DateOfInitialFirstEpisodeOfPsychosisServices is blank	
						-9 = MISSING DATA	* Only asked when DateOfInitialFirstEpisodeOfPsychosisServices is blank	
DaysAbsentIntegerCountRes ponseKey	H7_2	During the past 30 days of school, how	integer	N/A	Applies only at baseline reassessment or discharge	0 - 30 = number of days	* Only asked when Enrolled = 1; otherwise set to -1.	* Answered by the consumer at baseline, reassessment, and clinical discharge.
ponservey		many days were you absent for any reason?			(Assessment = 0600 to 0699).			reassessment, and clinical discharge.
					Applies only when an interview			
					was conducted (ConductedInterview = 1).			
					(Conductedinterview = 1).			
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
							, , , , , , , , , , , , , , , , , , , ,	
						-7 = REFUSED		
						-8 = DON'T KNOW		
BloodPressureSystolicRespo	H8_1a	Systolic blood pressure	integer	N/A	Always applies	11 - 320 (displayed in mmHg)		
nse			<u> </u>			A NIA (Not Applicable)		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
		<u> </u>	1			-8 = DON'T KNOW		
			<del>                                     </del>	<b> </b>		-9 = MISSING DATA		
BloodPressureDiastolicRespo	H8 1b	Diastolic blood pressure	integer	N/A	Always applies	11 - 200 (displayed in mmHg)		
nse	1			'**	, э арриоо	(		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1	+	1	<b> </b>		-7 = REFUSED		
	ļ		<b> </b>	<b> </b>		-/ = REFUSED -8 = DONT KNOW		
			ļ					
			ļ			-9 = MISSING DATA		
WeightResponse	H8_1c	Weight	integer	N/A	Always applies	0 - 455 (displayed in kg)		
			1	1		-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1		1	-		-7 = REFUSED		
	-	+	<del>                                     </del>	<del>                                     </del>		-8 = DONT KNOW		
	ļ		<b> </b>	<b> </b>				
H-1-h-1D	110 41	Helek	Service .		Al	-9 = MISSING DATA		
HeightResponse	H8_1d	Height	integer	N/A	Always applies	0 - 250 (displayed in cm)		
			1			-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1		1			-7 = REFUSED		
	1	1	1	l	1	I	į.	<u> </u>

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
WaistCircumferenceRespons	H8_1e	Waist circumference	integer	N/A	Always applies	0 - 200 (displayed in cm)		
е						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
							, , , , ,	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
SECTION I. REASSESSMEN						To a second seco		To a contract of the contract
ReassessmentStatus_07	I1_OLD	What is the Reassessment status of the consumer?	integer	N/A	Retained for Data Download purposes, but no longer applies. Applied only at reassessment (Assessment = 0601 to 0611)	11 = Completed interview within specified window	* Only asked if reassessment interview date is within correct reassessment window	*If ConductedInterview = 1 then ReassessmentStatus cannot = 21, 31.
						12 = Completed interview outside specified window	* Only asked if reassessment interview date is outside correct reassessment window	*If ConductedInterview = 0 then
		-				21 = REFUSED interview		ReassessmentStatus cannot = 11 or 12.
		-				31 = No contact within 90 days of last encounter		* If ReassessmentStatus = 31 then this is the last
						·		reassessment for this episode of care.
						32 = Other (Specify)		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
OtherReassessment_07	I1_OLD	Other Reassessment status specify	text	50	Retained for Data Download	-1 = N/A (Not Applicable)	* Only asked if ReassessmentStatus_07 = 32; otherwise set to -1.	
outer reasonable for	025	response			purposes, but no longer applies. Applied only at reassessment (Assessment = 0601 to 0611)	(. с фрасцая)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
NoContact90Days	l1	Have you or other grant staff had contact with the consumer within 90 days of last encounter?	integer	N/A	Applies only at reassessment (Assessment = 0601 to 0611)	0 = No		* If the interview was conducted (ConductedInterview = 1), then grant staff cannot select No Contact for 90 days of last encounter (NoContact90days <> 0).
						1 = Yes		* If NoContact90Days = 0 then this is the last reassessment for this episode of care.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	reassessment for this episode of care.
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
StillReceivingServices	12	Is the consumer still receiving services from your project?	integer	N/A	Applies only at reassessment (Assessment = 0601 to 0611)	0 = No		
						1 = Yes		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
SECTION J. CLINICAL DISC	HADGE STATUS				<u> </u>			
DischargeDate	I.II	On what date was the consumer	text	7	Applies only at discharge	Collected as MM/YYYY text format. Date entered will be	* Year portion must be in 4 digit format	* If ConductedInterview = 1 (yes), DischargeDate
- montargue et c		On wina date was tire consumer discharged? (Month and Year only)		,	Applies Unity at discinarye (Assessment = 0699).	converted to datetime with the day defaulted to the 15th. For MM: 01 - 12 = Jan - Dec		In Controllection was 1 (Yes), Discharge Interview Date's month and year, However, Discharge Interview Date's month and year, However, Discharge Date cannot be greater than 2 calendar months > Discharge Interview Date's month and year, If ConductedInterview = 0 (no), DischargeDate cannot be greater than 2 calendar months > Create Date's (date record was created in CMHS) month and year.  * Discharge Date (Month and Year)≥revious interview's Interview Date's month and year.  **Usicharge Date (Month and Year)≥ LastServiceDate.
						01/01/1869 = N/A	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
DischargeStatus	J2	What is the consumer's discharge status?	text	2	Applies only at discharge (Assessment = 0699).	01 = Mutually agreed cessation of treatment		*If ConductedInterview = 1 then DischargeStatus cannot = 02 or 03.
					,	06 = Withdrew from/refused treatment		
						03 = No contact within 90 days of last encounter		
						04 = Clinically referred out		
		1			1	02 = Death		
		†				05 = Other (Specify)		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
OtherDischargeStatus	J2	Other discharge status specify response	text		Applies only at discharge		* Only asked if DischargeStatus is 05; otherwise set to -1.	
				l .	(Assessment = 0699).		,	

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
SECTION K. SERVICES REC	EIVED	1	<u> </u>	l .		<u> </u>	<u>I</u>	
LastServiceDate	K1	On what date did the consumer last receive services? (Month and Year only)	text	7	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	Collected as MM/YYYY text format. Date entered will be converted to datetime with the day defaulted to the 15th. For MM: 01 - 12 = Jan - Dec	* LastServiceDate must be ≤ current date (month and year). * Year portion must be in 4 digit format.	"LastServicesDate (Month and Year) ≥ FirstReceivedServicesDate (Month and Year). FirstReceivedServicesDate (Month and Year). If Assessment = 0602 to 0611 (Reassessment) and NoContact90Days = 1 (Yes), then LastServicesDate (Month and Year) > previous assessments LastServicesDate (Month and Year) AND/OR > previous assessment InterviewDate (Month and Year). If Assessment = 0602 to 0611 (Reassessment) and NoContact90Days = 0 (No), then LastServicesDate (Month and Year) > previous assessments LastServicesDate (Month and Year) AD/OR ≥ previous assessment's InterviewDate (Month and Year). If Assessment = 0699 (Discharge), then LastServicesDate (Month and Year) > previous assessments InterviewDate (Month and Year). If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) > ItentriewDate (Month and Year). "LastServicesDate (Month and Year) > DischargeDate (Month and Year) > DischargeDate (Month and Year).
						01/01/1869 = N/A	* This N/A code is valid for data entry only when Record Management Q2.  ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Screening	K1.1	Screening since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601	0 = No		
					to 0699).			
						1 = Yes		
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.  ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Assessment	K1.2	Assessment since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No	Conduction with a County William Conductor and County Coun	
						1 = Yes		
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.	
Svc_TreatmentPlanning	K1.3	Treatment planning or review since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No	ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
			1			1 = Yes		
	<del>                                     </del>		-		1	1 = Yes -2 = Unknown		
-	<del>                                     </del>		-	<b> </b>	<b> </b>	-3 = Service Not Available		
	1					-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.  ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Psychopharmacologic al	K1.4	Psychopharmacological services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No	Commence with a commence of the commence of th	
						1 = Yes		
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.  ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_MentalHealth	K1.5	Mental Health Services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).			
						1 = Yes		
						-2 = Unknown		
					ļ	-3 = Service Not Available		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.  ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
								<u> </u>

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Svc_MentalHealthFreq_07	K1.5a_OL D	Frequency of Mental Health Services	integer	N/A	Retained for Data Download purposes, but no longer applies. Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (NextReassessment <> 3) and (SubmittedAtClinicalDischarge <> 2).	1 = Daily	* Only asked if Svc_MentalHealth = 1; otherwise set to -1.	
						2 = Weekly		
						3 = Less than Monthly		
						4 = Monthly		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.	
						-4 = N/A - archived field	ConductedInterview = 0 and WhyNotConducted = 3 or 5.  * This N/A code is not valid for data entry. It is for Data Download purposes only.	
Svc_MentalHealthFreq	K1.5a	Mental Health Services number of times received	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0-99	* Only asked if Svc_MentalHealth = 1; otherwise set to -1.	
						1 = Yes		
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.	
			-			-5 = NOT ASKED ON PREVIOUS NOMS TOOL	ConductedInterview = 0 and WhyNotConducted = 3 or 5.  * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous
								versions of the CMHS NOMs tools.
Svc_MH_FreqPeriod	K1.5b	Number of times per (Frequency period for number of times Mental Health Services were received)	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	1 = Day	* Only asked if Svc_Mentall-lealth = 1; otherwise set to -1.	
						2 = Week		
						3 = Month		
						4 - Year		
						-2 = Unknown		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
0	W 0	O		N/A	A	-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
Svc_CoOccuring	K1.6	Co-occurring services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = 140		
						1 = Yes		
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_CaseManagement	K1.7	Case Management since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No	·	
						1 = Yes		
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.  ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_TraumaSpecific	K1.8	Trauma-specific services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No		
						1 = Yes		
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_ReferredCore	K1.9	Was the Consumer referred to another provider for any of the above core services?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No		* Note: No cross-check with core services.
						1 = Yes		
		+				-2 = Unknown		

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_MedicalCare	K2.1	Medical care services since last NOMs	integer	N/A	Applies only at reassessment or	0 = No	Conducted interview = 0 and wnyNotConducted = 3 or 5.	
Sw_wedicalcate		Interview?			discharge (Assessment = 0601			
					to 0699).			
						1 = Yes		
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.	
							ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Employment	K2.2	Employment services since last NOMs	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601	0 = No		
		Interview?			to 0699).			
					,			
						1 = Yes		
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.	
Svc_Family	K2.3	Family services since last NOMs Interview?	integer	N/A	Applies only at reassessment or	0 = No	ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
O-10_1 carriny		. a.i.i.y services since last NOWS InterView?	anegei	14/4	discharge (Assessment = 0601			
				1	to 0699).			
	<del> </del>	+	-	<b> </b>		1 = Yes		
	<del> </del>	+	-	<b> </b>		1 = Yes -2 = Unknown		
	1	<u> </u>				-3 = Service Not Available		
							* This N/A sade is valid for data cate, so bushess Decard Management O2	
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.  ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_ChildCare	K2.4	Child care services since last NOMs	integer	N/A	Applies only at reassessment or	0 = No	, , , , , , , , , , , , , , , , , , , ,	
		Interview?			discharge (Assessment = 0601 to 0699).			
					10 0699).			
						1 = Yes		
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.	
						- 11	ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Transportation	K2.5	Transportation services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601	0 = No		
					to 0699).			
						1 = Yes -2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.  ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Education	K2.6	Education services since last NOMs	integer	N/A	Applies only at reassessment or	0 = No	, , , , , , , , , , , , , , , , , , , ,	
		Interview?			discharge (Assessment = 0601 to 0699).			
				1	to 0099).			
						1 = Yes		
	İ					-2 = Unknown		
						-3 = Service Not Available		
	İ					-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.	
O . Harris	10.7		Service of		A F b t		ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Housing	K2.7	Housing services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601	U = NO		
					to 0699).			
	ļ			ļ				
	ļ					1 = Yes		
	ļ					-2 = Unknown		
						-3 = Service Not Available		
				1		-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.  ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_SocialRecreational	K2.8	Social Recreational Activities since last	integer	N/A	Applies only at reassessment or	0 = No	Consideration and and analytical control of the con	
		NOMs Interview?		1	discharge (Assessment = 0601			
				1	to 0699).			
	1				1	1 = Yes		
	1					-2 = Unknown		
	+				+	-3 = Service Not Available		
	1	I	1	L	I .			1

	Question		Data					
Field Name	Number	Description	Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.  ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_ConsumerOperated	K2.9	Consumer Operated services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).			
						1 = Yes		
						-2 = Unknown		
						-1 = N/A (Not Applicable)	*This N/A code is valid for data entry only when Record Management Q2.  ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_HIVTesting	K2.10	HIV Testing services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No		
						1 = Yes		
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_ReferredSupport	K2.11	Was the Consumer referred to another provider for any of the above support services?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No		* Note: No cross-check with support services.
		1				1 = Yes		
						-2 = Unknown		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	