		regiver Consumer NOI		n - coc		Download		
Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
RECORD MANAGEMEN ConsumerID	T N/A	Consumer ID	text	11	Always applies.		* Only alphanumeric characters are valid, the only exceptions are a hyphen (-) or an	
		-			,		underscore (_). * First character must be an alphanumeric character.	
GrantID	N/A	Grant ID	text	20	Always applies.		* Must already be in the SPARS CMHS system, and user must be authorized to	
		(Grant/Contract/Cooperative Agreement)					access it.	
SiteID	N/A	Site ID	text	11	Always applies.		* Must already be in the SPARS CMHS system under the provided GrantID, and user	
IntakeID	N/A	Intake ID	integer	N/A	Always applies.		must be authorized to access it. * This field does not apply to data entry. For Data Download and Administrative	
CreatedDate	N/A	Created Date	date time				purposes only. * This field does not apply to data entry. For Data Download and Administrative	
					Always applies.		purposes only.	
UpdatedDate	N/A	Updated Date	date time		Always applies.		* This field does not apply to data entry. For Data Download and Administrative purposes only.	
CalculatedInterviewDate	N/A	Calculated Interview Date	date time		Always applies.		* This field does not apply to data entry. For Data Download and Administrative	
InterviewType_07	N/A	Interview Type	integer	N/A	Retained for Data Download	1 = Baseline	purposes only.	* If previous InterviewType=4 (clinical discharge)
					purposes, but no longer applies. Replaced by "Assessment".			then subsequent InterviewType must = 1 (baseline)
						2 = 3 Month Reassessment (NO LONGER ALLOWED - RETAIN)		* Do not allow InterviewType=2 (3 Month Reasessment) for the same episode unless a baseline has been entered. * Do not allow InterviewType=2 (3 Month Reasessment), if an InterviewType=2 has already been entered in same reassessment window or ReassessmentSlatus=31 (no contact within 90 days of last service). * Do not allow InterviewType=2 (3 Month Reasessment) for the same episode after a Discharge has already been entered.
						3 = 6 Month Reassessment		* Do not allow InterviewType=3 (6 Month
								Reasessment) for the same episode unless a baseline has been entered. * Do not allow InterviewType=3 (6 Month Reasessment), if an InterviewType=3 has already been entered in same reasessessment window or ReasessmentStatus=31 (no contact within 90 days of last service). * Do not allow InterviewType=3 (6 Month Reasessment) for the same episode after a Discharge has already been entered.
						4 = Clinical Discharge		* Do not allow InterviewType=4 (Discharge) for the same episode unless a baseline has been entered.
ConsumerType_07	N/A	Consumer Type	integer	N/A	Retained for Data Download purposes, but no longer applies.	1 = New	Not valid if InterviewType = 2, 3 or 4 (non-baselines). Code '1' (New) is valid only if the consumer began receiving services under the grant on or after the CMHS target start date -AND- if the ConsumerID is not already in the SPARS CMHS system under the same grant.	* If this code appears at baseline, then the same code will appear throughout all interview types within the same episode of care.
						2 = Continuing	* Not valid if InterviewType = 2, 3 or 4 (non-baselines). * Code '2' (Continuing) is valid only if the consumer was receiving services under the grant before the CMHS target date (regardless of whether the baseline interview occurred before or after the CMHS target date) -OR- if a previous baseline has already been entered for this Consumer/D under the same grant.	* If this code appears at baseline, then the same code will appear throughout all interview types within the same episode of care.
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* If this code appears at baseline, then the same code will appear throughout all interview types within the same episode of care.
ReassessmentNumber_0	7 N/A	Reassessment Number	text	N/A	Retained for Data Download purposes, but no longer applies. Replaced by "Assessment".	0301 = 1st 3 Month Reassessment	* Valid only if InterviewType = 2 or 3. * 3-month categories are not valid for programs that use 6- month reassessments. 6-month categories are not valid for programs that use 3-month reassessments.	* The current Reassessment Number entered must be greater than a Reassessment Number from all previous interviews.
						0302 = 2nd 3 Month Reassessment		* The Reassessment Number must match the
			-			0303 = 3rd 3 Month Reassessment		corresponding reassessment window.
						0304 = 4th 3 Month Reassessment		
	1		-			0305 = 5th 3 Month Reassessment 0306 = 6th 3 Month Reassessment		
						0307 = 7th 3 Month Reassessment		
						0308 = 8th 3 Month Reassessment 0309 = 9th 3 Month Reassessment		l
		1	1			0310 = 10th 3 Month Reassessment		
•						0311 = 11th 3 Month Reassessment 0312 = 12th 3 Month Reassessment		

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions 0314 = 14th 3 Month Reassessment	Edit and Skip Information	Crosscheck
						0315 = 15th 3 Month Reassessment		
						0316 = 16th 3 Month Reassessment		
						0317 = 17th 3 Month Reassessment		
						0318 = 18th 3 Month Reassessment		
						0319 = 19th 3 Month Reassessment		
						0320 = 20th 3 Month Reassessment		
						0321 = 21st 3 Month Reassessment		
						0322 = 22nd 3 Month Reassessment		
						0323 = 23rd 3 Month Reassessment	This bids and a low stranged for data sectory in its for Data	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Assessment	1	Indicate Assessment Type:	text	4	Always applies.	0600 = Baseline Assessment		* If previous assessment was a clinical discharge
								(Assessment = 0699), then the subsequent assessment must be a baseline assessment (Assessment = 0600), in which case, a new episode of care has occurred.
						0301 = 3 Month Reassessment	 Valid only for the following grant programs: PBHCI, PIPBHC-C, PIPBHC, CCBHC-E Valid only if InterviewType = 2 or 3. * 3-month categories are not valid for programs that use 6-month reassessments. 6-month categories are not valid for programs that use 3-month reassessments. 	. * The current Reassessment Number entered must be greater than a Reassessment Number from all previous interviews.
						0302 = 6 Month Reassessment		* The Reassessment Number must match the corresponding reassessment window.
				1		0303 = 9 Month Reassessment		ponding reaccoontent window.
		l		1	1	0304 = 12 Month Reassessment		
						0305 = 15 Month Reassessment		
						0306 = 18 Month Reassessment		
						0307 = 21 Month Reassessment		
						0308 = 24 Month Reassessment		
						0309 = 27 Month Reassessment		
						0310 = 30 Month Reassessment		
						0311 = 33 Month Reassessment		
						0312 = 36 Month Reassessment		
						0313 = 39 Month Reassessment		
						0314 = 42 Month Reassessment		
						0315 = 45 Month Reassessment		
						0316 = 48 Month Reassessment 0317 = 51 Month Reassessment		
						0317 = 51 Month Reassessment 0318 = 54 Month Reassessment		
						0319 = 57 Month Reassessment		
						0320 = 60 Month Reassessment		
						0321 = 63 Month Reassessment		
						0322 = 66 Month Reassessment		
						0323 = 69 Month Reassessment		
						0601 = 6-Month Reassessment	* 3-month categories are not valid for programs that use 6-month reassessments. 6- month categories are not valid for programs that use 3-month reassessments.	* New assessments must be greater than all other assessments currently saved for the same episode of care. ** If InterviewDate occurs between two reassessment windows (Assessment = 0601 to 0611) then the user must select the appropriate Assessment Number from the two windows in question, otherwise the system will select the appropriate window base on InterviewDate. ** Do not allow a reassessment (Assessment = 0601 to 0611) for the same episode if a reassessment has already been entered in same reassessment window contact within 90 days of tast service (NoContact90Days = 0) has been previously entered.
						0602 = 12-Month Reassessment		
						0603 = 18-Month Reassessment		
						0604 = 24-Month Reassessment		
						0605 = 30-Month Reassessment		
				l		0606 = 36-Month Reassessment		
						0607 = 42-Month Reassessment		
						0608 = 48-Month Reassessment		
				l		0609 = 54-Month Reassessment		
				l		0610 = 60-Month Reassessment		
						0611 = 66-Month Reasessment 0699 = Clinical Discharge		* Do not allow InterviewType=4 (Discharge) for the same episode unless a baseline has been entered. * Do not allow InterviewType=4 (Discharge) if another Discharge has been previously saved for the same episode.*
				1		-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Field Name	Number	Description	iype	Length	valuity	-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	Applies only where formerly ReassessmentNumber
								= (0301, 0303, 0305, 0307, 0309, 0311, 0313, 0315, 0317, 0319, 0321, 0323) and InterviewType = 2.
ConductedInterview	2	Was the interview conducted?	integer	N/A	Always applies.	0 = No	*Admin Baseline Assessment(Assessment = 0600; ConductedInterview = 0): * Only Section A - Demographic Data is required.	* If this is an Admin Reassessment, then the day it was first saved into CMHS (CreateDate) must be ≥ first day of its reassessment window and < the first day of its next reassessment window.
							*Admin Reassessment (Assessment = 0601 to 0611; ConductedInterview = 0): *Only Sections I & K are required.	
							* Admin Discharge (Assessment = 0699; ConductedInterview = 0): *Only Sections J & K are required.	
						1 = Yes	¹ Baseline Interview (Assessment = 0600; ConductedInterview = 1): Section A through E and G are required for all cases. * Reassessment Interview (Assessment = 0601 to 0611; ConductedInterview = 1): The Record Management portion of Section A, The functioning portion of sections B, Violence and Trauma portion Q9 only, Section C through G, and Sections I & K are required for all cases. * Discharge Interview (Assessment = 0699; ConductedInterview = 1): The Record Management portion of Section A, The functioning portion of sections I & K are required for all cases.	
WhyNotConducted	2	Why not? Choose only one.	integer	1	* Only applicable if an interview was not conducted (ConductedInterview = 0).	1 = Not able to obtain consent from proxy	* Only applicable if an interview was not conducted (ConductedInterview = 0). Else, code this as -1.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						2 = Consumer was impaired or unable		
						to provide consent 3 = Consumer refused this interview		
			_			only 4 = Consumer was not reached for		
						4 = Consumer was not reached for interview		
						5 = Consumer refused all interviews	* This NUA and a language Bill for data and an Ibla for Data	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
WhyNotConducted_10	N/A	Why was the interview not conducted?	integer	N/A	Retained for Data Download		Download purposes only.	
					purposes, but no longer applies.	1 = Consumer refused interview		
						2 = Not able to obtain consent from		
						proxy 3 = Consumer was impaired/unable to		
						provide consent		
						4 = Consumer cannot be reached for interview	* Applicable only to a reassessment or a clinical discharge (Assessment = 0601 to 0699).	* Must be entered for each reassessment due for the consumer before the start of the next reassessment interview window.
						5 = Staff previously indicated "Administrative data only" or "No data" would be submitted -1 = N/A (Not Applicable)	 Applicable only to a reassessment or a clinical discharge (Assessment = 0601 to 0699). This code cannot be selected by the user. It is preselected based on a prior interview selection from the user (see crosscheck for details). * This N/A code is not valid for data entry. It is for Data Download purposes only. 	* If a reassessment or clinical discharge (Assessment = 0601 to 0699) and a previous interview had Administrative data only [Recourd Management, Sections I or J, & K] – will not attempt may subsequent Interviews (NextReassessment = 2), then the system will pre-fill that an interview was not conducted (ConductedInterview = 0) and Staff previously indicated "Administrative data only" or No Data" would be submitted (WhyNotConducted = 5). * if a clinical discharge (Assessment = 0699) and a previous interview indicated No data - will only provide discharge status [Record Management & Section J] when the consumer is discharged (NextReassessment = 3), then the system will pre- fill that an interview was not conducted II that an interview was not conducted II that an interview was not conducted II that an interview was not conducted at "would be submitted (WhyNotConducted = 5).
			1			-4 = N/A - archived field	Download purposes only. * This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	bownload purposes only. * This NA code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
							Download purposes only.	versions of the CMHS NOMs tools.

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
NextReassessment_10	N/A	What data will be submitted for the next	integer	N/A	Retained for Data Download	Value Descriptions		UIU33CHECK
		reassessment?			purposes, but no longer applies.	A later for data		
					appiles.	1 = Interview data 2 = Administrative data only - [Record Management,		* If Administrative data only [Record Management
						Sections I or J &K] - will not attempt any subsequent		and Sections I or J & K] - will not attempt any
						interviews.		subsequent interviews (NextReassessment = 2), then:
								All future reassessment records will be pre-filled
								so that an interview was not conducted
								(ConductedInterview = 0), Staff previously indicated Administrative data only" or "No data" would be
								submitted (WhyNotConducted = 5), and
								NextReassessment = 2. Only the Record Management and Sections I
								and K will be submitted.
								Clinical discharge record will be pre-filled so that
								an interview was not conducted (ConductedInterview = 0), Staff previously indicated
								"Administrative data only" or "No data" would be
								submitted (WhyNotConducted = 5), and NextReassessment = -1. Only the Record
								Management and Sections J and K will be
								submitted.
						3 = No data – will only provide discharge status [Record		* If No data - will only provide discharge status
						Management & Section J] when discharged.		[Record Management and Section J] when the consumer is discharged (NextReassessment = 3),
								consumer is discharged (NextReassessment = 3), then:
								Future reassessment records will not be
								permitted. Clinical Discharge record will be pre-filled so that
								an interview was not conducted
								(ConductedInterview = 0), Staff previously indicated "Administrative data only" or "No data" would be
								submitted (WhyNotConducted = 5), and
								NextReassessment = -1. Only the Record Management and Section J will be submitted.
								No Services data will allowed in Section K -
								Services Received
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	If ConductedInterview = 1 (Yes) or Assessment = 0699 (Clinical Discharge.
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
							Download purposes only.	versions of the CMHS NOMs tools.
SubmittedAtClinicalDischar	N/A	[CLINICAL DISCHARGE ONLY]	integer	N/A	Retained for Data Download		* Applicable only if an interview was not conducted (ConductedInterview = 0) at Clinical	
ge_10		What data will be submitted for this Clinical Discharge?			purposes, but no longer applies.		Discharge (Assessment = 0699) and Consumer refused interview, Not able to obtain consent from proxy, Consumer was impaired/unable to provide consent or Consumer	
		Discharge :			appiles.		cannot be reached for interview (WhyNotConducted = 1, 2, 3 or 4)	
							* If ConductedInterview = 1 (Yes) or Assessment = 0600 - 0611 then set SubmittedAtClinicalDischarge = -1.	
						1 = Administrative data only - [Record Management and Sections J &K]	* Only the Record Management and Sections J and K will be submitted for this Clinical Discharge record.	
	1	+				2 = No data – will only provide discharge status [Record	* Only the Record Management and Section J will be submitted for this Clinical	
						Management & Section J]	Discharge record.	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	If ConductedInterview = 1 (Yes) or Assessment = 0699 (Clinical Discharge.
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	-
		T	1			-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
							Download purposes only.	versions of the CMHS NOMs tools.
InterviewDate	3	When?	date	10	Applies only when an interview	Collected as MM/DD/YYYY date format. Date entered	* Valid interview date must be ≥ grant's goal start date.	* The assessment's interview date must be >
					was conducted (ConductedInterview = 1).	will be converted to datetime format	* The interview date must be ≤ current date. * The interview date must be < grant's inactivate date	previous conducted or attempted assessment's interview date .
		1			. ,	01/01/1869 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	*If this is a baseline (Assessment = 600) and
								interview was not conducted (ConductedInterview = 0) then the interview date is not applicable
								(InterviewDate=01/01/1869)
								* If this is a reassessment or discharge
								(Assessment = 0601 to 0699) and interview was not conducted (ConductedInterview = 0) then the
								interview date is not applicable (InterviewDate =
								01/01/1869)
	1					1	1	l

Field Name	Question Number	Description	Data Type	Lenath	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
FirstReceivedServicesDate	4	[Enter the month and year when the	text	7	Applies only at baseline	Collected as MM/YYYY text format. Date entered will be	* Valid only for baselines (Assessment = 0600)	
		consumer first received services under the grant for this episode of care.]			(Assessment = 600)	converted to datetime with the day defaulted to the 15th. For MM: 01 - 12 = Jan - Dec	* FirstReceivedServicesDate must be ≥ MM/YYYY of grant's Start Date * FirstReceivedServicesDate must be ≤ MM/YYYY of InterviewDate *FirstReceivedServicesDate must be ≤ Current MM/YYYY * Year portion must be in 4 digit format.	
						01/01/1869 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	For a reassessment or discharge (Assessment = 0601 to 0699), this date is not applicable (FirstReceivedServicesDate = 01/01/1869).
						05/01/1869 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	For records collect with the previous version of the NOMs Tool.
RespondentType	5	[IF AN INTERVIEW WAS CONDUCTED], Was the respondent the child or the caregiver?	integer	N/A	Always applies.	1 = Child [PREFER CHILD AGE 11 AND OLDER]	Only applicable if ConductedInterview = 1 (Yes). Otherwise, set to -1 (N/A).	
						2 = Caregiver		* If an interview was conducted (ConductedInterview = 1) and respondent is the caregiver (RespondentType = 2), then set all fields from B3 to B41 to not applicable (-6 = NOT APPLICABLE, CAREGIVER).
						-1 = N/A (Not Applicable)		
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
Program	N/A	Program Name	text	10	Always applies.		* This field does not apply to data entry. For Data Download and Administrative purposes only.	
Cohort	N/A	Cohort Name	text	80	Always applies.		* This field does not apply to data entry. For Data Download and Administrative purposes only.	
FFY	System Derived	Federal Fiscal Year (Calculated field based on InterviewDate)	integer	N/A	Always applies.	2002 - Current Year + 1	* This field does not apply to data entry. For Data Download and Administrative purposes only. * If current month is between October and December, FFY is set to the next calendar year (i.e. current Year + 1). Otherwise FFY is set to the current calendar year. * For All Baseline Assessment records (Assessment = 0600), set based on InterviewDate. * For All Reassessment records (Assessment = 0601 to 0611), set based on Reassessment Due Date, calculated as 180 Intervials FOM Baseline Interview Date. * For All Clinical Discharge records (Assessment = 0699), set based on MM and YYYY of Discharge Date in Section J	
Quarter	System Derived	(Calculated field based on InterviewDate)	integer	N/A	Always applies.	1 = October - December	* This field does not apply to data entry. For Data Download and Administrative purposes only.	
						2 = January - March	If Admin Baseline (Assessment = 0600; ConductedInterview = 0), set based on FirstSarviceSreceiveDate: [*] If Admin Reassessment (Assessment = 0601 to 0611; ConductedInterview = 0), set based on Reassessment Due Date, calculated as 180 days after FirstSarviceSreceiveDate: [*] If Admin Discharge (Assessment = 0699; ConductedInterview = 0), set based on DischargeDate. [*] If Baseline Interview (Assessment = 0600; ConductedInterview = 1), set based on InterviewDate: [*] If Baseline Interview (Assessment = 0600; ConductedInterview = 1), set based on InterviewDate. [*] If Reassessment Interview (Assessment = 0601 to 0611; ConductedInterview = 1), set based on Reassessment Due Date, calculated as 180 days after InterviewDate. [*] If DischargeDate. Discharge	
						3 = April - June		
Month	System Derived	(Calculated field based on InterviewDate)	integer	N/A	Always applies.	4 = July - September Month as digit (01 - 12)	* This field does not apply to data entry. For Data Download and Administrative	+
	- ,						purposes only. * For All Baseline Assessment records (Assessment = 0600), set based on InterviewDate. * For All Reassessment records (Assessment equals 0601 to 0611), set based on Reassessment Due Date, calculated as 180 intervals from Baseline Interview Date. * For All Clinical Discharge records (Assessment = 0699), set based on MM and YYYY of Discharge Date in Section J	
RecordStatus	System Derived	Record Status	integer	N/A	Always applies.	0 = Active	* This field does not apply to data entry. For Data Download and Administrative purposes only.	An Interview is marked Active when submitted " If a new baseline is entered (Assessment = 0600), then the previous baseline (and its associated assessments) are set to inactive (RecordStatus = 1), " If the latest baseline (and its associated assessments) is detled, the system will set the previous baseline (and its associated assessments). to active (RecordStatus = 0)
						1 = Inactive		* System will not allow add/edit of any baseline (and its associated assessments) which are inactive (RecordStatus = 1).

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Please indicate the cons	umer's current be	havioral health diagnoses using the Inter	national Clas	sification of	Diseases, 10th revision, Clin	ical Modification (ICD-10-CM) codes listed below		
Please note that some si Select up to three diagon	ubstance use disc	order ICD-10-CM codes have been crossw	alked to Dia	gnostic and S	Statistical Manual of Mental D	isorders, (DSM-5) descriptors. e diagnosis can be primary, only one can be secondar	v and only one can be tertiany	
DiagnosisOne	Diagnosis:	Substance Use Disorder Diagnosis 1	integer	N/A	Always applies.	See ICD10_Diagnosis3 Value Definitions	IF DiagnosisOne = -8 or -10 then:	
0	5		5		,		If baseline, skip to section A.	
							If reassessment, skip to section B (if interview conducted) or section I (if interview not conducted).	
							If clinical discharge, skip to section B (if interview conducted) or section J (if interview	
							was not conducted).	
DiagnosisOneCategory	Category:	Substance Use Disorder Diagnosis 1 - Category	integer	N/A	Always applies.	1 = Primary		Only one diagnosis can be primary, only one can be secondary, and only one can be tertiary.
		Calegory						secondary, and only one can be tentary.
								Only 1 diagnosis per drug type may be selected.
								For example, only 1 alcohol disorder can be selected across all three diagnosis categories
								(primary, secondary, and tertiary)
			_			2 = Secondary		
						3 = Tertiary -1 = N/A (Not Applicable), not asked on previous NOMS	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						Tool	······································	
DiagnosisTwo	Diagnosis:	Substance Use Disorder Diagnosis 2	integer	N/A	Always applies.	See ICD10_Diagnosis3 Value Definitions		
DiagnosisTwoCategory	Category:	Substance Use Disorder Diagnosis 2 - Category	integer	N/A	Always applies.	1 = Primary		Only one diagnosis can be primary, only one can be secondary, and only one can be tertiary.
								Only 1 diagnosis per drug type may be selected. For example, only 1 alcohol disorder can be
								selected across all three diagnosis categories
								(primary, secondary, and tertiary)
						2 = Secondary 3 = Tertiary		
						-1 = N/A (Not Applicable), not asked on previous NOMS	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						Tool		
DiagnosisThree	Diagnosis:	Substance Use Disorder Diagnosis 3	integer	N/A	Always applies.	1 = F10.10 – Alcohol use disorder, uncomplicated, mild		
						2 = F10.11 - Alcohol use disorder, mild, in remission		
						0 E40.00 Alexheline disader meaning instal		
						3 = F10.20 – Alcohol use disorder, uncomplicated, moderate/severe		
						4 = F10.21 - Alcohol use disorder, moderate/severe, in		
			_			remission 5 = F10.9 – Alcohol use, unspecified		
						6 = F11.10 – Opioid use disorder, uncomplicated, mild		
						7 = F11.11 – Opioid use disorder, mild, in remission		
						8 = F11.20 – Opioid use disorder, uncomplicated,		
						moderate/severe		
						9 = F11.21 – Opioid use disorder, moderate/severe, in remission		
						10 = F11.9 – Opioid use, unspecified		
						11 = F12.10 - Cannabis use disorder, uncomplicated,		
			-			mild 12 = F12.11 – Cannabis use disorder, mild, in remission		
						13 = F12.20 - Cannabis use disorder, uncomplicated,		
1			_			moderate/severe 14 = F12.21 – Cannabis use disorder, moderate/severe,		l
						in remission		l
						15 = F12.9 – Cannabis use, unspecified		
						16 = F13.10 – Sedative, hypnotic, or anxiolytic use disorder, uncomplicated, mild		
					1	17 = F13.11 – Sedative, hypnotic, or anxiolytic use		1
				L		disorder, mild, in remission		
						18 = F13.20 – Sedative, hypnotic, or anxiolytic use disorder, uncomplicated, moderate/severe		
	1			1		19 = F13.21 - Sedative, hypnotic, or anxiolytic use		1
						disorder, moderate/severe, in remission		
						20 = F13.9 – Sedative, hypnotic, or anxiolytic use, unspecified		
	1			1		21 = F14.10 - Cocaine use disorder, uncomplicated,		1
						mild		
						22 = F14.11 - Cocaine use disorder, mild, in remission		
	1		1		1	23 = F14.20 - Cocaine use disorder, uncomplicated,		
						moderate/severe		l
						24 = F14.21 – Cocaine use disorder, moderate/severe, in remission		
						25 = F14.9 – Cocaine use, unspecified		
								•

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Field Name	Number	Description	Type	Lengui	validity	26 = F15.10 – Other stimulant use disorder,		CIOSSCIECK
						uncomplicated, mild		
						27 = F15.11 – Other stimulant use disorder, mild, in remission		
						28 = F15.20 – Other stimulant use disorder,		
						uncomplicated, moderate/severe		
						29 = F15.21 – Other stimulant use disorder, moderate/severe, in remission		
			-			30 = F15.9 – Other stimulant use, unspecified		
						31 = F16.10 – Hallucinogen use disorder,		
						uncomplicated, mild 32 = F16.11 – Hallucinogen use disorder, mild, in		
						remission		
						33 = F16.20 – Hallucinogen use disorder,		
						uncomplicated, moderate/severe 34 = F16.21 – Hallucinogen use disorder,		
						moderate/severe, in remission		
						35 = F16.9 – Hallucinogen use, unspecified		
						36 = F18.10 – Inhalant use disorder, uncomplicated, mild		
						37 = F18.11 – Inhalant use disorder, mild, in remission		
						20 - E10 20 Inhelent use disorder uncomplicated		
						38 = F18.20 – Inhalant use disorder, uncomplicated, moderate/severe		
						39 = F18.21 - Inhalant use disorder, moderate/severe,		
						in remission 40 = F18.9 – Inhalant use, unspecified		
						40 = F18.9 – Inhalant use, unspecified 41 = F19.10 – Other psychoactive substance use		
						disorder, uncomplicated, mild		
						42 = F19.11 – Other psychoactive substance use disorder, in remission		
						43 = F19.20 – Other psychoactive substance use		
						disorder, uncomplicated, moderate/severe		
						44 = F19.21 – Other psychoactive substance use disorder, moderate/severe, in remission		
						45 = F19.9 – Other psychoactive substance use,		
						unspecified		
						46 = F17.20 – Tobacco use disorder, mild/moderate/severe		
						47 = F17.21 – Tobacco use disorder,		
						mild/moderate/severe, in remission		
						48 = F20 – Schizophrenia 49 = F21 – Schizotypal disorder		
						50 = F22 – Delusional disorder		
						51 = F23 – Brief psychotic disorder		
						52 = F24 – Shared psychotic disorder 53 = F25 – Schizoaffective disorders		
						54 = F28 – Other psychotic disorder not due to a		
						substance or known physiological condition		
						55 = F29 – Unspecified psychosis not due to a substance or known physiological condition		
						56 = F30 – Manic episode		
						57 = F31 – Bipolar disorder		
						58 = F32 – Major depressive disorder, single episode		
						59 = F33 – Major depressive disorder, recurrent		1
						60 = F34 - Persistent mood [affective] disorders		
						61 = F39 – Unspecified mood [affective] disorder 62 = F40-F48 – Anxiety, dissociative, stress-related,		
						somatoform and other nonpsychotic mental disorders		
						63 = F50 – Eating disorders 64 = F51 – Sleep disorders not due to a substance or		
						known physiological condition		
						65 = F60.2 – Antisocial personality disorder		
						66 = F60.3 – Borderline personality disorder 67 = F60.0, F60.1, F60.4-F69 – Other personality		
						disorders		
						68 = F70-F79 – Intellectual disabilities		
						69 = F80-F89 – Pervasive and specific developmental disorders		
						70 = F90 – Attention-deficit hyperactivity disorders		
						71 = F91 – Conduct disorders 72 = F93 – Emotional disorders with onset specific to		
						childhood		
						73 = F94 – Disorders of social functioning with onset		
						specific to childhood or adolescence 74 = F95 – Tic disorder		
								L

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
i loid Maine	Hulliber	Description	Type	Longui	valuity	75 = F98 – Other behavioral and emotional disorders		
						with onset usually occurring in childhood and adolescence		
						76 = F99 – Unspecified mental disorder		
						-1 = N/A (Not Applicable), not asked on previous NOMS	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						Tool -8 = DON'T KNOW		
						-10 = None of the Above		
DiagnosisThreeCategory	Category:	Substance Use Disorder Diagnosis 3 -	integer	N/A	Always applies.	1 = Primary		Only one diagnosis can be primary, only one can be
		Category						secondary, and only one can be tertiary. Only 1 diagnosis per drug type may be selected. For example, only 1 alcohol disorder can be selected across all three diagnosis categories (primary, secondary, and tertiary)
						2 = Secondary 3 = Tertiary		
						 - Tertiary -1 = N/A (Not Applicable), not asked on previous NOMS 	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						Tool		
SECTION A. DEMOGRAP					.	1 = MALE		1
Gender	A_D1	What is your [child's] gender?	integer	N/A	Applies only at baseline (Assessment = 0600).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = FEMALE 3 = TRANSGENDER		
						4 = OTHER (SPECIFY)		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED -9 = MISSING DATA		
GenderSpec	A_D1	Other specify gender	text	50	Applies only at baseline	-9 - MISSING DATA -1 = N/A (Not Applicable)	* Only asked when Gender = 4 ; otherwise set to -1.	
					(Assessment = 0600).	· · · · · · · · · · · · · · · · · · ·	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Lliananial atina	A D2	Are you lie your shild! Liepenie er Letine?	interes	N/A	Applies only at baseling	0 = NO		
HispanicLatino	A_D2	Are you [Is your child] Hispanic or Latino?	integer	N/A	Applies only at baseline (Assessment = 0600).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						1 = YES -1 = N/A (Not Applicable)		
						-7 = REFUSED		
						-9 = MISSING DATA		
EthnicCentralAmerican	A_D2	What ethnic group do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
						1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused.	
						-1 = N/A (Not Applicable)		
						-7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicCuban	A_D2	What ethnic group do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
						1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused.	
						-1 = N/A (Not Applicable)		
						-7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
EthnicDominican	A_D2	What ethnic group do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
						1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused.	
						-1 = N/A (Not Applicable)		
						-7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
EthnicMexican	A_D2	What ethnic group do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
						1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused.	
		1	1			-1 = N/A (Not Applicable)		
						-7 = REFUSED		
						-9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicPuertoRican	A_D2	What ethnic group do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
	1	547 A				1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused.	
	1	1				-1 = N/A (Not Applicable)		1
						-7 = REFUSED		
						-9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicSouthAmerican	A_D2	What ethnic group do you consider yourself	integer	N/A	Applies only at baseline	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
	Number	Description	Type	Length	Validity	1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic	orosscheck
						A ALIA (Alia Anno Bashia)	subgroups must = refused.	
1						-1 = N/A (Not Applicable) -7 = REFUSED		
						-9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
EthnicOther	A_D2	What ethnic group do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* Only asked when HispanicLatino = 1; otherwise set to -1.	
	-	[your critic]?			(Assessment = 0000).	1 = YES	* If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic	
1							subgroups must = refused.	
						-1 = N/A (Not Applicable)		
						-7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
1						-9 - MISSING DATA	This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicOtherSpec	A_D2	Other specify ethnic group response	text	50	Applies only at baseline	-1 = N/A (Not Applicable)	* Only asked when EthnicOther = 1; otherwise set to -1.	
					(Assessment = 0600).	- T = N/A (Not Applicable)		
1							* This N/A code is not valid for data entry. It is for Data Download purposes only.	
RaceBlack	A_D3	What race do you consider yourself [your	integer	N/A	Applies only at baseline	0 = NO		
	-	child]?	Ŷ		(Assessment = 0600).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						1 = YES		
						-1 = N/A (Not Applicable) -7 = REFUSED		
						-9 = MISSING DATA		
RaceAsian	A_D3	What race do you consider yourself [your	integer	N/A	Applies only at baseline	0 = NO	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
		child]?			(Assessment = 0600).	1. 1/50	This N/A code is not valid for data entry. It is for Data Download purposes only.	
						1 = YES -1 = N/A (Not Applicable)		
						-7 = REFUSED		
						-9 = MISSING DATA		
RaceNativeHawaiian	A_D3	What race do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
		child]?			(Assessment = 0600).	1 = YES		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
	1.00					-9 = MISSING DATA		
RaceAlaskaNative	A_D3	What race do you consider yourself [your child]?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
		crinaj:			(Assessment - 0000).	1 = YES		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
RaceWhite	A D3	What race do you consider yourself [your	integer	N/A	Applies only at baseline	-9 = MISSING DATA 0 = NO		
Tracewinte	A_00	child]?	integer	19/2	(Assessment = 0600).	0-110	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						1 = YES		
						-1 = N/A (Not Applicable) -7 = REFUSED		
1						-9 = MISSING DATA		
RaceAmericanIndian	A_D3	What race do you consider yourself [your	integer	N/A	Applies only at baseline	0 = NO	This N/A and a lange with familiate order. It is fam Date December december of	
·		child]?			(Assessment = 0600).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	_				-	1 = YES -1 = N/A (Not Applicable)		
						-7 = REFUSED		
						-9 = MISSING DATA		
DOB	A_D4	What is your [your child's] month and year of	text	7	Applies only at baseline	Collected as MM/YYYY text format. Date entered will be	* Year portion must be in 4 digit format.	Cannot have a DOB of birthday that indicates they
1		birth?		1	(Assessment = 0600).	converted to datetime format with the day defaulted to the 15th.	* Must be at or prior to (InterviewDate - 10 years)	are more than 25 years old.
1						For MM: 01 - 12 = Jan - Dec		
·						For YYYY: 1900 - (Current year)		
	_					07/01/1869 = REFUSED 09/01/1869 = MISSING DATA	* This appears in the Data Download as 07/01/1869 if REFUSED * This appears in the Data Download as 09/01/1869 if MISSING DATA	
	-	1		+	+	09/01/1869 = MISSING DATA 01/01/1869 = N/A (Not Applicable)	* This appears in the Data Download as 09/01/1869 if MISSING DATA * This N/A code is not valid for data entry. It is for Data Download purposes only.	
1	1					·····	,,, puppood only.	
1								Opened by a DOD on blath down that is all other them.
Agegroup	System Derived	(Calculated field based on Age)	integer	N/A	Applies only at baseline	0 = Birth to 4 years old	* This field does not apply to data entry. For Data Download and Administrative	Cannot have a DOB or birthday that indicates they
Agegroup	System Derived	(Calculated field based on Age)	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = Birth to 4 years old	purposes only.	are more than 25 years old.
Agegroup	System Derived	(Calculated field based on Age)	integer	N/A	Applies only at baseline (Assessment = 0600).			are more than 25 years old.
Agegroup	System Derived	(Calculated field based on Age)	integer	N/A	Applies only at baseline (Assessment = 0600).	1 = Age 5 to 9 years old 2 = Age 10 to 12 years old	purposes only.	cannot nave a DOB of birmoay that indicates they are more than 25 years old.
Agegroup	System Derived	(Calculated field based on Age)	integer	N/A	Applies only at baseline (Assessment = 0600).	1 = Age 5 to 9 years old 2 = Age 10 to 12 years old 3 = Age 13 to 15 years old	purposes only.	are more than 25 years old.
Agegroup	System Derived	(Calculated field based on Age)	integer	N/A	Applies only at baseline (Assessment = 0600).	1 = Age 5 to 9 years old 2 = Age 10 to 12 years old 3 = Age 13 to 15 years old 4 = Age 16 to 25 years old	purposes only.	Cannot have a DOB or prinday inat indicates iney are more than 25 years old.
Agegroup	System Derived	(Calculated field based on Age)	integer	N/A	Applies only at baseline (Assessment = 0600).	1 = Age 5 to 9 years old 2 = Age 10 to 12 years old 3 = Age 13 to 15 years old 4 = Age 16 to 25 years old -1 = N/A (Not Applicable)	purposes only.	are more than 25 years old.
SECTION B. FUNCTIONI					(Assessment = 0600).	1 = Age 5 to 9 years old 2 = Age 10 to 12 years old 3 = Age 13 to 15 years old 4 = Age 16 to 25 years old -1 = N/A (Not Applicable) -9 = MISSING DATA	purposes only.	are more than 25 years old.
		How would you rate your (your	integer	N/A	(Assessment = 0600).	1 = Age 5 to 9 years old 2 = Age 10 to 12 years old 3 = Age 13 to 15 years old 4 = Age 16 to 25 years old -1 = N/A (Not Applicable)	purposes only.	are more than 25 years old.
SECTION B. FUNCTIONI	, , , , , , , , , , , , , , , , , , ,				(Assessment = 0600).	1 = Age 5 to 9 years old 2 = Age 10 to 12 years old 3 = Age 13 to 15 years old 4 = Age 16 to 25 years old -1 = N/A (Not Applicable) -9 = MISSING DATA	purposes only.	are more than 25 years old. *Compatible with Adult's NOMs Age Groups. *Coded only for questions not asked on previous versions of the
SECTION B. FUNCTIONI	, , , , , , , , , , , , , , , , , , ,	How would you rate your (your			(Assessment = 0600).	1 = Age 5 to 9 years old 2 = Age 10 to 12 years old 3 = Age 13 to 15 years old 4 = Age 16 to 25 years old -1 = N/A (Not Applicable) -9 = MISSING DATA	purposes only.	are more than 25 years old. *Compatible with Adult's NOMs Age Groups. *Coded only for questions not asked on previous
SECTION B. FUNCTIONI	, , , , , , , , , , , , , , , , , , ,	How would you rate your (your			(Assessment = 0600).	1 = Age 5 to 9 years old 2 = Age 10 to 12 years old 3 = Age 13 to 15 years old 4 = Age 16 to 25 years old -1 = N/A (Not Applicable) -9 = MISSING DATA 1 = Excellent 2 = Very Good	purposes only.	are more than 25 years old. *Compatible with Adult's NOMs Age Groups. *Coded only for questions not asked on previous versions of the
SECTION B. FUNCTIONI	, , , , , , , , , , , , , , , , , , ,	How would you rate your (your			(Assessment = 0600).	1 = Age 5 to 9 years old 2 = Age 10 to 12 years old 3 = Age 13 to 15 years old 4 = Age 16 to 25 years old -1 = N/A (Not Applicable) -9 = MSSING DATA 1 = Excellent	purposes only.	are more than 25 years old. *Compatible with Adult's NOMs Age Groups. *Coded only for questions not asked on previous versions of the

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions -1 = N/A (Not Applicable)	Edit and Skip Information * This N/A code is not valid for data entry. It is for Data	Crosscheck
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED	Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
HandlingDailyLife	B2a	I am [my child is] handling daily life.	integer	N/A	Applies only when an interview was conducted	1 = Strongly Disagree		
					(ConductedInterview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
					(- /	2 = Disagree	,	
						3 = Undecided		
						4 = Agree 5 = Strongly Agree		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
	2.01					-9 = MISSING DATA		
GetsAlongWithFamily	B2b	I get [my child gets] along with family members.	integer	N/A	Applies only when an interview was conducted	1 = Strongly Disagree		
		memoria.			(ConductedInterview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
					, ,	2 = Disagree		
						3 = Undecided		
						4 = Agree 5 = Strongly Agree		
		1				-6 = N/A (Not Applicable)		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED -9 = MISSING DATA		
GetsAlongWithFriends	B2c	I get [my child gets] along with friends and	integer	N/A	Applies only when an interview	-9 = MISSING DATA 1 = Strongly Disagree		
Octahlong with honda	520	other people.	integer	19/5	was conducted	1 - Oliongiy Dialgree		
					(ConductedInterview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree		
						3 = Undecided 4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
DoingWellinSchool	B2d	I am [my child is] doing well in school and/or	integer	N/A	Applies only when an interview	-9 = MISSING DATA 1 = Strongly Disagree		
Bolligweilliochool	520	work.	integer	19/2	was conducted	1 - Oliongiy Disagree		
					(ConductedInterview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree 3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-6 = N/A (Not Applicable)		
						-1 = N/A (Not Applicable) -7 = REFUSED		
						-9 = MISSING DATA		
AbleToCope	B2e	I am [my child is] able to cope when things	integer	N/A	Applies only when an interview	1 = Strongly Disagree		
		go wrong.			was conducted		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
					(ConductedInterview = 1).	0 Discourse		
						2 = Disagree 3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
		+				-1 = N/A (Not Applicable) -7 = REFUSED		
		1				-7 = REFUSED -9 = MISSING DATA		
SatisfiedwithFamily	B2f	I am satisfied with our family life right now.	integer	N/A	Applies only when an interview	1 = Strongly Disagree		
		1			was conducted			
					(ConductedInterview = 1).	2 = Disagree	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
		1				2 = Disagree 3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable) -7 = REFUSED		
		1				-9 = MISSING DATA		
Nervous	B3a	During the past 30 days, about how often	integer	N/A	Applies only when an interview	4 = All of the Time		
		did you feel nervous?			was conducted			
					(ConductedInterview = 1).	3 = Most of the Time		
		1				2 = Some of the Time		
						1 = A Little of the Time		
						0 = None of the Time		
		1				-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
		1				-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
							Download purposes only.	versions of the CMHS NOMs tools.

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set
						-7 = REFUSED		Nervous = -6.
	_					-7 = REFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		
Hopeless	B3b	During the past 30 days, about how often	integer	N/A	Applies only when an interview	4 = All of the Time		
		did you feel hopeless?			was conducted			
					(ConductedInterview = 1).			
						3 = Most of the Time 2 = Some of the Time		
						1 = A Little of the Time		
						0 = None of the Time		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set
								Hopeless = -6.
						-7 = REFUSED		
						-8 = DON'T KNOW		
Deathers	D 0 -	During the section days of the state of the	la transm	N1/A	And the sector of the sector between the sector of the sec	-9 = MISSING DATA		
Restless	B3c	During the past 30 days, about how often did you feel restless or fidgety?	integer	N/A	Applies only when an interview was conducted	4 = All of the Time		
		did you leer realiess of hugely !			(ConductedInterview = 1).			
	1		1		<u> </u>	3 = Most of the Time		
						2 = Some of the Time		
						1 = A Little of the Time		
						0 = None of the Time		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
							Download purposes only.	versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set Restless = -6.
						-7 = REFUSED -8 = DON'T KNOW		
						-8 = DON'T KNOW -9 = MISSING DATA		
Depressed	B3d	During the past 30 days, about how often did you feel so depressed that nothing could cheer you up?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	4 = All of the Time		
					(Conductedinterview - 1).	3 = Most of the Time		
						2 = Some of the Time		
						1 = A Little of the Time		
						0 = None of the Time		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set Depressed = -6.
						-7 = REFUSED -8 = DON'T KNOW		
	+	1	1	t	+	-9 = MISSING DATA		
EverythingEffort	B3e	During the past 30 days, about how often did you feel that everything was an effort?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	4 = All of the Time		
	+		1	<u> </u>	(conducedimenterview = 1).	3 = Most of the Time		
		1	1	1		2 = Some of the Time		
	1					1 = A Little of the Time		
						0 = None of the Time		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set EverythingEffort = 6.
	+			L		-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
Worthless	B3f	During the past 30 days, about how often	integer	N/A	Applies only when an interview	-9 = MISSING DATA 4 = All of the Time		
	50	did you feel worthless?		19/5	was conducted (ConductedInterview = 1).			
	1		1		<u> </u>	3 = Most of the Time		
						2 = Some of the Time		
						1 = A Little of the Time		
			1		1	0 = None of the Time		

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the
						-6 = N/A (Not Applicable), CAREGIVER		CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set
						-7 = REFUSED		Worthless = -6.
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Tobacco_Use	B4a	In the past 30 days, how often have you	integer	N/A	Applies only when an interview	1 = Never		
-		used tobacco products (cigarettes, chewing tobacco, cigars, etc.)?	5		was conducted (ConductedInterview = 1).			
						2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	 This NA code is not valid for data entry. It is for Data Download purposes only. 	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set Tobacco_Use = - 6.
						-7 = REFUSED		
		1				-8 = DON'T KNOW		
						-9 = MISSING DATA		
Alcohol_Use	B4b	In the past 30 days, how often have you used alcoholic beverages (beer, wine, liquor, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never		
						2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	* Coded only for superions not colord on proving
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED		*If RespondentType = 2 (CARETAKER) then set Alcohol_Use = -6.
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Al_Use_5orMore_Male	B4b1	How many times in the past 30 days have you had five or more drinks in a day? Male respondents only.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never	* Only valid if Gender = 1 (Male) for current interview and SU_Alcohol ≥ 2 (Once or Twice). Else, code -1 = N/A.	
						2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set AI_Use_5orMore_Male = -6.
						-7 = REFUSED		
						-8 = DON'T KNOW		
Al_Use_4orMore_NotMale	B4b2	How many times in the past 30 days have you had four or more drinks in a day? Not	integer	N/A	Applies only when an interview was conducted	-9 = MISSING DATA 1 = Never	* Only valid if Gender <> 1 (Male) for current interview and SU_Alcohol ≥ 2 (Once or Twice). Else, code -1 = N/A.	
		male respondents only.			(ConductedInterview = 1).	2 = Once or Twice		
		1			+	2 = Once or Twice 3 = Weekly		
		1	1			4 = Daily or Almost Daily		l
		1				-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
							Download purposes only.	versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set Al_Use_4orMore_NotMale = -6.
			1			-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
Cannabis_Use	B4c	In the past 30 days, how often have you	integer	N/A	Applies only when an interview	-9 = MISSING DATA 1 = Never		
Cannabls_Use	DHC	used cannabis (marijuana, pot, grass, hash, etc.)?	integer	IN/A	Applies only when an interview was conducted (ConductedInterview = 1).			
						2 = Once or Twice		
	1		1			3 = Weekly		
						4 = Daily or Almost Daily		

Field Name Number Image: Stress of the second sec	Description	Type Image: State Sta	Length	Validity Applies only when an interview was conducted (Conducted Interview = 1). Applies only when an interview was conducted interview = 1).	Value Descriptions -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA 1 = Never 2 = Once or Twice 3 = Weekly -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED -8 = DONT'KNOW -9 = MISSING DATA	Edit and Skip Information This NA code is not valid for data entry. It is for Data Download purposes only. This NA code is not valid for data entry. It is for Data Download purposes only. This NA code is not valid for data entry. It is for Data Download purposes only. This NA code is not valid for data entry. It is for Data Download purposes only. This NA code is not valid for data entry. It is for Data Download purposes only. This NA code is not valid for data entry. It is for Data Download purposes only. This NA code is not valid for data entry. It is for Data Download purposes only.	Crosscheck Coded only for questions not asked on previous versions of the CMHS NOMs tools. Til RespondentType = 2 (CARETAKER) then set Cannabis_Use = - 6. CMHS NOMs tools. Til RespondentType = 2 (CARETAKER) then set Cocane_Use = - 6.
Stimulants_Use B4e	used cocaine (coke, crack, etc.)?			was conducted (ConductedInterview = 1).	-6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA 1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED -8 = DON'T KNOW	This N/A code is not valid for data entry. It is for Data Download purposes only. This N/A code is not valid for data entry. It is for Data Download purposes only. This N/A code is not valid for data entry. It is for Data Download purposes only. This N/A code is not valid for data entry. It is for Data	versions of the CMHS NOMs tools. "If RespondentType = 2 (CARETAKER) then set Cannabis_Use = - 6. """ Coded only for questions not asked on previous versions of the CMHS NOMs tools. "If RespondentType = 2 (CARETAKER) then set
Stimulants_Use B4e	used cocaine (coke, crack, etc.)?			was conducted (ConductedInterview = 1).	-6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA 1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED -8 = DON'T KNOW	Download purposes only. This N/A code is not valid for data entry. It is for Data Download purposes only. This N/A code is not valid for data entry. It is for Data	versions of the CMHS NOMs tools. "If RespondentType = 2 (CARETAKER) then set Cannabis_Use = - 6. """ Coded only for questions not asked on previous versions of the CMHS NOMs tools. "If RespondentType = 2 (CARETAKER) then set
Stimulants_Use	used cocaine (coke, crack, etc.)?			was conducted (ConductedInterview = 1).		Download purposes only. * This N/A code is not valid for data entry. It is for Data	"If RespondenType = 2 (CARETAKER) then set Cannabis_Use = - 6. " " Coded only for questions not asked on previous versions of the CMHS NOMs tools. "If RespondenType = 2 (CARETAKER) then set
Stimulants_Use B4e	used cocaine (coke, crack, etc.)?			was conducted (ConductedInterview = 1).	8 = DON'T KNOW -9 = MISSING DATA 1 = Never 2 = Once or Twice 3 = Wreekly 4 = Daly or Almost Daily -1 = Ni/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED -8 = DON'T KNOW	Download purposes only. * This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous versions of the CMHS NOMs tools. *If RespondenType = 2 (CARETAKER) then set
Stimulants_Use	used cocaine (coke, crack, etc.)?			was conducted (ConductedInterview = 1).	-9 = MISSING DATA 1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED -8 = DON'T KNOW	Download purposes only. * This N/A code is not valid for data entry. It is for Data	versions of the CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set
Stimulants_Use B4e	used cocaine (coke, crack, etc.)?			was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daly or Almost Daily -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED -8 = DONT KNOW	Download purposes only. * This N/A code is not valid for data entry. It is for Data	versions of the CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set
Stimulants_Use B4e	used cocaine (coke, crack, etc.)?			was conducted (ConductedInterview = 1).	2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED -8 = DONT KNOW	Download purposes only. * This N/A code is not valid for data entry. It is for Data	versions of the CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set
	used prescription stimulants (Ritalin, Concerta, Dexedrine, Adderall, diet pills,	integer	N/A	Applies only when an interview was conducted	3 = Weekly 4 = Daily or Almost Daily -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED -8 = DONT KNOW	Download purposes only. * This N/A code is not valid for data entry. It is for Data	versions of the CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set
	used prescription stimulants (Ritalin, Concerta, Dexedrine, Adderall, diet pills,	integer	N/A	Applies only when an interview was conducted	4 = Daily of Almost Daily -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED -8 = DONT KNOW	Download purposes only. * This N/A code is not valid for data entry. It is for Data	versions of the CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set
	used prescription stimulants (Ritalin, Concerta, Dexedrine, Adderall, diet pills,	integer	N/A	Applies only when an interview was conducted	-1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED -8 = DONT KNOW	Download purposes only. * This N/A code is not valid for data entry. It is for Data	versions of the CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set
	used prescription stimulants (Ritalin, Concerta, Dexedrine, Adderall, diet pills,	integer	N/A	Applies only when an interview was conducted	-6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED -8 = DONT KNOW	* This N/A code is not valid for data entry. It is for Data	versions of the CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set
	used prescription stimulants (Ritalin, Concerta, Dexedrine, Adderall, diet pills,	integer	N/A	Applies only when an interview was conducted	-7 = REFUSED -8 = DON'T KNOW		*If RespondentType = 2 (CARETAKER) then set Cocaine_Use = - 6.
	used prescription stimulants (Ritalin, Concerta, Dexedrine, Adderall, diet pills,	integer	N/A	Applies only when an interview was conducted	-8 = DON'T KNOW		
	used prescription stimulants (Ritalin, Concerta, Dexedrine, Adderall, diet pills,	integer	N/A	Applies only when an interview was conducted			
	used prescription stimulants (Ritalin, Concerta, Dexedrine, Adderall, diet pills,	integer	N/A	Applies only when an interview was conducted	-9 = MISSING DATA		
	used prescription stimulants (Ritalin, Concerta, Dexedrine, Adderall, diet pills,	Integer	N/A	Applies only when an interview was conducted			
Meth_Use				(ConductedInterview = 1).	1 = Never		
Meth_Use B4f					2 = Once or Twice		
Meth_Use B4f					3 = Weekly		
Meth_Use B4f					4 = Daily or Almost Daily		
Meth_Use B4f					-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Meth_Use B4f					-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the
Meth_Use B4f					-6 = N/A (Not Applicable), CAREGIVER		CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set Stimulants_Use =
Meth_Use B4f							-6.
Meth_Use B4f					-7 = REFUSED		
Meth_Use B4f					-8 = DON'T KNOW -9 = MISSING DATA		
	In the past 30 days, how often have you	integer	N/A	Applies only when an interview			
	used methamphetamine (speed, crystal meth, ice, etc.)?	Ť		was conducted (ConductedInterview = 1).			
					2 = Once or Twice 3 = Weekly		
					4 = Daily or Almost Daily		
					-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
					-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data	* Coded only for questions not asked on previous
						Download purposes only.	versions of the CMHS NOMs tools.
					-6 = N/A (Not Applicable), CAREGIVER -7 = REFUSED		*If RespondentType = 2 (CARETAKER) then set Meth_Use = -6.
├ ─── │		+	+		-7 = REFUSED -8 = DON'T KNOW		
		1	t	1	-9 = MISSING DATA		
Inhalants_Use B4g	In the past 30 days, how often have you usedinhalants (nitrous oxide, glue, gas, paint thinner, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never		
<u> </u>		1	t		2 = Once or Twice		
					3 = Weekly		
					4 = Daily or Almost Daily		
					-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
					-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
					-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set Inhalants_Use = - 6.
					-7 = REFUSED		
			I		-8 = DON'T KNOW		
Sedatives_Use B4h		integer	N/A	Applies only when an interview	-9 = MISSING DATA 1 = Never		
	In the past 30 days, how often have you			was conducted (ConductedInterview = 1).			
├ ─── │	In the past 30 days, how often have you used sedatives or sleeping pills (Valium, Serepax, Ativan, Librium, Xanax, Rohypnol GHB, etc.)?		+	1	2 = Once or Twice		

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions 3 = Weekly	Edit and Skip Information	Crosscheck
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	 This NA code is not used for data entry. It is for Data Download purposes only. 	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set Sedatives_Use = - 6.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
Hallucinogens_Use	B4i	In the past 30 days, how often have you usedhallucinogens (LSD, acid, mushrooms, PCP, Special K, ecstasy, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never		
						2 = Once or Twice		
						3 = Weekly		
						4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set Hallucinogens_Use = -6.
		1		1	1	-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
StreetOpioids_Use	B4j	In the past 30 days, how often have you usedstreet opioids (heroin, opium, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never		
						2 = Once or Twice 3 = Weekly		
						3 = Weekiy 4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the
						-6 = N/A (Not Applicable), CAREGIVER		CMHS NOMs tools. *If RespondentType = 2 (CARETAKER) then set
						-7 = REFUSED		StreetOpioids_Use = -6.
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
RxOpioids_Use	B4k	In the past 30 days, how often have you usedprescription opioids (fentanyl, oxycodone [OxyContin, Percocet], hydrocodone [Viccotin], methadone, buprenorphine, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never		
						2 = Once or Twice		
						3 = Weekly 4 = Daily or Almost Daily		
						4 = Daily or Almost Daily -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						- T - NA (NOT Applicable)	Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set RxOpioids_Use = -6.
						-7 = REFUSED		
						-8 = DON'T KNOW		
Other Lies	B4I	In the next 20 days, how they have	inte s · · ·	N/A	Applies enhand an inter '	-9 = MISSING DATA		
Other_Use	B4I	In the past 30 days, how often have you used other – specify(e-cigarettes, etc.):	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never		
	_			l		2 = Once or Twice 3 = Weekly		
	-					3 = Weekly 4 = Daily or Almost Daily		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set Other_Use = -6.
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Other_UseSpec	B4I	Other Substance Used specify	text	50	Applies only when an interview		* Only asked when SU_OTHER = 2, 3, or 4 ; otherwise set to -1.	
					was conducted (ConductedInterview = 1).			
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-6 = N/A (Not Applicable), CAREGIVER		*If RespondentType = 2 (CARETAKER) then set Other_Use = -6.
GAFDate		DATE GAF WAS ADMINISTERED	date time	10	Applies only when an interview was conducted (ConductedInterview = 1).	date entered will be converted to datetime	* GAFDate is reported by program staff at program's discretion.	FGAFDate must be ≤ InterviewDate * If GAFDate < InterviewDate – 6 months then set GAFDate to 06/01/1869 and GAFScore = -1. * Although optional, a valid GAFDate (≥ InterviewDate – 6 months) is required if a valid GAFScore was provided.
						06/01/1869 = Not provided	* Only applicable if Section B is required and user skips GAF fields. * This "Not provided" code is not valid for data entry. It is for Data Download purposes only.	
						01/01/1869 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
GAFScore		WHAT WAS THE CONSUMER'S SCORE?	integer	N/A	Applies only when an interview	0 - 100	* Only asked when ConductedInterview = 1 and GAFDate	* Although optional, a valid GAFScore (between 0 -
GAFScore		GAF =	integer		was conducted (ConductedInterview = 1).		≥ InterviewDate - 6 months; otherwise set to -1.	100) is required if a proper GAFDate was provided.
						-1 = N/A (Not Applicable)	* Set to N/A code if GAFDate = 06/01/1869.	
							* This N/A code is not valid for data entry. It is for Data Download purposes only.	
CBCLDate		DATE CBCL WAS ADMINISTERED	date time	10	Applies only when an interview was conducted (ConductedInterview = 1).	date entered will be converted to datetime	* CBCLDate is reported by program staff at program's discretion.	* CBCLDate must be s InterviewDate – 6 months then set CBCLDate to 06/01/1668 and CBCLScore = -1. * Although optional, a valid CBCLDate (≥ InterviewDate – 6 months) is required if a valid CBCLScore was provided.
						06/01/1869 = Not provided	* Only applicable if Section B is required and user skips CBCL fields. * This "Not provided" code is not valid for data entry. It is for Data Download purposes only.	
						01/01/1869 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						12/01/1869 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
CBCLScore		WHAT WAS THE CONSUMER'S SCORE? TOTAL PROBLEMS T_SCORE =	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 100	* Only asked when ConductedInterview = 1 and CBCLDate ≥ InterviewDate - 6 months; otherwise set to -1.	* Although optional, a valid CBCLScore (between 0 - 100) is required if a proper CBCLDate was provided.
						-1 = N/A (Not Applicable)	* Set to N/A code if CBCLDate = 06/01/1869. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
SECTION B. MILITARY F	MILY AND DEPL	OYMENT	•					
ActiveDuty_Self	B5	Are you currently serving on active duty in the Armed Forces, the Reserves, or the National Guard?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		*If RespondentType = 2 (CARETAKER) or calculated age (using DOB) < 18 years old, then set ActiveDuty_Self = -1.*.
						1 = YES		
						-1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data	
							* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED -8 = DON'T KNOW		
	1	1	1	-		-9 = MISSING DATA	1	
ActiveDuty_Else	B6	Is anyone in your family or someone close to you currently serving on active duty in or retired/separated from the Armed Forces, the Reserves, or the National Guard?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = No	* Skip to C1a. (NightsHomeless)	* Set all fields from B.6.1a (AD_P1Relationship) to B.6.6b (AD_P6Died) = -1 (N/A)
						1 = Yes, only one person		* Set all fields from B.6.2a (AD_P2Relationship) to B.6.6b (AD_P6Died) = -1 (N/A)
						2 = Yes, more than one person -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
		1				- i – N/A (Not Applicable)	Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-7 = REFUSED	* Skip to C1a. (NightsHomeless)	* Set all fields from B.6.1a (AD_P1Relationship) to
								B.6.6b
								(AD_P6Died) = -1 (N/A)
						-8 = DON'T KNOW	* Skip to C1a. (NightsHomeless)	* Set all fields from B.6.1a (AD_P1Relationship) to B.6.6b (AD_P6Died) = -1 (N/A)
								B.0.00 (18_1 00.00) (10.00)
						-9 = MISSING DATA	* Skip to C1a. (NightsHomeless)	
AD_P1Relationship_11	N/A	For the first person: What is the relationship	integer	N/A	Applies only at Baseline	0 = MOTHER/FATHER		* Set AD_P1Rel_OtherSpec = -1 (N/A)
		of that person (Service Member) to you?			(Assessment = 0600) with a conducted interview			
					(Conducted Interview = 1).			
					(1 = BROTHER/SISTER		* Set AD_P1Rel_OtherSpec = -1 (N/A)
						2 = SPOUSE/PARTNER		* Set AD_P1Rel_OtherSpec = -1 (N/A)
						3 = CHILD		* Set AD_P1Rel_OtherSpec = -1 (N/A)
						4 = OTHER, SPECIFY	* This bits and the sector bit for data water. It is for Data	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions asked on previous
							Download purposes only.	versions of the
								CMHS NOMs tools.
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED	Download purposes only.	* Set AD_P1Rel_OtherSpec = -1 (N/A)
		1				-7 - REPOSED -8 = DON'T KNOW		* Set AD_P1Rel_OtherSpec = -1 (N/A)
						-9 = MISSING DATA		* Set AD_P1Rel_OtherSpec = -1 (N/A)
AD_P1Rel_OtherSpec_11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline		* Only asked when AD_P1Relationship = OTHER, SPECFIY; otherwise set to -1.	
		1		1	(Assessment = 0600) with a conducted interview			* Coded only for questions asked on previous
					(Conducted Interview = 1).			versions of the CMHS NOMs tools.
								CIVILIS INCIVIS LOOIS.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P1CombatOpr_11	N/A	For the first person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO	Download pulposes only.	
		Member experienced any of the following:			(Assessment = 0600) with a			* Coded only for questions asked on previous
		Deployed in support of Combat			conducted interview			versions of the
		Operations? (e.g. Iraq or Afghanistan)			(ConductedInterview = 1).			CMHS NOMs tools.
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED	Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P1Injured_11	N/A	For the first person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		* Coded only for questions asked on previous
		Member experienced any of the following: Was physically injured during Combat			(Assessment = 0600) with a conducted interview			versions of the
		Operations?			(ConductedInterview = 1).			CMHS NOMs tools.
					, ,	1 = YES		
		1	1	1		-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
		1				-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data	
		1		1			Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
AD D1Street 11	N/A	For the first series, the first of the	inter	N1/A	Applies apply at Describes	-9 = MISSING DATA		
AD_P1Stress_11	N/A	For the first person: Has the Service Member experienced any of the following:	integer	N/A	Applies only at Baseline (Assessment = 0600) with a	0 = NO		
		Developed combat stress		1	conducted interview	1		* Coded only for questions asked on previous
		symptoms/difficulties adjusting			(ConductedInterview = 1).			versions of the
		following deployment, including PTSD,		1				CMHS NOMs tools.
		depression, or suicidal thoughts?		1				
		1			+	1 = YES		
		1		1		-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	-
		1					Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
				1			Download purposes only.	-
		1		1		-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
		1			+	-7 = REFUSED	Download purposes only.	
<u> </u>		1	1	1				
						-8 = DON'T KNOW		

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P1Died_11	N/A	For the first person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview	0 = NO		* Coded only for questions asked on previous versions of the
		Died of was kined i			(ConductedInterview = 1).			CMHS NOMs tools.
						1 = YES		
						-1 = N/A (Not Applicable)		
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
AD_P2Relationship_11	N/A	For the second person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = MOTHER/FATHER		* Set AD_P2Rel_OtherSpec = -1 (N/A)
					, ,	1 = BROTHER/SISTER		* Set AD_P2Rel_OtherSpec = -1 (N/A)
						2 = SPOUSE/PARTNER		* Set AD_P2Rel_OtherSpec = -1 (N/A)
						3 = CHILD 4 = OTHER, SPECIFY		* Set AD_P2Rel_OtherSpec = -1 (N/A)
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the CMHS NOMs tools.
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		* Set AD_P2Rel_OtherSpec = -1 (N/A)
						-8 = DON'T KNOW -9 = MISSING DATA		* Set AD_P2Rel_OtherSpec = -1 (N/A) * Set AD_P2Rel_OtherSpec = -1 (N/A)
AD_P2Rel_OtherSpec_11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline	-9 = MISSING DATA	* Only asked when AD_P2Relationship = OTHER, SPECFIY; otherwise set to -1.	- Set AD_P2Rel_OtherSpec = -1 (N/A)
/ 10_1 2110_011010p00_11			ioni i	50	(Assessment = 0600) with a conducted interview (ConductedInterview = 1).			* Coded only for questions asked on previous versions of the CMHS NOMs tools.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P2CombatOpr_11	N/A	For the second person: Has the Service Member experienced any of the following:	integer	N/A	Applies only at Baseline (Assessment = 0600) with a	0 = NO	common purposes only.	* Coded only for questions asked on previous
		Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)			conducted interview (ConductedInterview = 1).			versions of the CMHS NOMs tools.
						1 = YES -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						- I - N/A (Not Applicable)	Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
AD_P2Injured_11	N/A	For the second person: Has the Service	integer	N/A	Applies only at Baseline	-9 = MISSING DATA 0 = NO		
no_i zinjalod_i i		Member experienced any of the following: Was physically injured during Combat Operations?	inogoi		(Assessment = 0600) with a conducted interview (ConductedInterview = 1).			* Coded only for questions asked on previous versions of the CMHS NOMs tools.
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
						-7 = REFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		1
AD_P2Stress_11	N/A	For the second person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD,	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		* Coded only for questions asked on previous versions of the
		depression, or suicidal thoughts?						CMHS NOMs tools.
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
			I	I	1		Download purposes only.	

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Field Name	Number	Description	туре	Lengui	validity	-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	CIOSSCHECK
							Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
AD_P2Died_11	N/A	For the second person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		
	N/A	Member experienced any of the following:	integer	19/5	(Assessment = 0600) with a	0-110		* Coded only for questions asked on previous
		Died or was killed?			conducted interview			versions of the
					(ConductedInterview = 1).			CMHS NOMs tools.
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
	5.1/A	For the third person: What is the relationship	late and	N/A	Applies only at Baseline	-9 = MISSING DATA 0 = MOTHER/FATHER		* Set AD P3Rel OtherSpec = -1 (N/A)
AD_P3Relationship_11	N/A	of that person (Service Member) to you?	integer	N/A	(Assessment = 0600) with a	0 = MOTHER/FATHER		Set AD_P3Rel_OtherSpec = -1 (N/A)
		or that person (ocrvice member) to you?			conducted interview			
		1		1	(ConductedInterview = 1).			
				1	· · · · · ·	1 = BROTHER/SISTER		* Set AD_P3Rel_OtherSpec = -1 (N/A)
			I			2 = SPOUSE/PARTNER		* Set AD_P3Rel_OtherSpec = -1 (N/A)
						3 = CHILD		* Set AD_P3Rel_OtherSpec = -1 (N/A)
						4 = OTHER, SPECIFY		
		1		1		-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
				l		-4 = N/A - archived field	Download purposes only. * This N/A code is not valid for data entry. It is for Data	* Coded only for questions asked on previous
						-4 = N/A - archived field	Download purposes only.	versions of the CMHS NOMs tools.
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		* Set AD_P3Rel_OtherSpec = -1 (N/A)
						-8 = DON'T KNOW		* Set AD_P3Rel_OtherSpec = -1 (N/A)
						-9 = MISSING DATA		* Set AD_P3Rel_OtherSpec = -1 (N/A)
AD_P3Rel_OtherSpec_11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline		* Only asked when AD_P3Relationship = OTHER, SPECFIY; otherwise set to -1.	
					(Assessment = 0600) with a conducted interview (ConductedInterview = 1).			* Coded only for questions asked on previous versions of the CMHS NOMs tools.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
AD 000	N/A	For the third person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO	Download purposes only.	
AD_P3CombatOpr_11	N/A	Member experienced any of the following:	integer	IN/A	(Assessment = 0600) with a	0 - NO		* Coded only for questions asked on previous
		Deployed in support of Combat			conducted interview			versions of the
		Operations? (e.g. Iraq or Afghanistan)			(ConductedInterview = 1).			CMHS NOMs tools.
	1							
		1		l		1 = YES	4 White hitle conductor states for the state conductor of the States	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
			1			-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1	1	l	1	1	-7 = REFUSED	· · · · · · · · · · · · · · · · · · ·	
		1		1	1	-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P3Injured_11	N/A	For the third person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		* Coded only for questions asked on previous
		Member experienced any of the following: Was physically injured during Combat Operations?			(Assessment = 0600) with a conducted interview (ConductedInterview = 1).			versions of the CMHS NOMs tools.
					,.	1 = YES		
	1		1	1	1	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
			1	1	1	/	Download purposes only.	
						4 N/A south to all field	* This N/A code is not valid for data entry. It is for Data	
						-4 = N/A - archived field		
							Download purposes only.	
						-4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only.	
							Download purposes only. * This N/A code is not valid for data entry. It is for Data	

Field Name	Question Number	Description	Data	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P3Stress_11	Number N/A	For the third person: Has the Service	Type integer	N/A	Applies only at Baseline	0 = NO		Grösscheck
AD_F 35(ress_11	N/A	Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	inegei	NA	(Assessment = 0600) with a conducted interview (ConductedInterview = 1).			* Coded only for questions asked on previous versions of the CMHS NOMs tools.
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
AD_P3Died_11	N/A	For the third person: Has the Service	integer	N/A	Applies only at Baseline	-9 = MISSING DATA 0 = NO		
		Member experienced any of the following: Died or was killed?	Integer	N/A	(Assessment = 0600) with a conducted interview (ConductedInterview = 1).			* Coded only for questions asked on previous versions of the CMHS NOMs tools.
						1 = YES		
	1					-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1	1	1			-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
]		1				Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
						-7 = REFUSED	Download purposes only.	
						-/ = REFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P4Relationship_11	N/A	For the fourth person: What is the	integer	N/A	Applies only at Baseline	0 = MOTHER/FATHER		* Set AD_P4Rel_OtherSpec = -1 (N/A)
		relationship of that person (Service Member) to you?			(Assessment = 0600) with a conducted interview (ConductedInterview = 1).			
						1 = BROTHER/SISTER		* Set AD_P4Rel_OtherSpec = -1 (N/A)
						2 = SPOUSE/PARTNER 3 = CHILD		* Set AD_P4Rel_OtherSpec = -1 (N/A) * Set AD_P4Rel_OtherSpec = -1 (N/A)
						4 = OTHER, SPECIFY		Set AD_P4Rel_OtherSpec = -1 (N/A)
	-					-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						-4 = N/A - archived field	Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the CMHS NOMs tools.
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-7 = REFUSED -8 = DON'T KNOW		* Set AD_P4Rel_OtherSpec = -1 (N/A) * Set AD_P4Rel_OtherSpec = -1 (N/A)
						-9 = MISSING DATA		* Set AD_P4Rel_OtherSpec = -1 (N/A) * Set AD_P4Rel_OtherSpec = -1 (N/A)
AD_P4Rel_OtherSpec_11	N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).		* Only asked when AD_P4Relationship = OTHER, SPECFIY; otherwise set to -1.	* Coded only for questions asked on previous versions of the CMHS NOMs tools.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P4CombatOpr_11	N/A	For the fourth person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		* Coded only for questions asked on previous versions of the CMHS NOMs tools.
						1 = YES		
	1					-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
			1			-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
		-				7 0551050	Download purposes only.	
						-7 = REFUSED -8 = DON'T KNOW		
			1			-9 = MISSING DATA		
AD_P4Injured_11	N/A	For the fourth person: Has the Service Member experienced any of the following: Was physically injured during Combat Operations?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		* Coded only for questions asked on previous versions of the CMHS NOMs tools.
	1	• • • •	1			1 = YES		
	1		1			-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
	1						Download purposes only.	

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
				g		-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
	-					-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data	
						-3 - NOT ASKED ON FREVIOUS NOMS TODE	Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
AD_P4Stress_11	N/A	For the fourth person: Has the Service	integer	N/A	Applies only at Baseline	-9 = MISSING DATA 0 = NO		
AD_1 +01/233_11		Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	in a	(Assessment = 0600) with a conducted interview (ConductedInterview = 1).			* Coded only for questions asked on previous versions of the CMHS NOMs tools.
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
AD_P4Died_11	N/A	For the fourth person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		
		Member experienced any of the following: Died or was killed?	Ŭ		(Assessment = 0600) with a conducted interview (ConductedInterview = 1).			* Coded only for questions asked on previous versions of the CMHS NOMs tools.
						1 = YES	* This N/A code is not valid for data entry. It is for Data	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P5Relationship_11	N/A	For the fifth person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = MOTHER/FATHER		* Set AD_P5Rel_OtherSpec = -1 (N/A)
					(- ,	1 = BROTHER/SISTER		* Set AD_P5Rel_OtherSpec = -1 (N/A)
						2 = SPOUSE/PARTNER		* Set AD_P5Rel_OtherSpec = -1 (N/A)
						3 = CHILD 4 = OTHER, SPECIFY		* Set AD_P5Rel_OtherSpec = -1 (N/A)
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions asked on previous versions of the CMHS NOMs tools.
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	_				-	-7 = REFUSED		* Set AD_P5Rel_OtherSpec = -1 (N/A)
		-				-8 = DON'T KNOW -9 = MISSING DATA		* Set AD_P5Rel_OtherSpec = -1 (N/A) * Set AD_P5Rel_OtherSpec = -1 (N/A)
AD_P5Rel_OtherSpec_11	I N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).		* Only asked when AD_P5Relationship = OTHER, SPECFIY; otherwise set to -1.	* Coded only for questions asked on previous versions of the CMHS NOMs tools.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P5CombatOpr_11	N/A	For the fifth person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO		* Coded only for questions asked on previous versions of the CMHS NOMs tools.
		1				1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1	1			+	-7 = REFUSED	Download purposes only.	
	1				1	-8 = DON'T KNOW		
	1		1			-9 = MISSING DATA		

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P5Injured_11	N/A	For the fifth person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO	East and oxp information	
		Member experienced any of the following:	ů		(Assessment = 0600) with a			* Coded only for questions asked on previous versions of the
		Was physically injured during Combat			conducted interview			CMHS NOMs tools.
		Operations?			(ConductedInterview = 1).			
						1 = YES -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						-1 = N/A (Not Applicable)	Download purposes only.	
	_					-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P5Stress_11	N/A	For the fifth person: Has the Service	integer	N/A	Applies only at Baseline (Assessment = 0600) with a	0 = NO		
		Member experienced any of the following: Developed combat stress			(Assessment = 0600) with a conducted interview			
		symptoms/difficulties adjusting			(Conducted Interview = 1).			* Coded only for questions asked on previous versions of the
		following deployment, including PTSD,			()			CMHS NOMs tools.
		depression, or suicidal thoughts?						
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
						-7 = REFUSED	Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD P5Died 11	N/A	For the fifth person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		
		Member experienced any of the following:	Ŭ		(Assessment = 0600) with a			* Coded only for questions asked on previous versions of the
		Died or was killed?			conducted interview			CMHS NOMs tools.
					(ConductedInterview = 1).			CIVILIS NOWS LOOIS.
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
	_					-4 = N/A - archived field	Download purposes only. * This N/A code is not valid for data entry. It is for Data	
						-4 = N/A - archived field	Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
						- THOT AGRED ON THE HOUS NOMO TODE	Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P6Relationship_11	N/A	For the sixth person: What is the relationship	integer	N/A	Applies only at Baseline	0 = MOTHER/FATHER		* Set AD_P6Rel_OtherSpec = -1 (N/A)
		of that person (Service Member) to you?			(Assessment = 0600) with a			
					conducted interview (ConductedInterview = 1).			
					(Conductedinterview = 1).	1 = BROTHER/SISTER		* Set AD P6Rel OtherSpec = -1 (N/A)
	-					2 = SPOUSE/PARTNER		* Set AD_P6Rel_OtherSpec = -1 (N/A)
						3 = CHILD		* Set AD_P6Rel_OtherSpec = -1 (N/A)
						4 = OTHER, SPECIFY		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	* Coded only for questions asked on previous
			1	1	1		Download purposes only.	versions of the
		+	I					CMHS NOMs tools.
	1		1			-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
			l	I		-7 = REFUSED	Download purposes only.	* Set AD_P6Rel_OtherSpec = -1 (N/A)
	_			1		-7 = REFUSED -8 = DON'T KNOW		* Set AD_P6Rel_OtherSpec = -1 (N/A) * Set AD_P6Rel_OtherSpec = -1 (N/A)
	1	1	1	1	1	-9 = MISSING DATA		* Set AD_P6Rel_OtherSpec = -1 (N/A)
AD_P6Rel_OtherSpec_1*	1 N/A	OTHER (SPECIFY)	text	50	Applies only at Baseline		* Only asked when AD_P6Relationship = OTHER,	* Coded only for questions asked on previous
			1		(Assessment = 0600) with a		SPECFIY; otherwise set to -1.	versions of the
	1		1		ľ			CMHS NOMs tools.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
			1	1		-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
					1			
			1	1	1	-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
		Fronth a shafe as an and the state of the	lasta i		Another entropy at the	A NO.	Download purposes only.	
AD_P6CombatOpr_11	N/A	For the sixth person: Has the Service Member experienced any of the following:	integer	N/A	Applies only at Baseline (Assessment = 0600) with a	0 = NO		* Cardad aphofes exceptions activation and
	1	Deployed in support of Combat	1		(Assessment = 0600) with a conducted interview			* Coded only for questions asked on previous versions of the
	1	Operations? (e.g. Iraq or Afghanistan)	1		(Conducted Interview = 1).			CMHS NOMs tools.
	1		1					
			1	1	1	1 = YES		
			1	1	1	-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
	1		1	1	1		Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		
D_P6Injured_11	N/A	For the sixth person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		
		Member experienced any of the following:	-		(Assessment = 0600) with a			* Coded only for questions asked on previous versions of the
		Was physically injured during Combat			conducted interview			CMHS NOMs tools.
		Operations?			(ConductedInterview = 1).	4		
						1 = YES -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						(interruptional of	The first code to not faile for data only. It is for bata bornioda parpoood only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	-					-7 = REFUSED	Download pulposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AD_P6Stress_11	N/A	For the sixth person: Has the Service	integer	N/A	Applies only at Baseline	0 = NO		
		Member experienced any of the following:			(Assessment = 0600) with a			
		Developed combat stress symptoms/difficulties adjusting			conducted interview (ConductedInterview = 1).			* Coded only for questions asked on previous
		following deployment, including PTSD,			(Conductedinterview = 1).			versions of the CMHS NOMs tools.
		depression, or suicidal thoughts?						CIVITIS NOWS LOOIS.
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
	_					-4 = N/A - archived field	Download purposes only. * This N/A code is not valid for data entry. It is for Data	
						-4 = N/A - archived field	Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
	N/A	Earth a shift a second black the Oracles	late and	N1/A	And the sector of Deceller	-9 = MISSING DATA		
AD_P6Died_11	N/A	For the sixth person: Has the Service Member experienced any of the following:	integer	N/A	Applies only at Baseline (Assessment = 0600) with a	0 = NO		* Coded only for questions asked on previous
		Died or was killed?			conducted interview			versions of the
					(ConductedInterview = 1).			CMHS NOMs tools.
						1 = YES		
						-1 = N/A (Not Applicable)		
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
SECTION C. STABILITY			14.3			a aa		
NightsHomeless	C1a	In the past 30 days how many nights have you [has your child] been	integer	N/A	Applies only when an interview was conducted	0 - 30	If NightsHomeless ≥ 16 then set Housing = 3.	*Total of NightsHomeless + NightsHospitalMHC + NightsDetox +
		homeless?			(ConductedInterview = 1).			NightsJail cannot be > than 30.
					(- /			5
						1 - N/A (Net Applicable)	* This N/A code is not valid for date entry. It is for Date Download purposes only	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
								versions of the
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
							* This N/A code is not valid for data entry. It is for Data	versions of the
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	versions of the CMHS NOMs tools.
NightsHospitalMHC	C1b	In the past 30 days how many nights	integer	N/A	Applies only when an interview	-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW	* This N/A code is not valid for data entry. It is for Data	versions of the CMHS NOMs tools. *Total of NightsHomeless + NightsHospitalMHC +
NightsHospitalMHC	C1b	have you [has your child] spent in a hospital	integer	N/A	was conducted	-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	CMHS NOMs tools.
NightsHospitalMHC	C1b		integer	N/A		-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	versions of the CMHS NOMs tools. *Total of NightsHomeless + NightsHospitalMHC +
NightsHospitalMHC	C1b	have you [has your child] spent in a hospital	integer	N/A	was conducted	-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	versions of the CMHS NOMs tools. *Total of NightsHomeless + NightsHospitalMHC +
NightsHospitalMHC	C1b	have you [has your child] spent in a hospital	integer	N/A	was conducted	-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA 0 - 30 -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only. If NightsHospitalMHC ≥ 16 then set Housing = 10. * This N/A code is not valid for data entry. It is for Data Download purposes only.	versions of the CMHS NOMs tools. *Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30.
NightsHospitalMHC	C1b	have you [has your child] spent in a hospital	integer	N/A	was conducted	-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA 0 - 30	* This N/A code is not valid for data entry. It is for Data Download purposes only. If NightsHospitalMHC ≥ 16 then set Housing = 10.	versions of the CMHS NOMs tools. Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJali cannot be > than 30. * Coded only for questions not asked on previous versions of the
NightsHospitalMHC	C1b	have you [has your child] spent in a hospital	integer	N/A	was conducted	-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA 0 - 30 -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only. If NightsHospitalMHC ≥ 16 then set Housing = 10. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data	versions of the CMHS NOMs tools. *Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30. * Coded only for questions not asked on previous
NightsHospitalMHC	C1b	have you [has your child] spent in a hospital	integer	N/A	was conducted	-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA 0 - 30 -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED	* This N/A code is not valid for data entry. It is for Data Download purposes only. If NightsHospitalMHC ≥ 16 then set Housing = 10. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data	versions of the CMHS NOMs tools. Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJali cannot be > than 30. * Coded only for questions not asked on previous versions of the
NightsHospitalMHC	C1b	have you [has your child] spent in a hospital	integer	N/A	was conducted	-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA 0 - 30 -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW	* This N/A code is not valid for data entry. It is for Data Download purposes only. If NightsHospitalMHC ≥ 16 then set Housing = 10. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data	versions of the CMHS NOMs tools. Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJali cannot be > than 30. * Coded only for questions not asked on previous versions of the
		have you [has your child] spent in a hospital for mental health care?			was conducted (ConductedInterview = 1).	-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW 9 = MISSING DATA 0 - 30 -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. If NightsHospitalMHC ≥ 16 then set Housing = 10. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	versions of the CMHS NOMs tools. *Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30. *Coded only for questions not asked on previous versions of the CMHS NOMs tools.
NightsHospitalMHC	C1b C1b	have you [has your child] spent in a hospital for mental health care?	integer	N/A	was conducted	-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA 0 - 30 -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW	* This N/A code is not valid for data entry. It is for Data Download purposes only. If NightsHospitalMHC ≥ 16 then set Housing = 10. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data	versions of the CMHS NOMs tools. Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30. * Coded only for questions not asked on previous versions of the CMHS NOMs tools.
		have you [has your child] spent in a hospital for mental health care?			was conducted (ConductedInterview = 1).	-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW 9 = MISSING DATA 0 - 30 -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. If NightsHospitalMHC ≥ 16 then set Housing = 10. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	versions of the CMHS NOMs tools. *Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30. *Coded only for questions not asked on previous versions of the CMHS NOMs tools.
		have you [has your child] spent in a hospital for mental health care?			was conducted (ConductedInterview = 1). Applies only when an interview was conducted	-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW 9 = MISSING DATA 0 - 30 -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. If NightsHospitalMHC ≥ 16 then set Housing = 10. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	versions of the CMHS NOMs tools. Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30. * Coded only for questions not asked on previous versions of the CMHS NOMs tools.
		have you [has your child] spent in a hospital for mental health care?			was conducted (ConductedInterview = 1). Applies only when an interview was conducted	-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW 9 = MISSING DATA 0 - 30 -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. If NightsHospitalMHC ≥ 16 then set Housing = 10. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	versions of the CMHS NOMs tools. Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30. * Coded only for questions not asked on previous versions of the CMHS NOMs tools.
		have you [has your child] spent in a hospital for mental health care?			was conducted (ConductedInterview = 1). Applies only when an interview was conducted	-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA 0 - 30 -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA 0 - 30 -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only. If NightsHospitalMHC ≥ 16 then set Housing = 10. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. If NightsDetox ≥ 16 then set Housing = 19. * This N/A code is not valid for data entry. It is for Data	versions of the CMHS NOMs tools. Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30. * Coded only for questions not asked on previous versions of the CMHS NOMs tools. Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30.
		have you [has your child] spent in a hospital for mental health care?			was conducted (ConductedInterview = 1). Applies only when an interview was conducted	-5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA 0 - 30 -1 = N/A (Not Applicable) -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA 0 - 30	* This N/A code is not valid for data entry. It is for Data Download purposes only. If NightsHospitalMHC ≥ 16 then set Housing = 10. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	versions of the CMHS NOMs tools. Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30. * Coded only for questions not asked on previous versions of the CMHS NOMs tools.

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
NightsJail	C1d	In the past 30 days how many nights	integer	N/A	Applies only when an interview	0 - 30	If NightsJail ≥ 16 then set Housing = 11.	*Total of NightsHomeless + NightsHospitalMHC +
,		have you [has your child] spent in a correctional facility including juvenile detention, jail, or prison?	5		was conducted (ConductedInterview = 1).			NightsDetox + NightsJail cannot be > than 30.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-7 = REFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		
TimesER C1e	C1e	In the past 30 days how many times have you [has your child] gone to an emergency room for a psychiatric or emotional problem?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 99		* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
Housing	C2	In the past 30 days, where have you [has your child] been living most of the time?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = CAREGIVER'S OWNED OR RENTED HOUSE, APARTMENT, TRAILER, OR ROOM 20 = INDEPENDENT OWNED OR RENTED HOUSE, APARTMENT, TRAILER OR ROOM	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = SOMEONE ELSE'S HOUSE, APARTMENT, TRAILER, OR ROOM		
						3 = HOMELESS (SHELTER, STREET/OUTDOORS, PARK)		
						4 = GROUP HOME		
						5 = FOSTER CARE (SPECIALIZED		
						THERAPEUTIC TREATMENT) 6 = TRANSITIONAL LIVING FACILITY		
						9 = HOSPITAL (MEDICAL)		
						10 = HOSPITAL (PSYCHIATRIC)		
						19 = DETOX/INPATIENT OR RESIDENTIAL SUBSTANCE ABUSE TREATMENT FACILITY		
						11 = CORRECTIONAL FACILITY (JUVENILE DETENTION		
						CENTER/JAIL/PRISON) 18 = OTHER HOUSED (SPECIFY)		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
OtherHousingSpec	C2	Other Housed specify	text	50	Applies only when an interview was conducted (ConductedInterview = 1).	-9 = MISSING DATA -1 = N/A (Not Applicable)	* Only asked when Housing = 18 ; otherwise set to -1.	
					. ,		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ChildLivedWithBioParents	C2_old	Who have you [has your child] lived with during the past 30 days?	integer	N/A	Retained for Data Download purposes, but no longer applies.	0 = NO		¹ If child or caregiver indicated that they REFUSED (7), DON'T KNOW (-8) or MISSING DATA (-9), then all C2 questions must be set accordingly to REFUSED (-7), DON'T KNOW (-8) or MISSING DATA (-9),
						1 = YES		
						-1 = N/A (Not Applicable) -4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
							THIS INFA CODE IS NOT VAIID FOR DATA ENTRy. It is for Data Download purposes only.	
						-7 = REFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		
ChildLivedWithAdoptPare nts	C2_old	Who have you [has your child] lived with during the past 30 days?	integer	N/A	Retained for Data Download purposes, but no longer applies.	0 = NO		¹ If child or caregiver indicated that they REFUSED (7), DON'T KNOW (-8) or MISSING DATA (-9), then all C2 questions must be set accordingly to REFUSED (-7), DON'T KNOW (-8) or MISSING DATA (-9),
-						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
			.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
ChildLivedWithRelative	C2_old	Who have you [has your child] lived with during the past 30 days?	integer	N/A	Retained for Data Download purposes, but no longer applies.	0 = NO		¹ If child or caregiver indicated that they REFUSED (- 7), DON'T KNOW (-8) or MISSING DATA (-9), then all C2 questions must be set accordingly to REFUSED (-7), DON'T KNOW (-8) or MISSING DATA (-9),
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
ChildLivedWithNonRelativ e	C2_old	Who have you [has your child] lived with during the past 30 days?	integer	N/A	Retained for Data Download purposes, but no longer applies.	0 = NO		"If child or caregiver indicated that they REFUSED (- 7), DON'T KNOW (-8) or MISSING DATA (-9), then all C2 questions must be set accordingly to REFUSED (-7), DON'T KNOW (-8) or MISSING DATA (-9),
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
AL 10 11 10 10 10 10 10 10 10 10 10 10 10	00 II					-9 = MISSING DATA		
ChildLivedWithIndependen t	C2_old	Who have you [has your child] lived with during the past 30 days?	integer	N/A	Retained for Data Download purposes, but no longer applies.	0 = NO		*If child or caregiver indicated that they REFUSED (- 7), DON'T KNOW (-8) or MISSING DATA (-9), then all C2 questions must be set accordingly to REFUSED (-7), DON'T KNOW (-8) or MISSING DATA (-9),
						1 = YES		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
SECTION D. EDUCATION			14 A					
DaysAbsent	D1	During the past 30 days of school, how many days were you [was your child] absent for any reason?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 = 0 DAYS	* Skip to D2 (Education)	* Set DaysAbsentUnexcused = -1 (N/A)
						1 = 1 DAY		
						2 = 2 DAYS		
						3 = 3 TO 5 DAYS		
						4 = 6 TO 10 DAYS 5 = MORE THAN 10 DAYS		
						-6 = N/A (Not Applicable)	* Skip to D2 (Education)	* Set DaysAbsentUnexcused = -6 (NOT
						-o - N/A (Not Applicable)	Onp to D2 (Eddballon)	APPLICABLE)
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
						-7 = REFUSED	* Skip to D2 (Education)	* Set DaysAbsentUnexcused = -7 (REFUSED)
						-8 = DON'T KNOW	* Skip to D2 (Education)	* Set DaysAbsentUnexcused = -8 (DON'T KNOW)
						-9 = MISSING DATA	* Skip to D2 (Education)	* Set DaysAbsentUnexcused = -9 (MISSING DATA)
DaysAbsentUnexcused	D1a	[IF ABSENT] , how many days were unexcused absences?	integer	N/A	Applies only when an interview was conducted	0 = 0 DAYS		
					(ConductedInterview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						1 = 1 DAY		* If DaysAbsent > 0, then DaysAbsentUnexcused must be ≤ DaysAbsent.
						2 = 2 DAYS		* If DaysAbsent > 0, then DaysAbsentUnexcused must be ≤ DaysAbsent.
						3 = 3 TO 5 DAYS		* If DaysAbsent > 0, then DaysAbsentUnexcused must be ≤ DaysAbsent.
						4 = 6 TO 10 DAYS		* If DaysAbsent > 0, then DaysAbsentUnexcused must be ≤ DaysAbsent.
			1		1	5 = MORE THAN 10 DAYS		* If DaysAbsent > 0, then DaysAbsentUnexcused

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Field Name	Number	Description	туре	Length	validity	-6 = N/A (Not Applicable)	Edit and Skip information	* If DaysAbsent = -6 (NOT APPLICABLE), then
						· · · · · (· · · · · · · · · · · · · ·		DaysAbsentUnexcused must =-6 (NOT
								APPLICABLE).
								* If DaysAbsent > 0 (0 DAYS), then DaysAbsent <> 6 (NOT
								APPLICABLE).
						-7 = REFUSED		* If DaysAbsent = -7 (REFUSED), then
								DaysAbsentUnexcused must =-7 (REFUSED).
				-		-8 = DON'T KNOW		* If DaysAbsent = -8 (DON'T KNOW), then
								DaysAbsentUnexcused
								must =-8 (DON'T KNOW).
						-1 = N/A (Not Applicable)		* If DaysAbsent = -1 (N/A) or 0 (0 DAYS), then
								DaysAbsentUnexcused must = -1 (N/A).
						-9 = MISSING DATA		* If DaysAbsent = -9 (MISSING DATA), then
								DaysAbsentUnexcused must =-9 (MISSING
Education	D2	What is the highest level of education you	integer	N/A	Applies only when an interview	0 = NEVER ATTENDED		DATA).
Education	02	have [your child has] finished, whether or not	integer	19/25	was conducted	0 - NEVER ATTENDED		
		you [he/she has] received a degree?			(ConductedInterview = 1).			
							* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						20 = Preschool 21 = Kindergarten		
					1	1 = 1ST GRADE		
					1	2 = 2ND GRADE		
						3 = 3RD GRADE		
	-		I	I	1	4 = 4TH GRADE 5 = 5TH GRADE		
						6 = 6TH GRADE		
						7 = 7TH GRADE		
						8 = 8TH GRADE		
	_					9 = 9TH GRADE 10 = 10TH GRADE		
	-					10 = 101H GRADE 11 = 11TH GRADE		
						12 = 12TH GRADE/HIGH SCHOOL		
						DIPLOMA/EQUIVALENT (GED)		
						13 = VOC/TECH DIPLOMA 14 = SOME COLLEGE OR		
						14 = SOME COLLEGE OR UNIVERSITY		
						-7 = REFUSED		
						-8 = DON'T KNOW		
	_					-1 = N/A (Not Applicable)		
SECTION E. CRIME AND	CRIMINAL JUSTIC	E STATUS				-9 = MISSING DATA		
NumTimesArrested	E1	In the past 30 days, how many	integer	N/A	Applies only when an interview	0 - 99 = number of times		
		times have you [has your child] been			was conducted		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
		arrested?			(ConductedInterview = 1).			
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
						-8 = DON'T KNOW		
SECTION F. PERCEPTIO						-9 = MISSING DATA		
TreatedWithRespect	F1a	Staff here treated me with	integer	N/A	Applies only at reassessment or	1 = Strongly Disagree		
		respect.	5		discharge (Assessment = 0601	5, 5		
					to 0699) and an interview must be conducted			
					(ConductedInterview = 1).			
					-			
							* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree		
						3 = Undecided 4 = Agree		
I	1		I	+		4 = Agree 5 = Strongly Agree		
						-1 = N/A (Not Applicable)		
						-1 = N/A (Not Applicable) -7 = REFUSED		
Reenanted Policious Polici	e E1b	Staff raceacted my familite milinious les Likus I	integor	N/A		-1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA		
RespectedReligiousBeliefs	s F1b	Staff respected my family's religious/spiritual beliefs.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601	-1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA		
RespectedReligiousBeliefs	s F1b		integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must	-1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA		
RespectedReligiousBeliefs	s F1b		integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must be conducted	-1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA		
RespectedReligiousBelief:	s F1b		integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must	-1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA	This NA code is not used for data only. It is for Data Devented some	
RespectedReligiousBelief:	s F1b		integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must be conducted	-1 = NA (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
RespectedReligiousBellef	s F1b		integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must be conducted	-1 = NA (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided	This N/A code is not valid for data entry. It is for Data Download purposes only.	
RespectedReligiousBelief	s F1b		integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must be conducted	-1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree	This N/A code is not valid for data entry. It is for Data Download purposes only.	
Respected Religious Belief	s F1b		integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must be conducted	-1 = NA (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree	This N/A code is not valid for data entry. It is for Data Download purposes only.	
RespectedReligiousBelief	s F1b		integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must be conducted	-1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree	This N/A code is not valid for data entry. It is for Data Download purposes only.	

Elekt Name	Question	Description	Data	Louist	Mallalla.	Malas Danasintinas	Edit and Olda Information	Oreceptuals
Field Name SpokelnWayUnderstood	Number F1c	Description Staff spoke to me in a way that I understood.	Type integer	Length N/A	Validity Applies only at reassessment or	Value Descriptions 1 = Strongly Disagree	Edit and Skip Information	Crosscheck
Sporten way on dei stodd	0	east spore to me in a way that i undel \$1000.	- 10961	0/4	discharge (Assessment = 0601 to 0699) and an interview must	· Country Disagrou		
					be conducted (ConductedInterview = 1).			
					(Conductedinie/VIEW = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree		
						3 = Undecided		
						4 = Agree 5 = Strongly Agree		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED -9 = MISSING DATA		
SensitiveToCulture	F1d	Staff was sensitive to my cultural/ethnic	integer	N/A	Applies only at reassessment or	1 = Strongly Disagree		
		background.	-		discharge (Assessment = 0601 to 0699) and an interview must			
					to 0699) and an interview must be conducted			
					(ConductedInterview = 1).			
							* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree 3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable) -7 = REFUSED		
						-9 = MISSING DATA		
ChooseServices	F1e	I helped to choose my [my child's] services.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601	1 = Strongly Disagree		
					to 0699) and an interview must			
					be conducted			
					(ConductedInterview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree	This NA code is not valid for data entry. It is for Data Download purposes only.	
						3 = Undecided		
						4 = Agree 5 = Strongly Agree		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
ChooseTreatment	F1f	I helped to choose my [my child's] treatment	integer	N/A	Applies only at reassessment or	-9 = MISSING DATA 1 = Strongly Disagree		
		goals.	integer		discharge (Assessment = 0601 to 0699) and an interview must	i olongi biolgio		
					be conducted (ConductedInterview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree	This N/A code is not valid for data entry. It is for Data Download purposes only.	
						3 = Undecided		
						4 = Agree		
						E - Changels Agence		
						5 = Strongly Agree		
						5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED		
ParticipatedInTreatment	F1g	I participated in my (my, child's) treatment	integer	N/A	Annlies only at reassessment or	5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA		
ParticipatedInTreatment	F1g	I participated in my [my child's] treatment.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601	5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA		
ParticipatedInTreatment	F1g	I participated in my (my child's) treatment.	integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must	5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA		
ParticipatedInTreatment	F1g	I participated in my (my child's) treatment.	integer	N/A	discharge (Assessment = 0601	5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA		
ParticipatedInTreatment	F1g	l participated in my (my child's) treatment.	integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must be conducted	5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ParticipatedInTreatment	F1g	l participated in my (my child's) treatment.	integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must be conducted	5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ParticipatedInTreatment	F1g	I participated in my [my child's] treatment.	integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must be conducted	5 = Strongly Agree -1 = NA (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ParticipatedInTreatment	F1g	I participated in my (my child's) treatment.	integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must be conducted	5 = Strongly Agree -1 = NA (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ParticipatedinTreatment	F1g	I participated in my (my child's) treatment.	integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must be conducted	5 = Strongly Agree -1 = IVA (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = TVA (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ParticipatedInTreatment	F1g	l participated in my (my child's) treatment.	integer	N/A	discharge (Assessment = 0601 to 0699) and an interview must be conducted	5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = NK (Not Applicable) -7 = REFUSED	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	F1g F1h	Overall, I am satisfied with the services I [my		N/A	discharge (Assessment = 0601 to 0699) and a interview must be conducted (ConductedInterview = 1).	5 = Strongly Agree -1 = N/A (Not Applicable) -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
					discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	5 = Strongly Agree -1 = N/A (Not Applicable) -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
		Overall, I am satisfied with the services I [my			discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	5 = Strongly Agree -1 = N/A (Not Applicable) -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
		Overall, I am satisfied with the services I [my			discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1). Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must	5 = Strongly Agree -1 = N/A (Not Applicable) -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA		
		Overall, I am satisfied with the services I [my			discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	5 = Strongly Agree 1 = NA (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree 1 = NA (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = NX (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
		Overall, I am satisfied with the services I [my			discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	5 = Strongly Agree -1 = NA (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree		
		Overall, I am satisfied with the services I [my			discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	5 = Strongly Agree -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree		
		Overall, I am satisfied with the services I [my			discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Disagree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree		
		Overall, I am satisfied with the services I [my			discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	5 = Strongly Agree -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A (Not Applicable) -7 = REFUSED -9 = MISSING DATA 1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree		

Field Name	Question Number	Description	Data	Langth	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
PeopleStuckWithUs	F1i	The people helping me [my child] stuck with	Type integer	Length N/A	Applies only at reassessment or		Euit and Skip information	Grosscheck
		me [us] no matter what.	integer	1975	discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	r – Guongy Disagree		
i i					(Conductedimerview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree	······································	
						3 = Undecided		
'						4 = Agree 5 = Strongly Agree		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
	5 .0					-9 = MISSING DATA		
Troubled	F1j	I felt I had [my child had] someone to talk to when I [he/she] was troubled.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree		
						0 Discourse	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree 3 = Undecided		
i						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable) -7 = REFUSED		
l'	1					-7 = REFUSED -9 = MISSING DATA		
RightServices	F1k	The services I [my child and/or family] received were right for us.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
1						2 = Disagree	The first code is not faile for date only. It is for bate bothinded pulpodes only.	
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree -1 = N/A (Not Applicable)		
						-7 = REFUSED		
						-9 = MISSING DATA		
GotHelpWanted	F1I	I [My family] got the help I [we] wanted [for my child].	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree		
						3 = Undecided		
'						4 = Agree 5 = Strongly Agree		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
						-9 = MISSING DATA		
GotHelpNeeded	F1m	I [My family] got as much help as I [we] needed [for my child].	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree		
l	1	1	<u> </u>	<u> </u>	1	2 = Disagree	* This N/A code is not valid for data entry. It is for Data Download purposes only.	+
					1	3 = Undecided		
						4 = Agree		
				l		5 = Strongly Agree -1 = N/A (Not Applicable)		
l	1	1			1	-1 = N/A (Not Applicable) -7 = REFUSED		
					1	-9 = MISSING DATA		
WhoAdministered	F2	[INDICATE WHO ADMINISTERED SECTION F - PERCEPTION OF CARE TO THE CONSUMER (CAREGIVER) FOR THIS INTERVIEW.]	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = ADMINISTRATIVE STAFF		* Coded only for questions not asked on previous versions of the CMHS NOMs tools.
•			1	1	1	2 = CARE COORDINATOR		
 						3 = CASE MANAGER 4 = CLINICIAN PROVIDING DIRECT		
						4 = CLINICIAN PROVIDING DIRECT SERVICES 5 = CLINICIAN NOT PROVIDING SERVICES 6 = CONSUMER PEER		
						4 = CLINICIAN PROVIDING DIRECT SERVICES 5 = CLINICIAN NOT PROVIDING SERVICES		

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						10 = RESEARCH ASSISTANT STAFF		
						11 = SELF-ADMINISTERED 12 = OTHER (SPECIFY)		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
WhoAdministered_OtherS	F2	OTHER (SPECIFY)	text	50	Applies only at reassessment or		* Only asked when WhoAdministered = 12 ; otherwise set to -1.	
pec				00	discharge (Assessment = 0601			
					to 0699) and an interview must			
					be conducted (ConductedInterview = 1).			* Coded only for questions not asked on previous
					(Conductedinterview = 1).			versions of the CMHS NOMs tools.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
SECTION G. SOCIAL CO	NNECTEDNESS						Download purposes only.	
ListenAndUnderstand	G1a	I know people who will listen and	integer	N/A	Applies only when an interview	1 = Strongly Disagree		
	-	understand me when I need to talk.	~		was conducted	57 5		
					(ConductedInterview = 1).			
						a a'	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree 3 = Undecided		
	1					4 = Agree		
	1		l			5 = Strongly Agree		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
ComfortableTalking	G1b	I have people that I am comfortable talking	integer	N/A	Applies only when an interview	-9 = MISSING DATA 1 = Strongly Disagree		
Contronable Laiking	GID	with about my [my child's] problems.	integer	IN/A	Applies only when an interview was conducted	r - Suongly Disagree		
					(ConductedInterview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree		
						3 = Undecided		
						4 = Agree		
	-					5 = Strongly Agree -1 = N/A (Not Applicable)		
						-7 = REFUSED		
						-9 = MISSING DATA		
SupportFromFamily	G1c	In a crisis, I would have the support I need	integer	N/A	Applies only when an interview	1 = Strongly Disagree		
		from family or friends.			was conducted (ConductedInterview = 1).		This MA and a location bit for data and a Min for Data Download summary with	
	-				(Conductedinterview = 1).	2 = Disagree	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
						-1 = N/A (Not Applicable) -7 = REFUSED		
	-					-7 = REFUSED -9 = MISSING DATA		
EnjoyPeople	G1d	I have people with whom I can do enjoyable	integer	N/A	Applies only when an interview	1 = Strongly Disagree		
,,, ,	-	things.	~		was conducted	57 5		
					(ConductedInterview = 1).		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						2 = Disagree		
						3 = Undecided 4 = Agree		
	1	<u> </u>				5 = Strongly Agree		1
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
SECTION H. PROGRAM	SPECIFIC OUTST		L		l	-9 = MISSING DATA		
			ONS, YOUR	GPO HAS P	ROVIDED YOU WITH GUIDANC	CE ON WHICH SPECIFIC SECTION H QUESTIONS YO	OU ARE TO COMPLETE.	
IF YOU HAVE ANY QUES	STIONS, PLEASE C	ONTACT YOUR GPO.			In the set of the set of DANC			
ConsideredSuicide	H1_1a	In the past 30 days: how many times have	integer	N/A	Applies only at baseline,	0 - 30 = number of times		* Answered by the consumer at baseline,
		you thought about killing yourself?			reassessment or discharge			reassessment, and clinical discharge.
				1	(Assessment = 0600 to 0699). Applies only when an interview			
				1	was conducted			
	1				(ConductedInterview = 1).			
						-1 = N/A (Not Applicable)		
	+		ļ				* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	+		<u> </u>			-7 = REFUSED -8 = DON'T KNOW		
	1					-9 = MISSING DATA	1	
AttemptedSuicide	H1_1b	In the past 30 days: how many times did you	integer	N/A	Applies only at baseline,	0 - 30 = number of times		* Answered by the consumer at baseline,
		attempt to kill yourself?	-	1	reassessment or discharge			reassessment, and clinical discharge.
	1				(Assessment = 0600 to 0699).			
				1	Applies only when an interview was conducted			
				1	(ConductedInterview = 1).			
	1				, i i i i i i i i i i i i i i i i i i i			
		•			•		•	

Field Name	Question	Description	Data	Laurate	Mallaller	Value Descriptions		O rrest to b
Field Name	Number	Description	Туре	Length	Validity	-1 = N/A (Not Applicable)	Edit and Skip Information	Crosscheck
							* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW -9 = MISSING DATA		
ConsideredSuicideCaregiv	H1 1a Care	In the past 30 days: has your child	integer	N/A	Applies only at baseline,	1 = YES		* Answered by the caregiver at baseline,
er		expressed thoughts to you about killing him	-		reassessment or discharge			reassessment, and clinical discharge.
		or herself?			(Assessment = 0600 to 0699). Applies only when an interview			
					Applies only when an interview was conducted			
					(ConductedInterview = 1).			
						2 = NO		
						-1 = N/A (Not Applicable)	This Mide and the standid for data and this for Data Data data and the	
						-7 = REFUSED	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
AttemptedSuicideCaregive	H1_1b_Care	In the past 30 days: did your child attempt to	integer	N/A	Applies only at baseline,	1 = YES		* Answered by the caregiver at baseline,
r		kill himself or herself?			reassessment or discharge (Assessment = 0600 to 0699).			reassessment, and clinical discharge.
					Applies only when an interview			
					was conducted			
					(ConductedInterview = 1).			
						2 - NO		
		1				2 = NO -1 = N/A (Not Applicable)		1
							* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
CurrentSamhsaGrantFund	111.20	Please indicate which type of funding	integer	N/A	Applies only at baseline,	-9 = MISSING DATA 1 = Yes		* Answered by the grantee staff at baseline,
currentSamnsaGrantFund	H1_2a	source(s) was (were)/will be used to pay for	integer	N/A	reassessment or discharge	1 = Yes		 Answered by the grantee staff at baseline, reassessment, and clinical discharge.
		the services provided to this consumer since			(Assessment = 0600 to 0699).			
		their last interview:			Applies only when an interview			
		Current SAMHSA grant funding			was conducted (ConductedInterview = 1).			
		ourient or winter grant funding			(Conductedinterview - 1).			
						2 = No		
						-1 = N/A (Not Applicable)		
							* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW -9 = MISSING DATA		
OtherFederalGrantFundin	H1 2b	Please indicate which type of funding	integer	N/A	Applies only at baseline,	1 = Yes		* Answered by the grantee staff at baseline,
g	-	source(s) was (were)/will be used to pay for			reassessment or discharge			reassessment, and clinical discharge.
		the services provided to this consumer since their last interview:			(Assessment = 0600 to 0699).			
		their last interview:			Applies only when an interview was conducted			
		Other federal grant funding			(ConductedInterview = 1).			
						2 = No		
				ł		-1 = N/A (Not Applicable) -8 = DON'T KNOW		
						-9 = MISSING DATA		1
StateFunding	H1_2c	Please indicate which type of funding	integer	N/A	Applies only at baseline,	1 = Yes		* Answered by the grantee staff at baseline,
-	_	source(s) was (were)/will be used to pay for	-		reassessment or discharge			reassessment, and clinical discharge.
		the services provided to this consumer since their last interview:	1		(Assessment = 0600 to 0699). Applies only when an interview			
		uren mar niterview.			was conducted			
		State funding			(ConductedInterview = 1).			
						2 = No		
				ł		-1 = N/A (Not Applicable) -8 = DON'T KNOW		+
						-9 = MISSING DATA		1
ConsumerPrivateInsuranc	H1_2d	Please indicate which type of funding	integer	N/A	Applies only at baseline,	1 = Yes		* Answered by the grantee staff at baseline,
e	_	source(s) was (were)/will be used to pay for	-		reassessment or discharge			reassessment, and clinical discharge.
		the services provided to this consumer since their last interview:			(Assessment = 0600 to 0699). Applies only when an interview			
		uren last interview.			Applies only when an interview was conducted			
		Consumer's private insurance			(ConductedInterview = 1).			
								1
						2 = No		
						2 = No -1 = N/A (Not Applicable) -8 = DON'T KNOW		

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
MedicaidMedicare	H1_2e	Please indicate which type of funding	integer	N/A	Applies only at baseline,	1 = Yes		* Answered by the grantee staff at baseline,
	_	source(s) was (were)/will be used to pay for	-		reassessment or discharge			reassessment, and clinical discharge.
		the services provided to this consumer since			(Assessment = 0600 to 0699).			
		their last interview:			Applies only when an interview was conducted			
		Medicaid/Medicare			(ConductedInterview = 1).			
		modibalamodibalo			(contraction interview 1).			
						2 = No		
				1	1	-1 = N/A (Not Applicable)		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
OtherResponse	H1_2f	Please indicate which type of funding source(s) was (were)/will be used to pay for	integer	N/A	Applies only at baseline, reassessment or discharge	1 = Yes		* Answered by the grantee staff at baseline, reassessment, and clinical discharge.
		the services provided to this consumer since			(Assessment = 0600 to 0699).			reassessment, and clinical discharge.
		their last interview:			Applies only when an interview			
					was conducted			
		Other (specify)			(ConductedInterview = 1).			
						2 = No		
						-1 = N/A (Not Applicable)		
L				-		-8 = DON'T KNOW -9 = MISSING DATA		
OtherResponseSpecify	H1 2f	Other (specify)	text	100		-9 = MISSING DATA blank = N/A		
TraumaLossExperiencesId		As a result of treatment and services	integer	N/A	Applies only when an interview	1 = Strongly Disagree		* Answered by the consumer/caregiver at baseline,
entifiedAddressed	112_1	received, my [my child's] trauma and/or loss	integer	19/75	was conducted	1 - Stioligiy Disagree		reassessment, and clinical discharge.
		experiences were identified and addressed.		1	(ConductedInterview = 1).			,
					,			
						2 = Disagree		
						3 = Undecided		
L						4 = Agree		
L						5 = Strongly Agree		
L				-		-1 = N/A (Not Applicable) -7 = REFUSED		
				1	1	-7 - REFUSED -8 = DON'T KNOW		
						-9 = MISSING DATA		
ProblemBehaviorsSympto	H2_2	As a result of treatment and services	integer	N/A	Applies only when an interview	1 = Strongly Disagree		* Answered by the consumer/caregiver at baseline,
msHaveDecreased	-	received for trauma and/or loss experiences.	ů		was conducted	0, 0		reassessment, and clinical discharge.
		my [my child's] problem behaviors/symptoms			(ConductedInterview = 1).			
L		have decreased.						
L						2 = Disagree 3 = Undecided		
L				-				
				1	1	4 = Agree 5 = Strongly Agree		
						-1 = N/A (Not Applicable)		
						-7 = REFUSED		
				1		-8 = DON'T KNOW		
						-9 = MISSING DATA		
HaveShownImprovementsI	H2_3	As a result of treatment and services	integer	N/A	Applies only when an interview	1 = Strongly Disagree		* Answered by the consumer/caregiver at baseline,
nDailyLife		received, I [my child has] have shown improvement in daily life, such as in school			was conducted (ConductedInterview = 1).			reassessment, and clinical discharge.
		or interacting with family or friends.			(Conductedinterview = 1).			
						2 = Disagree		
				1		3 = Undecided		
						4 = Agree		
						5 = Strongly Agree		
L				-		-1 = N/A (Not Applicable)		
						-7 = REFUSED -8 = DON'T KNOW		
l	1	1	1	+	+	-8 = DON'T KNOW -9 = MISSING DATA		
BloodPressureSystolicRes	H3 1a	Systolic blood pressure	integer	N/A	Always applies	11 - 320 (displayed in mmHg)		
ponse		,		1				
						-1 = N/A (Not Applicable)		
			1	1			* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	1		1			-7 = REFUSED		
					1	-8 = DON'T KNOW		
Disad Drassur: Disate it: D	10.4	Diastella bland pressure	inter	NIA	Aluque emplies	-9 = MISSING DATA		
BloodPressureDiastolicRe	H3_1b	Diastolic blood pressure	integer	N/A	Always applies	-9 = MISSING DATA 11 - 200 (displayed in mmHg)		
BloodPressureDiastolicRe sponse	H3_1b	Diastolic blood pressure	integer	N/A	Always applies	11 - 200 (displayed in mmHg)		
	H3_1b	Diastolic blood pressure	integer	N/A	Always applies		* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	H3_1b	Diastolic blood pressure	integer	N/A	Always applies	11 - 200 (displayed in mmHg) -1 = N/A (Not Applicable) -7 = REFUSED	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	H3_1b	Diastolic blood pressure	integer	N/A	Always applies	11 - 200 (displayed in mmHg) -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
sponse						11 - 200 (displayed in mmHg) -1 = N/A (Not Applicable) -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	H3_1b H3_1c	Diastolic blood pressure	integer integer	N/A	Always applies	11 - 200 (displayed in mmHg) -1 = N/A (Not Applicable) -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA 0 - 455 (displayed in kg)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
sponse						11 - 200 (displayed in mmHg) -1 = N/A (Not Applicable) -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA		
sponse						11 - 200 (displayed in mmHg) -1 = N/A (Not Applicable) -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA -9 = MISSING DATA -0 - 455 (displayed in kg) -1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
sponse						11 - 200 (displayed in mmHg) -1 = N/A (Not Applicable) -7 = REFUSED -8 = DONT KNOW -9 = MISSING DATA 0 - 455 (displayed in kg) -1 = N/A (Not Applicable) -7 = REFUSED		
sponse						11 - 200 (displayed in mmHg) -1 = N/A (Not Applicable) -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA -9 = MISSING DATA -0 - 455 (displayed in kg) -1 = N/A (Not Applicable)		

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
		•				-1 = N/A (Not Applicable)		
					-	-7 = REFUSED	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
	-					-8 = DON'T KNOW		
						-9 = MISSING DATA		
WaistCircumferenceRespo nse	H3_1e	Waist circumference	integer	N/A	Always applies	0 - 200 (displayed in cm)		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-7 = REFUSED		
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
ConsumerExperiencedFirs tEpisodeOfPsychosisSince LastInterviewYesNoDkRes ponseKey	H4_1	Has the consumer experienced a first episode of psychosis (FEP) since their last interview?	integer	N/A	Applies at reassessment and discharge (Assessment = 0601 to 0699).	1 = Yes		 Answered by the grantee staff at reassessment, and clinical discharge.
						2 = No		
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
						-9 = MISSING DATA		
ApproximateDateOfInitialFi rstEpisodeOfPsychosis	H4_1a	Please indicate the approximate date that the consumer initially experienced the FEP.	text	7	Applies at reassessment and discharge (Assessment = 0601 to 0699).	Collected as MM/YYYY text format.	* Year portion must be in 4 digit format. * Only asked when ConsumerExperiencedFirstEpisodeOfPsychosisSinceLastInterviewYesNoDkResponse Key = 1; otherwise set to -1.	
						01/01/1869 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
WasConsumerReferredTo FirstEpisodeOfPsychosisS	H4_1b	Was the consumer referred to FEP services?	integer	N/A	Applies at reassessment and discharge (Assessment = 0601	1 = Yes	* Only asked when ConsumerExperiencedFirstEpisodeOfPsychosisSinceLastInterviewYesNoDkResponse	* Answered by the grantee staff at reassessment, and clinical discharge.
ervicesYesNoDkResponse Key					to 0699).	2 = No	Key = 1 ; otherwise set to -1.	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW		
						-8 = DON'T KNOW -9 = MISSING DATA		
DateOfInitialFirstEpisodeOf PsychosisServices	H4_1b1	Please indicate the date that the consumer first received FEP services/treatment.	text	7	Applies at reassessment and discharge (Assessment = 0601	Collected as MM/YYYY text format.	* Year portion must be in 4 digit format. * Only asked when	
					to 0699).		WasConsumerReferredToFirstEpisodeOfPsychosisServicesYesNoDkResponseKey = 1; otherwise set to NULL.	
DateOfInitialFirstEpisodeOf PsychosisServicesNonRes ponseKey	H4_1b1	Please indicate the date that the consumer first received FEP services/treatment.	integer	N/A		-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-8 = DON'T KNOW	* Only asked when DateOfInitialFirstEpisodeOfPsychosisServices is blank	
						-9 = MISSING DATA	* Only asked when DateOfInitialFirstEpisodeOfPsychosisServices is blank	
SECTION I. REASSESSMI			1					
ReassessmentStatus_07	n_old	What is the Reassessment status of the consumer?	integer	N/A	Retained for Data Download purposes, but no longer applies. Applied only at reassessment (Assessment = 0601 to 0611)	11 = Completed interview within specified window	* Only asked if reassessment interview date is within correct reassessment window	*If ConductedInterview = 1 then ReassessmentStatus cannot = 21, 31.
						12 = Completed interview outside specified window	* Only asked if reassessment interview date is outside correct reassessment window	*If ConductedInterview = 0 then ReassessmentStatus cannot = 11 or 12.
						21 = Refused interview		
						31 = No contact within 90 days of last encounter		* If ReassessmentStatus = 31 then this is the last reassessment
			1					for this episode of care.
		-	I			32 = Other (Specify)	In The Let Mark and the second second state and second se second second se second second sec second second sec	
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
OtherReassessment_07	I1_OLD	Other Reassessment status specify response	text	50	Retained for Data Download purposes, but no longer applies. Applied only at reassessment (Assessment = 0601 to 0611)	-1 = N/A (Not Applicable)	 Only asked if ReassessmentStatus = 32 : otherwise set to -1. This N/A code is not valid for data entry. It is for Data Download purposes only. 	
NoContact90Days	11	Have you or other grant staff had contact with the consumer within 90 days of last encounter?	integer	N/A	Applies only at reassessment (Assessment = 0601 to 0611)	0 = No		* If the interview was conducted (ConductedInterview = 1), then grant staff cannot select No Contact for 90 days of last encounter
						1 = Yes		(NoContact90days <> 0). * If NoContact90Days = 0 then this is the last
								reassessment for this episode of care.
						-1 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the CMHS NOMs tools.

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
StillReceivingServices	12	Is the consumer still receiving services from	integer	N/A	Applies only at reassessment	0 = No	Eait and Skip information	Crosscheck
g	-	your project?			(Assessment = 0601 to 0611)			
			<u> </u>			1 = Yes	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
			<u> </u>			-1 = N/A (Not Applicable)		
SECTION J. CLINICAL DI		S			•			•
DischargeDate	J1	On what date was the consumer discharged? (Month and Year only)	text	7	Applies only at discharge (Assessment = 0699).	Collected as MM/YYYY text format. Date entered will be converted to datetime with the day	* Year portion must be in 4 digit format.	* If ConductedInterview = 1 (yes), DischargeDate (Month and
		discharged: (wonth and rear only)			(Assessment - 0000).	defaulted to the 15th.		Year) ≥ current Discharge Interview Date's month
						For MM: 01 - 12 = Jan - Dec		and year. However, DischargeDate cannot be
								greater than 2 calendar months > Discharge Interview Date's month and year.
								* If ConductedInterview = 0 (no), DischargeDate
								cannot be greater than 2 calendar months > Create Date's (date record was created in CMHS) month
								and year.
								* Discharge Date (Month and Year) ≥ previous
								interview's Interview Date's month and year. *Discharge Date (Month and Year) ≥
								LastServiceDate.
						01/01/1869 = N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
DischargeStatus	J2	What is the consumer's discharge status?	text	2	Applies only at discharge	01 = Mutually agreed cessation of	This WA code is not valid for data entry. It is for Data Download purposes only.	*If ConductedInterview = 1 then DischargeStatus
Siconargeoratus	 	status die consumer s discharge status?		Ĺ	(Assessment = 0699).	treatment	* This N/A code is not valid for data entry. It is for Data Download purposes only.	cannot = 02 or 03.
						06 = Withdrew from/refused treatment		
						03 = No contact within 90 days of last encounter 04 = Clinically referred out		
			+			02 = Death		
						05 = Other (Specify)		
OtherDischargeStatus	J2	Other discharge status specify response	text		Applies only at discharge	-1 = N/A (Not Applicable) -1 = N/A (Not Applicable)	* Only asked if DischargeStatus is 05; otherwise set to -1.	
OtherDischargeStatus	32	Other discharge status specify response	lexi		(Assessment = 0699).	- I - N/A (Not Applicable)	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
					· · · ·			
SECTION K. SERVICES R LastServiceDate	ECEIVED	On what date did the consumer	text	7	Applies only at reassant or	Collected as MM/YYYY text format.	* LastServiceDate must be ≤ current date (month and	*LastServicesDate (Month and Year) ≥
Lasidei vicebale	K1	last receive services? (Month and Year only)	ICAL	'	discharge (Assessment = 0601	Date entered will be converted to datetime with the day	year).	FirstReceivedServicesDate (Month and Year).
					to 0699).	defaulted to the 15th. For MM: 01 - 12 = Jan - Dec	* Year portion must be in 4 digit format.	*If Assessment = 0602 to 0611 (Reassessment) and NoContact90Days = 1 (Yes), then
						For MM: 01 - 12 = Jan - Dec		LastServicesDate (Month and Year) > previous
								assessment's LastServicesDate (Month and Year)
								AND/OR > previous assessment InterviewDate (Month and Year).
								*If Assessment = 0602 to 0611 (Reassessment)
								and NoContact90Days = 0 (No), then LastServicesDate (Month and Year) ≥ previous
								LastServicesDate (Month and Tear) 2 previous
								assessment's LastServicesDate (Month and Year)
								assessment's LastServicesDate (Month and Year) AND/OR ≥ previous assessment's InterviewDate
1								AND/OR ≥ previous assessment's InterviewDate (Month and Year).
								AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0699 (Discharge), then LastServicesDate (Month and Year) ≥ previous
								AND/OR ≥ previous assessment's InterviewDate (Month and Year), *If Assessment = 0699 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year).
								AND/OR ≥ previous assessment's InterviewDate (Month and Year). 'If Assessment = 0699 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). 'If InterviewConducted = 1 (Yes), then
								AND/OR ≥ previous assessment's InterviewDate (Month and Year). "If Assessment = 0699 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). "If InterviewConducted = 1 (Yea), then LastServicesDate (Month and Year) ≤ InterviewDat (Month and Year).
								AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0699 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate 'LastServicesDate (Month and Year) ≤ f
								AND/OR ≥ previous assessment's InterviewDate (Month and Year). "If Assessment = 0699 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). "If InterviewConducted = 1 (Yea), then LastServicesDate (Month and Year) ≤ InterviewDate (Month and Year).
								AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0690 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate (Month and Year).
								AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0690 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate (Month and Year).
								AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0690 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate (Month and Year).
							* This N/A code is valid for data entry only when Record Management Q2.	AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0690 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate (Month and Year).
Sur Streening	K1 1	Spreening since last MOMe Interview?	integer	N/A	Applies only at reseasement or	01/01/1869 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0690 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate (Month and Year).
Svc_Screening	K1.1	Screening since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601		[*] This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0690 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate (Month and Year).
Svc_Screening	K1.1	Screening since last NOMs Interview?	integer	N/A			ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is valid for data entry only when Record Management Q2.	AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0690 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate (Month and Year).
Svc_Screening	K1.1	Screening since last NOMs Interview?	integer	N/A	discharge (Assessment = 0601	0 = No	ConductedInterview = 0 and WhyNotConducted = 3 or 5.	AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0690 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate (Month and Year).
Svc_Screening	K1.1	Screening since last NOMs Interview?	integer	N/A	discharge (Assessment = 0601		ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is valid for data entry only when Record Management Q2.	AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0690 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate (Month and Year).
Svc_Screening	K1.1	Screening since last NOMs Interview?	integer	N/A	discharge (Assessment = 0601	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available	ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is valid for data entry only when Record Management Q2.	AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0690 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate (Month and Year).
					discharge (Assessment = 0601 to 0699).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A (Not Applicable)	ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is valid for data entry only when Record Management Q2.	AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0690 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate (Month and Year).
Svc_Screening	K1.1 K1.2	Screening since last NOMs Interview?	integer integer	N/A N/A	discharge (Assessment = 0601 to 0699). Applies only at reassessment or discharge (Assessment = 0601	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A (Not Applicable)	ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is valid for data entry only when Record Management Q2.	AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0699 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate 'LastServicesDate (Month and Year) ≤ f
					discharge (Assessment = 0601 to 0699). Applies only at reassessment or	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A (Not Applicable)	ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is valid for data entry only when Record Management Q2.	AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0699 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate 'LastServicesDate (Month and Year) ≤ f
					discharge (Assessment = 0601 to 0699). Applies only at reassessment or discharge (Assessment = 0601	0 = No 1 = Yes -2 = Unknown -3 = Servke Not Available -1 = N/A (Not Applicable) 0 = No	ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0699 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate 'LastServicesDate (Month and Year) ≤ f
					discharge (Assessment = 0601 to 0699). Applies only at reassessment or discharge (Assessment = 0601	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A (Not Applicable)	ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is valid for data entry only when Record Management Q2.	AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0690 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate (Month and Year).
					discharge (Assessment = 0601 to 0699). Applies only at reassessment or discharge (Assessment = 0601	0 = No 1 = Yes 2 = Unknown -3 = Service Not Available -1 = N/A (Not Applicable) 0 = No 1 = Yes	ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is valid for data entry only when Record Management Q2.	AND/OR ≥ previous assessment's InterviewDate (Month and Year). *If Assessment = 0690 (Discharge), then LastServicesDate (Month and Year) ≥ previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) ≤ InterviewDate (Month and Year).

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Svc_TreatmentPlanning	K1.3	Treatment planning or review since last	integer	N/A	Applies only at reassessment or		Eur and Skip information	CIUSSCHECK
_ 0		NOMs Interview?	°.		discharge (Assessment = 0601			
					to 0699).		* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes	Conducted interview - o and with viological code - o or o.	
						-2 = Unknown		
						-3 = Service Not Available -1 = N/A (Not Applicable)		
Svc_Psychopharmacologi	K1.4	Psychopharmacological services since last	integer	N/A	Applies only at reassessment or			
cal		NOMs Interview?	°.		discharge (Assessment = 0601			
					to 0699).		* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes	Conducted interview - 0 and wrighted conducted - 3 or 5.	
						-2 = Unknown		
						-3 = Service Not Available		
Svc_MentalHealth	K1.5	Mental Health Services since last NOMs	integer	N/A	Applies only at reassessment or	-1 = N/A (Not Applicable)		
		Interview?			discharge (Assessment = 0601			
					to 0699).		* This N/A code is valid for data entry only when Record Management Q2.	
						1 - Vee	ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes -2 = Unknown		
						-3 = Service Not Available		
0 Martilla # 5 07		E	ter da se com	N//A	Databased (see Data Databased	-1 = N/A (Not Applicable)	t Ordersele of KOres, Marstell Lealth, A. atheredes a start A	
Svc_MentalHealthFreq_07	K1.5a_OLD	Frequency of Mental Health Services	integer	N/A	Retained for Data Download purposes, but no longer	1 = Daily	* Only asked if Svc_MentalHealth = 1; otherwise set to -1.	
					applies. Applies only at			
					reassessment or discharge (Assessment = 0601 to 0699)			
					(Assessment = 0601 to 0699) and (NextReassessment <> 3)			
					and			
					(SubmittedAtClinicalDischarge <>2).			
					<>2).			
						2 = Weekly		
						3 = Less than Monthly		
						4 = Monthly -1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.	
						- 1 - NA (Not Applicable)	ConductedInterview = 0 and	
							WhyNotConducted = 3 or 5.	
						-4 = N/A - archived field	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Svc_MentalHealthFreq	K1.5a	Mental Health Services number of times	integer	N/A	Applies only at reassessment or	0-99	* Only asked if Svc_MentalHealth = 1; otherwise set to -1.	
		received	5		discharge (Assessment = 0601			* Coded only for questions not asked on previous
					to 0699).			versions of the
						1 = Yes		CMHS NOMs tools.
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
Svc_MH_FreqPeriod	K1.5b	Number of times per (Frequency period for number of times Mental Health Services	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601	1 = Day	* Only asked if Svc_MentalHealth = 1; otherwise set to -1.	
		were received)			to 0699).			* Coded only for questions not asked on previous versions of the
					· · · · · · · · · · · · · · · · · · ·			CMHS NOMs tools.
				-		2 = Week		
	-					3 = Month 4 - Year		
	1	1				-2 = Unknown		1
			1	1		-1 = N/A (Not Applicable)	* This N/A code is valid for data entry only when Record Management Q2.	
							ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
	1	1	+			-5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data	
							Download purposes only.	
Svc_CoOccuring	K1.6	Co-occurring services since last NOMs	integer	N/A	Applies only at reassessment or	0 = No		
		Interview?			discharge (Assessment = 0601 to 0699).			
							* This N/A code is not valid for data entry. It is for Data Download purposes only.	
						1 = Yes		
			<u> </u>			-2 = Unknown -3 = Service Not Available		
	1					-3 = Service Not Available -1 = N/A (Not Applicable)		
Svc_CaseManagement	K1.7	Case Management since last NOMs	integer	N/A	Applies only at reassessment or			
		Interview?			discharge (Assessment = 0601 to 0699).			
					10 0099).		* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
	1	1	1	1		1 = Yes		
		1	1	1	1	-2 = Unknown		1

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
i leid Name	Humber	Description	Type	Length	Validity	-3 = Service Not Available	Edit and okp information	01033CHECK
						-1 = N/A (Not Applicable)		
Svc_TraumaSpecific	K1.8	Trauma-specific services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601	0 = No		
					to 0699).		* This N/A code is valid for data entry only when Record Management Q2.	
							ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes		
						-2 = Unknown -3 = Service Not Available		
						-1 = N/A (Not Applicable)		
Svc_ReferredCore	K1.9	Was the consumer referred to another	integer	N/A	Applies only at reassessment or	0 = No		* Note: No cross-check with core services.
		provider for any of the above core services?			discharge (Assessment = 0601 to 0699).		t This MA as do is called as data and such as Decard Management OO	
					10 0099).		* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes		
						-2 = Unknown		
						-3 = Service Not Available		
Svc_MedicalCare	K2.1	Medical care services since last NOMs	integer	N/A	Applies only at reassessment or	-1 = N/A (Not Applicable)		
		Interview?	intogo.		discharge (Assessment = 0601	5 NS		
					to 0699).		* This N/A code is valid for data entry only when Record Management Q2.	
							ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes -2 = Unknown		
			-			-3 = Service Not Available		
					<u> </u>	-1 = N/A (Not Applicable)		
Svc_Employment	K2.2	Employment services since last NOMs	integer	N/A	Applies only at reassessment or	0 = No		
		Interview?			discharge (Assessment = 0601 to 0699).			
					to 0699).		* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes		
						-2 = Unknown		
						-3 = Service Not Available		
Sun Family	K2.3	Femily condece sizes last NOMs Interview?	integer	N/A	Applies only at responses and a	-1 = N/A (Not Applicable) 0 = No		
Svc_Family	N2.5	Family services since last NOMs Interview?	integei	19/25	Applies only at reassessment or discharge (Assessment = 0601	0 - 110		
					to 0699).		* This N/A code is valid for data entry only when Record Management Q2.	
							ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes -2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)		
Svc_ChildCare	K2.4	Child care services since last NOMs	integer	N/A	Applies only at reassessment or	0 = No		
		Interview?			discharge (Assessment = 0601 to 0699).		* This N/A code is valid for data entry only when Record Management Q2.	
					10 0059).		ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes		
						-2 = Unknown		
						-3 = Service Not Available -1 = N/A (Not Applicable)		
Svc Transportation	K2.5	Transportation services since last NOMs	integer	N/A	Applies only at reassessment or			
ovo_manaportation	112.5	Interview?	integer	19/6	discharge (Assessment = 0601	0 - 110		
					to 0699).		* This N/A code is valid for data entry only when Record Management Q2.	
							ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes -2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)		
Svc_Education	K2.6	Education services since last NOMs	integer	N/A	Applies only at reassessment or	0 = No		
		Interview?			discharge (Assessment = 0601 to 0699).		t This MA as do is will fee data and such as Decord Management OO	
					10 0059).		* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes	· · · · · · · · · · · · · · · · · · ·	
						-2 = Unknown		
						-3 = Service Not Available		
Svc_Housing	K2.7	Housing services since last NOMs	integer	N/A	Applies only at reassessment or	-1 = N/A (Not Applicable) 0 = No		
- · · _ · · · · · · · · · · · · · · · ·	[Interview?			discharge (Assessment = 0601			
					to 0699).		* This N/A code is valid for data entry only when Record Management Q2.	
							ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes -2 = Unknown		
			-			-3 = Service Not Available		
					1	-1 = N/A (Not Applicable)		
Svc_SocialRecreational	K2.8	Social Recreational Activities since last	integer	N/A	Applies only at reassessment or	0 = No		
		NOMs Interview?			discharge (Assessment = 0601		• This AlfA and a lower black and an and an alfa black and an alfa black and a second and as second and a second and an	
					to 0699).		* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
		1	1	1		1	Conductoring View - Cand With Vieto Conducted - Coro.	
						1 = Yes		
						1 = Yes -2 = Unknown -3 = Service Not Available		

	Question		Data					
Field Name	Number	Description	Туре	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
						-1 = N/A (Not Applicable)		
Svc_ConsumerOperated	K2.9	Consumer Operated services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes		
						-2 = Unknown		
						-1 = N/A (Not Applicable)		
Svc_HIVTesting	K2.10	HIV Testing services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
						1 = Yes		
						-2 = Unknown		
						-3 = Service Not Available		
						-1 = N/A (Not Applicable)		
Svc_ReferredSupport	K2.11	Was the Consumer referred to another provider for any of the above support services?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699).	0 = No	* This N/A code is valid for data entry only when Record Management 02: ConductedInterview = 0 and WhyNotConducted = 3 or 5.	* Note: No cross-check with support services.
						1 = Yes		
						-2 = Unknown		
						-1 = N/A (Not Applicable)		

Change Log							
Update Version Date	Section	Question	Field Name	Column	Row	Description of changed item(s)	Notes
11/1/2023	Record Management	N/A	IntakelD	A	7	Added new IntakelD field	
11/1/2023	Record Management	N/A	CreatedDate	А	8	Added new CreatedDate field	
11/1/2023	Record Management	N/A	UpdatedDate	A	9	Added new UpdatedDate field	
11/1/2023	Record Management	N/A	CalculatedInterviewDate	А	10	Added new CalculatedInteniewDate field	
11/1/2023	Record Management	N/A	Quarter	н	124	Updated logic to account for administrative assessments	